

Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 1 (10)

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GALAXOLIDE UNDILUTED

Sales Number : 00070290
Cust. Material : 00070290
SDS Number : R00000222209
Product Use Description : Fragrance Ingredient

Company : IFF (GB) Limited

DUDDERY HILL HAVERHILL SuffolkCB9 8LG +441440715000

Telephone : +441440715000 Telefax : +441440762199 Emergency telephone number : +44 1440 7 15000

#### SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Not a hazardous substance or mixture.

#### **GHS-Labelling**

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Index-No. : 603-212-00-7

Hazardous components

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



**Product GALAXOLIDE UNDILUTED** 

**Print Date** 03/21/2024 Page 2 (10)

Component	CAS-No.
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	1222-05-5

#### SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation Remove from exposure site to fresh air and keep at rest. If victim is

> unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Skin contact Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

Eye contact Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

Ingestion Rinse mouth with water and obtain medical advice.

#### SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point 291 °F (144 °C)

Fire fighting

Suitable extinguishing media Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for Wear NIOSH approved self-contained breathing apparatus and full

firefighters protective clothing when fighting fires involving chemicals. Use

Version

**Revision Date** : 01/30/2024

IFF (GB) Limited IFF (GB) Limited DUDDERY HILL HAVERHILL HAVERHILL SuffolkCB9 8LG SuffolkCB9 8LG



Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 3 (10)

water spray to cool containers exposed to fire.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment / Methods for cleaning up

: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

#### SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good

manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be

restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire

and explosion

Keep away from ignition sources and naked flame.

Requirements for storage areas and : Store in a cool, dry, ventilated area away from heat sources. Keep

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 4 (10)

containers containers upright and tightly closed when not in use.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

#### **Engineering measures**

Engineering measures : Where feasible, isolate mixing rooms and other areas where this

material is used or openly handled. Maintain these areas under

negative air pressure relative to the rest of the plant.

Where feasible, use closed systems to transfer and process this

material

#### Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Skin and body protection : Choose body protection in relation to its type, to the concentration

and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use local exhaust ventilation around open tanks and other open

sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to

eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation,

etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or

canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices

and/or procedures are being implemented; or

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 5 (10)

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

: In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 6 (10)

**Appearance** 

Physical state : liquid at  $68 \,^{\circ}\text{F} (20 \,^{\circ}\text{C}) (1,013.00 \,^{\circ}\text{hPa} (1,013 \,^{\circ}\text{hPa}))$ 

Appearance : VISCOUS LIQUID

Colour : colorless

Odour : conforms to standard

Safety data

Flash point :  $291 \,^{\circ}\text{F} \, (144 \,^{\circ}\text{C})$ 

Auto-ignition temperature :  $> 392 \, ^{\circ}\text{F} \, (> 200 \, ^{\circ}\text{C})$ 

Freezing point :  $< 68.00 \,^{\circ}\text{F} \,(< 20.00 \,^{\circ}\text{C})$ 

Boiling point : 626.00 °F (330.00 °C)

at 1,013.00 hPa (1,013 hPa)

Vapour pressure : .00 hPa (0.000727 hPa)

at 77 °F (25 °C)

Method: OECD Test Guideline 104

Relative density (20 °C) : 1.0025

Density : 1.0025 g/cm3

at 68 °F (20 °C)

Water solubility : 0.00165 g/l

at 77 °F (25 °C)

Method: OECD Test Guideline 105

Partition coefficient: n-octanol/water : log Pow: 5.300

#### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



**Product GALAXOLIDE UNDILUTED** 

**Print Date** 03/21/2024 Page 7 (10)

Materials to avoid : Remarks: Avoid contact with strong acids, alkali or oxidizing

agents.

Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in

contact with water. Avoid contact with strong acids, alkali or

oxidizing agents.

: Note: Carbon monoxide and unidentified organic compounds may Hazardous decomposition products

be formed during combustion.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### SECTION 12. ECOLOGICAL INFORMATION

#### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging Place material into sealed containers and dispose of in accordance

with local, state and federal regulations.

#### SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

**IATA UN** number : 3082

> Description of the goods : ENVIRONMENTALLY HAZARDOUS

> > SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)

Class : 9 Packing group : 111 **ICAO-Labels** 9

**IMDG** UN number : 3082

Version

**Revision Date** : 01/30/2024

IFF (GB) Limited HAVERHILL SuffolkCB9 8LG

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 8 (10)

Description of the goods : ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)

Class : 9
Packing group : III
IMDG-Labels : 9
EmSNumber 1 : F-A
EmSNumber 2 : S-F
Marine pollutant : yes

(HEXAMETHYLINDANOPYRAN)

#### SECTION 15. REGULATORY INFORMATION

SARA 313 Components : HEXAMETHYLINDANOPYRAN 1222-05-5

SARA 311/312 Hazards : No SARA Hazards

Reportable Quantity

**HMIS Classification** : Health hazard: 1

Chronic Health Hazard: /

Flammability: 1

Physical and chemical hazards: 0

#### SECTION 16. OTHER INFORMATION

#### **Further information**

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



Product GALAXOLIDE UNDILUTED

Print Date 03/21/2024 Page 9 (10)

Version : 4

Revision Date : 01/30/2024

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

### iff

### **SARA 313**

#### Dear Customer,

This letter is to inform you that a product that we sell to you, GALAXOLIDE UNDILUTED, contains one or more chemicals subject to section 313 of Emergency Planning and Community Right-to-Know Act (EPCRA). We are required to notify you of the presence of these chemicals in the product under EPCRA section 313. This law requires certain industrial facilities to report on annual emissions and other waste management of specified EPCRA section 313 chemicals and chemical categories.

#### Our product contains:

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-, Chemical Abstract Service (CAS) number 1222-05-5, 100 %.

If you are unsure whether you are subject to the reporting requirements of EPCRA section 313, or need more information, call the EPA/TRI Information Center. For contact information, please see the TRI Home Page at https://www.epa.gov/tri. Your other suppliers should also be notifying you about EPCRA section 313 chemicals in the mixtures and other trade name products they sell to you.

Finally, please note that if you repackage or otherwise redistribute this product to industrial customers, a notice similar to this one should be sent to those customers.

Sincerely,

**GLOBAL REGULATORY AFFAIRS**