

Product	GRISALVA
Print Date	06/10/2020

Page 1 (8)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	: : :	GRISALVA 00077450 00077450 R00000223259 Fragrance Ingredient
Company	:	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone Telefax Emergency telephone number	: : :	+34964470212 +34964473411 +34 964 470 212

### SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Not a hazardous substance or mixture.

#### **GHS-Labelling**

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Version Revision Date : 1 : 04/19/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411



Print Date

06/10/2020

Page 2 (8)

Component	CAS-No.
3-Pentanone, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, reaction products with 2-propyn-1-ol	68611-23-4

# SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

# SECTION 5. FIREFIGHTING MEASURES

Flammable properties Flash point	:	201 °F (94 °C)
<b>Fire fighting</b> Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.
Protective equipment and precaution	ons	for firefighters
Special protective equipment for firefighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.
Version		: 1
Revision Date		: 04/19/2020
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ		IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

# iff

# SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	GRISALVA
Print Date	06/10/2020

Page 3 (8)

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

# SECTION 7. HANDLING AND STORAGE

Handling	:	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use. If appropriate, procedures used during the handling of this material
		should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.
Requirements for storage areas and containers	:	Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

Version Revision Date	: 1 : 04/19/2020	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ		IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone: +34964470212		Telefax: +34964473411



Product	GRISALVA
Print Date	06/10/2020

Page 4 (8)

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

#### **Engineering measures**

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

#### Personal protective equipment

Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	<ul> <li>Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.</li> </ul>
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	<ul> <li>a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or</li> <li>b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or</li> <li>c)if normal operational workplace vapor concentration in the air is increased due to heat;</li> <li>d)during emergencies; or</li> <li>e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.</li> </ul>
Version	: 1

Revision Date

: 04/19/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.

Avda. Felipe Klein

12580 BENICARLÓ



Product	GRISALVA			
Print Date	06/10/2020	Page	5	(8)
Hygiene measures	<ul> <li>To the extent deemed appropriate, implement pre-pla regularly scheduled ascertainment of symptoms and stesting of lung function for workers who are regularly this material.</li> <li>To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that present in the workplace air to determine potential exensure the continuing effectiveness of engineering cooperational practices to minimize exposure.</li> </ul>	spirometry y exposed d air sam t could be posures a	ry d to plin e and	ıg
Protective measures	<ul> <li>In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publicat Number 2004-110].</li> <li>In August 2004, the United States Flavor and Extract Manufactur Association (FEMA) issued a report entitled "Respiratory Safety the Flavor Manufacturing Workplace".</li> <li>Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace The recommendations in these reports are generally applicable to use of any chemical in the workplace and you are strongly urged review both of these reports.</li> <li>The report published by FEMA also contains a list of "high prior chemicals. If any of these chemicals are present in this product at concentration &gt;= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.</li> </ul>		cation cture ety i lace e to ged t riori ct at	on ers in e. the to ty"

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### Appearance

Physical state Appearance Colour

Odour

: liquid : CLEAR LIQUID : yellow

: conforms to standard

Version **Revision Date** 

: 1 : 04/19/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411



Product	GRISALVA	
Print Date	06/10/2020	Page 6 (8)
Safety data		
Flash point	: 201 °F (94 °C)	
Vapour pressure	: < .01 hPa (< 0.01 hPa) Note: Calculated	
Relative density (20 °C)	: 0.9620 - 0.9700	
Partition coefficient: n-octanol	/water : log Pow: 6.580	

# SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Remarks: Direct sources of heat.	
Chemical stability	: Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.	
Hazardous decomposition products	: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.	у

# SECTION 11. TOXICOLOGICAL INFORMATION

# SECTION 12. ECOLOGICAL INFORMATION

### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

# SECTION 14. TRANSPORT INFORMATION

#### **DOT** Not dangerous goods

Version Revision Date : 1 : 04/19/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.



Product	GRISALVA	
Print Date	06/10/2020	Page 7 (8)
ΙΑΤΑ	UN number Description of the goods Class Packing group ICAO-Labels	<ul> <li>: 3082</li> <li>: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(2,6,6-trimethylcyclohex-2-en-1-yl)pentan-3-one; prop-2-yn-1-ol)</li> <li>: 9</li> <li>: III</li> <li>: 9</li> </ul>
IMDG	UN number Description of the goods Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	<ul> <li>3082</li> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(2,6,6-trimethylcyclohex-2-en-1-yl)pentan-3-one; prop-2-yn-1-ol)</li> <li>9</li> <li>III</li> <li>9</li> <li>F-A</li> <li>S-F</li> <li>yes (1-(2,6,6-trimethylcyclohex-2-en-1-yl)pentan-3- one; prop-2-yn-1-ol)</li> </ul>
CECTION 1		

### SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: No SARA Hazards	
Reportable Quantity	:	
HMIS Classification	: Health hazard: 1 Flammability: 1 Physical and chemical hazards: 0	

## SECTION 16. OTHER INFORMATION

### **Further information**

Version Revision Date : 1 : 04/19/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411

Product	GRISALVA		
Print Date	06/10/2020	Page	8 (8)

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 04/19/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ