

SAFETY DATA SHEET**507465 MYSORE WOOD**Revision Date: 05-21-2018
Version # 02Page 1 of 11
Print Date: 05-21-2018**1. IDENTIFICATION**

Product Description: MYSORE WOOD
CAS # MIXTURE

Other means of identification
Vigon Item # 507465

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

Company

Vigon International, Inc.
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information**Manufacturer**

Company name Vigon International, Inc.
Address 127 Airport Road
E. Stroudsburg, PA 18301
United States

Telephone For information call: 570-476-6300
Website www.vigon.com
E-mail Not available.

Emergency phone number INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Classification not possible
Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1

Environmental hazards Hazardous to the aquatic environment, long-term hazard Category 2

Label elements

Signal word

Warning

SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 2 of 11

Version # 02

Print Date: 05-21-2018

Hazard statement	May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	28.75% of the mixture consists of component(s) of unknown acute oral toxicity. 28.75% of the mixture consists of component(s) of unknown acute dermal toxicity. 47.5% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS		32210-23-4	20 - < 30
2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL	ethyl trimethyl cyclopentene butenol 2- buten-1-ol 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1 -yl)	28219-61-6	10 - < 15
(E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol	3,3- dimethyl-5(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol trimethyl cyclopentenyl dimethyl isopentenol	107898-54-4	5 - < 7.5
3-CYCLOPENTENE-1-BUTANAL, .ALPHA.,2,2,3-TETRAMETHYL- .GAMMA.-METHYLENE	.ALPHA.,2,2,3-TETRAMETHYL-.GAMMA.- METHYLENE-3-CYCLOPENTENE-1- BUTANAL	166432-53-7	2.5 - < 5
CARVACROL	2-methyl-5-isopropyl phenol iso propyl-ortho-cresol 2-hydroxy-para-cymene 3-iso propyl-6-methyl phenol 1-methyl-2-hydroxy-4-isopropylbenzene 2- methyl-5-propan-2-ylphenol	499-75-2	0.1 < 0.5
SPIRO[5.5]UNDEC-8-EN-1-OL, 2,2,9,11-TETRAMETHYL-, 1-ACETATE		678981-31-2	0.1 < 0.5
Other components below reportable levels			50 - < 60



SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 3 of 11

Version # 02

Print Date: 05-21-2018

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO ₂ , dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
--	---



SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 4 of 11

Version # 02

Print Date: 05-21-2018

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection

Chemical resistant gloves.

Other

Use of an impervious apron is recommended.

Respiratory protection

Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 5 of 11

Version # 02

Print Date: 05-21-2018

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.1 mm Hg at 20 °C
Vapor density	Not available.
Relative density	0.97 at d 20/20
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Molecular formula	Not applicable
Oxidizing properties	Not oxidizing.
VOC	< 16 %

SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 6 of 11

Version # 02

Print Date: 05-21-2018

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Components	Species	Test Results
(E)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol (CAS 107898-54-4)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL (CAS 28219-61-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
CARVACROL (CAS 499-75-2)		
Acute		
<i>Oral</i>		
LD50	Rat	810 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	



SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 7 of 11

Version # 02

Print Date: 05-21-2018

Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
(E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol (CAS 107898-54-4)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	0.62 mg/l, 72 hours
Crustacea	EC50	Daphnia	1 mg/l, 48 hours
Fish	LC50	Fish	1.2 mg/l, 96 hours
Other	EC50	Activated Sludge	9 mg/l, 3 hours
2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL (CAS 28219-61-6)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia	0.63 mg/l, 48 hours
Fish	EC100	Fish	4 mg/l, 24 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 8 of 11

Version # 02

Print Date: 05-21-2018

Mobility in soil	No data available.
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS, 2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2-EN-1-OL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9
ADR	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS, 2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2-EN-1-OL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9
RID	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS, 2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2-EN-1-OL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing Group	III

SAFETY DATA SHEET**507465 MYSORE WOOD**

Revision Date: 05-21-2018

Page 9 of 11

Version # 02

Print Date: 05-21-2018

Environmental Hazards Yes
Labels required 9
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT**BULK**

UN number 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS, 2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2-EN-1-OL)
Hazard class 9
Packing group III
Environmental hazards
Marine pollutant Yes
Labels required 9

DOT**NON-BULK**

Not regulated as dangerous goods.


IATA

Not regulated as dangerous goods.

IMDG

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS, 2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2-EN-1-OL)
Transport hazard class(es) 9
Subsidiary class(es) -
Packing group III
Environmental hazards
Marine pollutant Yes
Labels required 9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

ADN; ADR; DOT BULK; IMDG; RID



SAFETY DATA SHEET

507465 MYSORE WOOD


Revision Date: 05-21-2018

Page 10 of 11

Version # 02

Print Date: 05-21-2018

Marine pollutant



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Serious eye damage or eye irritation
Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.



SAFETY DATA SHEET

507465 MYSORE WOOD

Revision Date: 05-21-2018

Page 11 of 11

Version # 02

Print Date: 05-21-2018

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 04-11-2016
Revision date 05-21-2018
Version # 02
HMIS® ratings Health: 2
Flammability: 1
Physical hazard: 0

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.