

Product	NEPALVA 0912			
Print Date	02.07.2019	Page	1 (1	4)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SDS Number	: 300000329689	
CDC Marshan	. 200000220680	
Cust. Material	: 30R32015	
IFF Code	: 30R32015	
Trade name	: NEPALVA 0912	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company	: IFF Inc.
	600 Highway 36
	07730 Hazlet
	USA
Telephone	: +17322644500
Telefax	: +17323352551
E-mail address	: sds@iff.com
Responsible/issuing person	

1.4 Emergency telephone number

Refer to section 16 for country specific emergency contact number.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 Chronic aquatic toxicity, Category 1 H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Version Revision Date



Product	NEPALVA 0912	
Print Date	02.07.2019	Page 2 (14)
Hazard statements	: H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements	: Prevention: P273 Response: P391 Disposal: P501	Avoid release to the environment. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Not applicable, product is a mixture. **3.2 Mixtures**

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION (EC) No 1272/2008)	[%]
	Registration number		
1,3,4,6,7,8-hexahydro-	1222-05-5	Aquatic Chronic1; H410	50 - 70
4,6,6,7,8,8-	214-946-9	Aquatic Acute1; H400	
hexamethylindeno[5,6-	01-2119488227-29		
c]pyran			

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice

: Take Hazard and Precautionary phrases (section 2) into account.

Version Revision Date



Product	NEPALVA 0912	
Print Date	02.07.2019	Page 3 (14)
If inhaled	: Remove from exposure site to fresh air and keep at res unconscious, remove foreign bodies from the mouth. I stopped breathing, give artificial respiration. Obtain m	f victim has
In case of skin contact	 Remove contaminated clothes. Wash thoroughly with soap). Contact physician if symptoms persist. 	
In case of eye contact	: Flush immediately with water for at least 15 minutes. physician if symptoms persist.	Contact
If swallowed	: Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms	s and effects, both acute and delayed	
Symptoms	: No information available.	
Risks	: No information available.	
4.3 Indication of any immedia	ate medical attention and special treatment needed	
Treatment	: No information available.	
5. Firefighting measu	ures	
5.1 Extinguishing media		
Suitable extinguishing me	dia : Carbondioxide, dry chemical, foam.	
Unsuitable extinguishing	media : Do not use a direct waterjet on burning material.	
5.2 Special hazards arising from	om the substance or mixture	
Specific hazards during firefighting 5.3 Advice for firefighters	: Water may be ineffective.	
Further information	: Standard procedure for chemical fires.	

6. Accidental release measures

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.



Product	NEPALVA 0912	
Print Date	02.07.2019	Page 4 (14)
6.2 Environmental precaution		
Environmental precaution	s : Keep away from drains, surface- and groundwater and	soil.
6.3 Methods and materials fo	r containment and cleaning up	
Methods for cleaning up	: Clean up spillage promptly. Remove ignition sources. I adequate ventilation. Avoid excessive inhalation of var spillages should be contained by use of sand or inert po disposed of according to the local regulations.	oours. Gross
6.4 Reference to other section	s	
Prevent spreading over a	vide area (e.g. by containment or oil barriers).	
7. Handling and store	ige	
7.1 Precautions for safe hand	ing	
Advice on safe handling	: Avoid excessive inhalation of concentrated vapors. Fol manufacturing practices for housekeeping and personal Wash any exposed skin immediately after any chemica before breaks and meals, and at the end of each work p Contaminated clothing and shoes should be thoroughly before re-use.	l hygiene. ll contact, eriod.
	If appropriate, procedures used during the handling of t should also be used when cleaning equipment or remove chemicals from tanks or other containers, especially wh hot water is used, as this may increase vapor concentrat workplace air. Where chemicals are openly handled, ac be restricted to properly trained employees. Keep all heated processes at the lowest necessary temp order to minimize emissions of volatile chemicals into	ving residual hen steam or tions in the ccess should verature in

Advice on protection against : Keep away from ignition sources and naked flame. fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.	

7.3 Specific end use(s)

Specific use(s)

: No information available.

```
Version
Revision Date
```

: 02.07.2019

: 2.1



Product NEPALVA 0912

Print Date

02.07.2019

Page 5 (14)

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8hexamethylindeno[5,6-c]pyran

: End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Exposure time: 8 h Value: 60 mg/kg bw/day

End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Exposure time: 8 h Value: 22 mg/m3

End Use: General population Exposure routes: Inhalation Potential health effects: Long-term systemic effects Exposure time: 8 h Value: 6,5 mg/m3

End Use: General population Exposure routes: Skin contact Potential health effects: Long-term systemic effects Exposure time: 8 h Value: 36 mg/kg bw/day

Version **Revision Date**



Product	NEPALVA 0	912		
Print Date)2.07.2019		Page	6 (14)
	Exj Pot Exj	d Use: General population posure routes: Ingestion tential health effects: Long-term systemic effects posure time: 8 h lue: 3,8 mg/kg bw/day		
PNEC 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6-c]py	va ran Ma Va Fre Va Ma Va Soi	esh water lue: 0,0044 mg/l arine water lue: 0,00044 mg/l esh water sediment lue: 2 mg/kg dry weight (d.w.) arine sediment lue: 0,394 mg/kg dry weight (d.w.) il lue: 0,31 mg/kg dry weight (d.w.)		
8.2 Exposure controls				
Engineering measures				

Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Respiratory protection: Use local exhaust ventilation around open tanks and other open
sources of potential exposures in order to avoid excessive inhalation,
including places where this material is openly weighed or measured.
In addition, use general dilution ventilation of the work area to
eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a
workplace where engineering controls such as adequate ventilation,
etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an

Version Revision Date



-

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

roduct	NEPALVA 0912	
rint Date	02.07.2019	Page 7 (14)
	approved, properly fitted respirator with o canisters and particulate filters should be o a)while engineering controls and appropri and/or procedures are being implemented; b)during short term maintenance procedur controls are not in normal operation or are c)if normal operational workplace vapor c increased due to heat ; d)during emergencies; or e)if engineering controls and operational p to reduce airborne concentrations below a exposure limit.	used: ate safe work practices ; or res when engineering e not sufficient; or concentration in the air is practices are not sufficient n established occupational
Hand protection	: Avoid skin contact. Use chemically resista	ant gloves.
Eye protection	: Use tight-fitting goggles, face shield or sa shields if eye contact might occur.	fety glasses with side
Hygiene measures	 To the extent deemed appropriate, implem regularly scheduled ascertainment of symp testing of lung function for workers who a this material. To the extent deemed appropriate, use an expert to identify and measure volatile che present in the workplace air to determine p ensure the continuing effectiveness of eng operational practices to minimize exposure 	ptoms and spirometry are regularly exposed to experienced air sampling emicals that could be potential exposures and to gineering controls and
Environmental expos	ure controls	

General advice : Keep away from drains, surface- and groundwater and soil.

9. Physical and chemical properties

Appearance	: liquid
Colour	: colorless
Odour	: conforms to standard
Odour Threshold	: not determined
Flash point	: 104 °C
Lower explosion limit	: not determined



Product	NEPALVA 0912		
Print Date	02.07.2019	Page	8 (14)
Upper explosion limit	: not determined		
Flammability (solid, gas)	: not determined		
Oxidizing properties	: not determined		
Auto-ignition temperature	: not determined		
pН	: not determined		
Melting point	: not determined		
Boiling point	: not determined		
Vapour pressure	: 0,02 hPa Calculated		
Density	: not determined		
Water solubility	: not determined		
Partition coefficient: n- octanol/water	: not determined		
Solubility in other solvents	: not determined		
Viscosity, dynamic	: not determined		
Viscosity, kinematic	: not determined		
Relative vapour density	: not determined		
Evaporation rate	: not determined		
9.2 Other information			
Refractive index	: not determined		
Relative density	: 1,0030 - 1,0130		

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Note: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
10.4 Conditions to avoid	
Conditions to avoid	: Direct sources of heat.
10.5 Incompatible materials	
Materials to avoid	: Avoid contact with strong acids, alkali or oxidizing agents.



Product	NEPALVA 0912		
Print Date	02.07.2019	Page	9 (14)

10.6 Hazardous decomposition products

Hazardous decomposition	:	Carbon monoxide and unidentified organic compounds may be
products		formed during combustion.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

No lead substance

Serious eye damage/eye irritation

No lead substance

Respiratory or skin sensitisation

No lead substance

Germ cell mutagenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Carcinogenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Reproductive toxicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Single exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Repeated exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Aspiration hazard

No test data available. Ingredients with an aspiration hazard are identified in section 3.

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product

NEPALVA 0912

Print Date

02.07.2019

Page 10 (14)

12. Ecological information 12.1 Toxicity Toxicity to fish 1,3,4,6,7,8-hexahydro-: LC50: 0,452 mg/l 4,6,6,7,8,8-Exposure time: 21 d hexamethylindeno[5,6-c]pyran Species: Lepomis macrochirus (Bluegill sunfish) Method: OECD Test Guideline 204 Toxicity to daphnia and other aquatic invertebrates 1,3,4,6,7,8-hexahydro-: EC50: 0,9 mg/l Exposure time: 48 h 4,6,6,7,8,8hexamethylindeno[5,6-c]pyran Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202 Toxicity to algae 1,3,4,6,7,8-hexahydro-: ErC50: > 0,854 mg/l4,6,6,7,8,8-Exposure time: 72 h Species: Pseudokirchneriella subcapitata (green algae) hexamethylindeno[5,6-c]pyran Method: OECD Test Guideline 201 EbC50: 0,723 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata (green algae) Method: OECD Test Guideline 201 Toxicity to fish (Chronic toxicity) 1,3,4,6,7,8-hexahydro-: NOEC: 0,068 mg/l 4,6,6,7,8,8-Exposure time: 36 d hexamethylindeno[5,6-c]pyran Species: Pimephales promelas (fathead minnow) Method: OECD 210 Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) 1,3,4,6,7,8-hexahydro-: NOEC: 0,111 mg/l 4,6,6,7,8,8-Exposure time: 21 d hexamethylindeno[5,6-c]pyran Species: Daphnia magna (Water flea) Method: OECD 211

Version Revision Date



Product	NEPALVA 0912	
Print Date	02.07.2019	Page 11 (14)
12.2 Persistence and degradab	ility	
Biodegradability		
1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8-	: Result: Not readily biodegradable. 2 %	
hexamethylindeno[5,6-c]py		
12.3 Bioaccumulative potential		
Bioaccumulation		\ \
1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8-	: Species: Lepomis macrochirus (Bluegill sunfish Exposure time: 28 d)
hexamethylindeno[5,6-c]py		
12.4 Mobility in soil		
Mobility	: No data available	
Distribution among enviror 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6-c]py	: Log Koc: 4,39	
12.5 Results of PBT and vPvB	assessment	
	tains no components considered to be either persistent, bio nd very bioaccumulative (vPvB) at levels of 0.1% or higher	
12.6 Other adverse effects		
Additional ecological information	: There is no data available for this product.	
13. Disposal considered	utions	
13.1 Waste treatment methods		
Product	: Dispose of according to local regulations. Avoid drainage systems and into the environment.	disposing into
Contaminated packaging	: Empty containers should be taken to an approve	d waste handling
Version	: 2.1	
Revision Date	: 02.07.2019	



Product	NEPALVA 0912		
Print Date	02.07.2019	Page	12 (14)

site for recycling or disposal.

14. 11 ansport injoint	uu	
ADR		
UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)
Labels	:	9
Packing group	:	III
Environmentally hazardous	:	yes
IATA		
UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(HEXAMETHYLINDANOPYRAN)
Labels	:	9
Packing group	:	III
Environmentally hazardous	:	yes
IMDG		
UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)
Labels	:	9
Packing group	:	III
Marine pollutant	:	yes (HEXAMETHYLINDANOPYRAN)
Special precautions for user	:	No special precautions required.

14. Transport information

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class	:	WGK 2significantly water endangering
(Germany)		

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	NEPALVA 0912

Page 13 (14)

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.

02.07.2019

Further information

Print Date

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Austria	+43 1 406 43 43
Belgium	+32 70 245 245
Bulgaria	+359 2 9154 409 (N. I. Pirogov). poison_centre@mail.orbitel.bg
Croatia	(+385 1) 2348342
Czech Republic	+420 224 919 293 / +420 224 915 402
Denmark	+45 82 12 12 12
Estonia	16662 (National), International (+372) 626 93 90
Finland	+358 9 471977
France	+ 33 (0)1 45 42 59 59
Germany	+31 13 4642 211
Greece	+31 13 4642 211
Hungary	(+36-80) 201-199
Iceland	+354 543 2222



SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	NEPALVA 0912
Print Date	02.07.2019

Page 14 (14)

Ireland	+353 1 8092566 / +353 1 8379964
Italy	+39 06 68593726
Latvia	+371 67042473
Lithuania	+370 5 236 20 52 or +370 687 53378
Luxembourg	+352 8002 5500
Malta	+356 21224071
Netherlands	+31 30 2748888 (Only for the purpose of informing medical personnel in
	cases of acute intoxications).
Norway	+47 22 59 13 00
Poland	+31 13 4642 211
Portugal	808 250 143
Poland	+31 13 4642 211
Portugal	808 250 143
Romania	+31 13 4642 211
Slovakia	+31 13 4642 211
Slovenia	+31 13 4642 211
Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in
	cases of acute intoxications).
Sweden	+46 112
United Kingdom	+44 111 (England, Wales & Scotland)