

### 504227 PETITGRAIN OIL

 Revision Date: 01-29-2020
 Page 1 of 10

 Version # 03
 Print Date: 01-29-2020

#### **1. IDENTIFICATION Product Description:** PETITGRAIN OIL CAS# 8016-44-2 Other means of identification 504227 Vigon Item # Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines. Recommended restrictions For Manufacturing Use Only 24 Hour Emergency Response Information Company INFOTRAC (ACCT# 78928); Vigon International, Inc. 1-800-535-5053 WITHIN THE U.S.A. 127 Airport Road 1-352-323-3500 OUTSIDE THE U.S.A. E. Stroudsburg, PA 18301 For information call: 570-476-6300 Web Site: www.vigon.com Manufacturer/Importer/Supplier/Distributor information Manufacturer Company name Vigon International, Inc. Address 127 Airport Road E. Stroudsburg, PA 18301 **United States** Telephone For information call: 570-476-6300 Website www.vigon.com E-mail Not available. Emergency phone number **INFOTRAC** (ACCT# 78928); WITHIN THE U.S.A. 1-800-535-5053 1-352-323-3500 OUTSIDE THE U.S.A.

### 2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	

Danger

Label elements





# 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	Page 2 of 10	
Version # 03	Print Date: 01-29-2020	
Hazard statement	Flammable liquid and vapor. May be fatal if swallowed and enters airways. May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
Precautionary statement		
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.	
Storage	Store in a well-ventilated place. Keep cool. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment.	

#### USITION/INFORMATION ON INGREDIENTS COIVIT

Substances			
Chemical name	Common name and synonyms	CAS number	%
PETITGRAIN OIL		8016-44-2	100

### 4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.



# 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	Page 3 of 10
Version # 03	Print Date: 01-29-2020
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. FIRE-FIGHTING MEASU	RES
Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.
6. ACCIDENTAL RELEASE	MEASURES
Personal precautions, protective	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor.
equipment and emergency procedures	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
Methods and materials for containment and cleaning up	Collect and dispose of spillage as indicated in section 13 of the SDS.
	Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
	The product is immiscible with water and will spread on the water surface.
	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.



### 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	Page 4 of 10	
Version # 03	Print Date: 01-29-2020	
Environmental precautions	Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if	
	safe to do so. Do not contaminate water.	
7. HANDLING AND STOR	AGE	
Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.	
8. EXPOSURE CONTROL	S/PERSONAL PROTECTION	
Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.	

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection Hand protection	Chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	129.0 °F (53.9 °C) Closed Cup
Evaporation rate	Not available.



### 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	Page 5 of 10
Version # 03	Print Date: 01-29-2020

Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible II estimated
Molecular formula	Not applicable
Oxidizing properties	Not oxidizing.
Specific gravity	0.93 at 25 °C

### **10. STABILITY AND REACTIVITY**

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	Knowledge about health hazard is incomplete.
Skin contact	May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.



# 504227 PETITGRAIN OIL

Revision Date: 01-29-2020		Page 6 of 10	
Version # 03		Print Date: 01-29-2020	
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.		
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effect	cts		
Acute toxicity	May be fatal if swallowed and enter	s airways. May be harmful in contact with skin.	
Product	Species	Test Results	
PETITGRAIN OIL (CAS 8016-44	I-2)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitization			
Respiratory sensitization	Due to partial or complete lack of d	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction		
Germ cell mutagenicity	Due to partial or complete lack of d	ata the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of d	ata the classification is not possible.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-105	3)	
Not listed.			
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	Due to partial or complete lack of d	ata the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	May be fatal if swallowed and enter	s airways.	

### 12. ECOLOGICAL INFORMATION

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this substance.
Bioaccumulative potential	No data available.



### 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	on Date: 01-29-2020 Page 7 of 10	
Version # 03	Print Date: 01-29-2020	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. DISPOSAL CONSIDE	RATIONS	
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	Not established.	
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

### **14. TRANSPORT INFORMATION**

ADN

7.811	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (PETITGRAIN OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3
ADR	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (PETITGRAIN OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3
RID	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (PETITGRAIN OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	3
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
DOT	
BULK	
UN number	1197



### 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	Page 8 of 10
Version # 03	Print Date: 01-29-2020

Proper shipping name	EXTRACTS, FLAVOURING, LIQUID (PETITGRAIN OIL)
Hazard class	3
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Packaging exceptions	150
Packaging bulk	242
Labels required	3
DOT	
NON-BULK	
Not regulated as dangerous g	oods.
ΙΑΤΑ	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	No
Labels required	3
IMDG	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (PETITGRAIN OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	3
Transport in bulk according	Not applicable.
to Annex II of MARPOL	
73/78 and the IBC Code	

### ADN; ADR; DOT BULK; IATA; IMDG; RID





### 504227 PETITGRAIN OIL

Revision Date: 01-29-2020 Version # 03 Page 9 of 10 Print Date: 01-29-2020

#### Marine pollutant



### **15. REGULATORY INFORMATION**

US	federal	regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt) chemical

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	11-21-2015
Revision date	01-29-2020
Version #	03



### 504227 PETITGRAIN OIL

Revision Date: 01-29-2020	Page 10 of 10
Version # 03	Print Date: 01-29-2020
HMIS® ratings	Health: 3* Flammability: 2 Physical hazard: 0
Disclaimer	Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information relates only to this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this docum
Revision information	This document has undergone significant changes and should be reviewed in its entirety.