



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 1 (12)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PRISMANTOL (ELINCS)  
IFF Code : 00161287  
Cust. Material : 00161287  
SDS Number : R00000111120  
Product Use Description : Fragrance Ingredient

Company : IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

Telephone : +34964470212  
Telefax : +34964473411  
Emergency telephone number : +34 964 470 212

### SECTION 2 HAZARDS IDENTIFICATION

#### GHS-Classification

Skin irritation, Category 2  
Skin sensitisation, Category 1

#### GHS-Labeling

Symbol(s) :



Signal word : Warning

Hazard statements : H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.

Precautionary statements : P280: Wear protective gloves.  
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

#### Carcinogenicity:

Version : 5  
Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 2 (12)

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.
Tricyclo[3.3.1.1 <sup>3,7</sup> ]decan-2-ol, 4-methyl-8-methylene-	122760-84-3

### SECTION 4. FIRST AID MEASURES

#### First aid procedures

- Inhalation : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Ingestion : Rinse mouth with water and obtain medical advice.

### SECTION 5. FIREFIGHTING MEASURES

#### Flammable properties

- Flash point : Remarks: Not applicable

#### Fire fighting

- Version : 5
- Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 3 (12)

Suitable extinguishing media : Use water spray, dry chemical, carbon dioxide or appropriate foam.

### Protective equipment and precautions for firefighters

Special protective equipment for firefighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment /  
Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation or exhaust. Avoid excessive inhalation of dust and vapours. Contain and recover free product. Dispose of according to the local regulations.

### SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in

Version : 5

Revision Date : 06/10/2020

IFF Benicar16, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicar16, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 4 (12)

order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

#### Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

#### Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a)while engineering controls and appropriate safe work practices

---

Version : 5  
Revision Date : 06/10/2020



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 5 (12)

and/or procedures are being implemented; or  
b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or  
c)if normal operational workplace vapor concentration in the air is increased due to heat ;  
d)during emergencies; or  
e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.  
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

: In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].  
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".  
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.  
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq$  1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Version : 5  
Revision Date : 06/10/2020

IFF Benicar16, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicar16, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

Telephone: +34964470212

Telefax: +34964473411



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 6 (12)

### Appearance

Physical state : solid  
Appearance : CRYSTAL  
Colour : white  
  
Odour : conforms to standard

### Safety data

Flash point : Note: Not applicable  
Freezing point : 108.50 - 120.20 °F (42.50 - 49.00 °C)  
Vapour pressure : Note: Not applicable  
Relative density (20 °C) : 1.0000  
Partition coefficient: n-octanol/water : log Pow: 3.110

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.  
Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.  
Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate  
Dose: 4,400 mg/kg  
Method: Calculation method  
  
Acute oral toxicity (Component) : Component: 122760-84-3  
LD50 Rat  
Dose: 4,400 mg/kg

Version : 5  
Revision Date : 06/10/2020



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 7 (12)

Remarks: IFF

Component: 106-24-1  
LD50 Rat  
Dose: 3,600 mg/kg  
Method: No information available.  
Remarks: REACH data

Acute dermal toxicity : Acute toxicity estimate  
Dose: 2,500 mg/kg  
Method: Calculation method

Acute dermal toxicity (Component) : Component: 122760-84-3  
LD50 Rat  
Dose: > 2,000 mg/kg

Component: 106-24-1  
LD50 Rabbit  
Dose: > 5,000 mg/kg  
Method: No information available.  
Remarks: REACH data

Skin irritation (Component) : Component: 122760-84-3  
Rabbit  
Result: irritating  
Exposure time: 4 h

Component: 106-24-1  
Rabbit  
Classification: Causes skin irritation.  
Result: irritating  
Method: OECD Test Guideline 404  
Exposure time: 4 h  
Remarks: REACH data

Eye irritation(Component) : Component: 122760-84-3  
Rabbit  
Result: Mild eye irritation  
Test substance: (undiluted)

Component: 106-24-1

---

Version : 5

Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

Telephone: +34964470212

Telefax: +34964473411



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 8 (12)

Rabbit  
Classification: Causes serious eye damage.  
Result: Severe eye irritation  
Method: OECD Test Guideline 405  
Exposure time: 1 h  
Remarks: REACH data

Sensitisation (Component) : Component: 122760-84-3  
maximisation study Guinea pig  
Result: Causes sensitisation.  
Test substance: 60.00%

Component: 106-24-1  
Local lymph node assay (LLNA) Mouse  
Classification: May cause sensitisation by skin contact.  
Result: positive  
Test substance: 6.0% in petrolatum

Repeated dose toxicity(Component) : Component: 122760-84-3  
Component: 106-24-1

### SECTION 12. ECOLOGICAL INFORMATION

**Component:**

122760-84-3

PRISMANTOL

Toxicity to fish:

LC50

Species:

Dose: 16 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species:

Dose: 45 mg/l

Exposure time: 48 h

Toxicity to algae:

ErC50

Species:

Version : 5

Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ





# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 9 (12)

Dose: 12 mg/l  
Exposure time: 72 h

Toxicity to algae:  
EbC50  
Species:  
Dose: 5.9 mg/l  
Exposure time: 72 h

106-24-1

Geraniol

Toxicity to fish:  
static test LC50  
Species: Danio rerio (zebra fish)  
Dose: 22 mg/l  
Exposure time: 96 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
REACH data  
Toxicity to fish:  
static test NOEC  
Species: Danio rerio (zebra fish)  
Dose: 10 mg/l  
Exposure time: 96 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
REACH data  
Toxicity to fish:  
static test LC0  
Species: Danio rerio (zebra fish)  
Dose: 10 mg/l  
Exposure time: 96 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
REACH data  
Toxicity to fish:  
static test LC100  
Species: Danio rerio (zebra fish)  
Dose: 46.4 mg/l  
Exposure time: 96 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 203

Version : 5  
Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

Telephone: +34964470212

Telefax: +34964473411



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 10 (12)

REACH data

Toxicity to daphnia and other aquatic invertebrates:

static test EC50

Species: Daphnia magna (Water flea)

Dose: 10.8 mg/l

Exposure time: 48 h

Analytical monitoring: yes

Method: OECD Test Guideline 202

REACH data

Toxicity to daphnia and other aquatic invertebrates:

static test EC0

Species: Daphnia magna (Water flea)

Dose: 4 mg/l

Exposure time: 48 h

Analytical monitoring: yes

Method: OECD Test Guideline 202

REACH data

Toxicity to daphnia and other aquatic invertebrates:

static test EC100

Species:

Dose: 41.9 mg/l

Exposure time: 48 h

Analytical monitoring: yes

Method: OECD Test Guideline 202

REACH data

Toxicity to algae:

static test EC50

Species: Scenedesmus capricornutum (fresh water algae)

Dose: 13.10 mg/l

Exposure time: 72 h

Analytical monitoring: yes

Method: OECD Test Guideline 201

REACH data

Toxicity to algae:

static test EC10

Species: Scenedesmus capricornutum (fresh water algae)

Dose: 3.77 mg/l

Exposure time: 72 h

Analytical monitoring: yes

Method: OECD Test Guideline 201

REACH data

Version : 5  
Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 11 (12)

Toxicity to algae:  
static testNOEC  
Species: Scenedesmus capricornutum (fresh water algae)  
Dose: 1 mg/l  
Exposure time: 72 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
REACH data

### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

**DOT** Not dangerous goods

**IATA** UN number : 3077  
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (4-METHYL-8-METHYLENETRICYCLO[3.3.1.1.1.(3.7)]DECAN-2-OL)  
Class : 9  
Packing group : III  
ICAO-Labels : 9

**IMDG** UN number : 3077  
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (4-METHYL-8-METHYLENETRICYCLO[3.3.1.1.1.(3.7)]DECAN-2-OL)  
Class : 9  
Packing group : III  
IMDG-Labels : 9

Version : 5  
Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product PRISMANTOL (ELINCS)

Print Date 06/10/2020

Page 12 (12)

EmSNumber 1 : F-A  
EmSNumber 2 : S-F  
Marine pollutant : yes  
(4-METHYL-8-METHYLENETRICYCLO[3.3.1.1.(3.7)]DECAN-2-OL)

### SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : Acute Health Hazard  
**Reportable Quantity** :  
**HMIS Classification** : Health hazard: 2  
Flammability: 1  
Physical and chemical hazards: 0

### SECTION 16. OTHER INFORMATION

#### Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 5  
Revision Date : 06/10/2020

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ

IFF Benicarló, S.L.  
Avda. Felipe Klein 2  
12580 BENICARLÓ