

Product Specification



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

CAS Number: MIXTURE

FEMA Number: N/A

Characteristic:

Gas Chromatograph

Odor

Refractive Index (@20c)

Specific Gravity (@25c)

Color/appearance

Specification:

PASSES TEST

TANGERINE, FRUIT LIKE ODOR.

1.4728 1.4928

0.9036 0.9236

YELLOW LIQUID.

Additional Product Information:

Flash Point: 138 °F

Shelf Life: 36 Months

Storage Conditions: Stable when stored in its original package, tightly sealed in a cool (46-90°F) and dry location out of direct heat and light.

Effective Date: January 17, 2017



SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 1 of 18

Version # 03

Print Date: 11-18-2019

1. IDENTIFICATION

Product Description: YUZUZEST TEC ABJ7091M

CAS # MIXTURE

Other means of identification

Vigon Item # 507692

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

Company

Vigon International, Inc.
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, Inc.
Address 127 Airport Road
E. Stroudsburg, PA 18301
United States

Telephone For information call: 570-476-6300

Website www.vigon.com

E-mail Not available.

Emergency phone number INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, oral	Category 5
	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 2
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 2 of 18

Version # 03

Print Date: 11-18-2019

Label elements



Signal word

Danger

Hazard statement

Flammable liquid and vapor. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe mist/vapors. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

20.96% of the mixture consists of component(s) of unknown acute oral toxicity. 26.2% of the mixture consists of component(s) of unknown acute dermal toxicity. 80.05% of the mixture consists of component(s) of unknown acute inhalation toxicity. 26.2% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 20.96% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CARVENE	DIPENTENE (+)-P-MENTHA-1,8-DIENE (R)-(+)-Limonene (R)-4-Isopropenyl-1-methyl-1-cyclohexene 1-methyl-4-prop-1-en-2-ylcyclohexene	5989-27-5	30 - < 50
2,6-DIMETHYL-7-OCTEN-2-OL	DIMYRCETOL 2,6-DIMETHYL-7-OCTEN-2-OL 7-Octen-2-ol, 2,6-dimethyl- 2,6-Dimethyloct-7-en-2-ol lymolene	18479-58-8	1 - < 10

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 3 of 18

Version # 03

Print Date: 11-18-2019

Chemical name	Common name and synonyms	CAS number	%
ALIPHATIC ESTERS			1 - < 10
AMINES			1 - < 10
BOURGEONAL	3-(4-tert- butylphenyl)propanal 4-(1,1-DIMETHYLETHYL)BENZENE PROPANAL Benzenepropanal, 4-(1,1-dimethylethyl)- P-TERT-BUTYLDIHYDRO CINNAMALDEHYDE	18127-01-0	1 - < 10
BUTYLPHENYL METHYLPROPIONAL	lysmeral 3-(4-tert- butylphenyl)butanal PROPIONALDEHYDE, 2-(4-TERT-BUTYLBENZYL)- BENZENEPROPANAL,4-(1,1-DIMETHYL ETHYL)-.A.-METHYL- BUTYLPHENYL METHYLPROPIONAL	80-54-6	1 - < 10
HEXYL CINNAMIC ALDEHYDE	2-(phenylmethylidene)octanal 2- benzylidene octanal alpha- hexyl cinnamaldehyde hexyl cinnamal	101-86-0	1 - < 10
HEXYL SALICYLATE	hexyl o-hydroxybenzoate hexyl 2-hydroxy-1-benzene carboxylate hexyl 2-hydroxybenzoate	6259-76-3	1 - < 10
METHYL NAPHTHYL KETONE	2-ACETYLNAPHTHALENE acetoneaphthone 1- naphthalen-2-ylethanone methyl 2-naphthyl ketone	93-08-3	1 - < 10
PHENYL HEXANOL	PHENYLISOHEXANOL 3-methyl-5-phenylpentan-1-ol 3-Methyl-5-phenylpentanol phenyxol	55066-48-3	1 - < 10
PINENE BETA	7,7-dimethyl-4-methylidenebicyclo[3.1.1] heptane (1)-6,6- dimethyl-2-methylene bicyclo(3.1.1) heptane	127-91-3	1 - < 10
TERPINENE GAMMA	4-iso propyl-4-methyl-1,4-cyclohexadiene p-Mentha-1,4-diene 1,4-p-Menthadiene 1-METHYL-4-(1-METHYLETHYL)- 1,4-CYCLOHEXADIENE	99-85-4	1 - < 10
2,4,6-trimethylcyclohex-3-ene- 1-carbaldehyde	isocyclovert	1335-66-6	0.1 < 1

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 4 of 18

Version # 03

Print Date: 11-18-2019

Chemical name	Common name and synonyms	CAS number	%
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	4-formyl-1,3-dimethylcyclohex-1-ene 2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE 3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE (MIXED ISOMERS)	68039-49-6	0.1 < 1
CITRAL	2,6- OCTADIENAL, 3,7-DIMETHYL-2,6- dimethyl octadien-2,6-al-8 3,7-DIMETHYL-2,6-OCTADIENAL 3,7- dimethylocta-2,6-dienal	5392-40-5	0.1 < 1
CITRONELLOL	3,7-DIMETHYL-6-OCTEN-1-OL 6-Octen-1-ol, 3,7-dimethyl-2,6- dimethyl-2-octen-8-ol	106-22-9	0.1 < 1
GERANIOL	3,7-DIMETHYL-2,6-OCTADIEN-1-OL (2E)-3,7- dimethylocta-2,6-dien-1-ol LEMONOL GERANYL ALCOHOL	106-24-1	0.1 < 1
LAURIC ALDEHYDE	Dodecanal LAURYL ALDEHYDE	112-54-9	0.1 < 1
Methyl 2,6,10-trimethyl cyclododeca- 2,5,9-trien-1-yl ketone	amber decatriene acetic acid anhydride reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene	144020-22-4	0.1 < 1
PINENE ALPHA	dextro,laevo-pin-2(3)-ene 2,6,6 - trimethyl bicyclo-3,1,1-2-heptene 4,7,7- trimethylbicyclo[3.1.1]hept-3-ene	80-56-8	0.1 < 1

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Not available.



SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 5 of 18

Version # 03

Print Date: 11-18-2019

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray, fog, CO₂, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods Use water spray to cool unopened containers.

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up Collect and dispose of spillage as indicated in section 13 of the SDS.

Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.



SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 6 of 18

Version # 03

Print Date: 11-18-2019

7. HANDLING AND STORAGE

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
CITRAL (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.
PINENE ALPHA (CAS 80-56-8)	TWA	20 ppm	
PINENE BETA (CAS 127-91-3)	TWA	20 ppm	

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
CARVENE (CAS 5989-27-5)	TWA	165.5 mg/m3
		30 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

CITRAL (CAS 5392-40-5) Can be absorbed through the skin.

Appropriate engineering controls Use explosion-proof ventilation equipment to stay below exposure limits. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended. Chemical resistant gloves.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 7 of 18

Version # 03

Print Date: 11-18-2019

General hygiene considerations Observe any medical surveillance requirements. When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	138.0 °F (58.9 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.57 hPa at 20 °C Calculated 99.9%
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	914.97 kg/m ³ at 20 °C
Explosive properties	Not explosive.
Molecular formula	Not applicable

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 8 of 18

Version # 03

Print Date: 11-18-2019

Oxidizing properties Not oxidizing.

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May be harmful if swallowed. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Product	Species	Test Results
YUZUZEST TEC ABJ7091M		
Acute		
<i>Oral</i>		
LD50		> 5000 mg/kg ATE

Components	Species	Test Results
2,4,6-trimethylcyclohex-3-ene- 1-carbaldehyde (CAS 1335-66-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 4600 mg/kg
<i>Oral</i>		
LD50	Rat	4150 mg/kg
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE (CAS 68039-49-6)		
Acute		
<i>Oral</i>		
LD50	Rat	3900 mg/kg

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 9 of 18

Version # 03

Print Date: 11-18-2019

Components	Species	Test Results
2,6-DIMETHYL-7-OCTEN-2-OL (CAS 18479-58-8)		
Acute		
<i>Oral</i>		
LD50	Rat	3600 mg/kg
Presumed Non-Toxic		
<i>Dermal</i>		
LD50	Rabbit	>= 5000 mg/kg
BOURGEONAL (CAS 18127-01-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
<i>Oral</i>		
LD50	Rat	2700 mg/kg
BUTYLPHENYL METHYLPROPIONAL (CAS 80-54-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
<i>Oral</i>		
LD50	Rat	1390 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.
CARVENE (CAS 5989-27-5)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	5 g/kg
<i>Oral</i>		
LD50	Rat	4400 mg/kg
CITRAL (CAS 5392-40-5)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	2250 mg/kg
CITRONELLOL (CAS 106-22-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	2650 mg/kg
<i>Oral</i>		
LD50	Rat	3450 mg/kg

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 10 of 18

Version # 03

Print Date: 11-18-2019

Components	Species	Test Results
HEXYL CINNAMIC ALDEHYDE (CAS 101-86-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 3000 mg/kg
HEXYL SALICYLATE (CAS 6259-76-3)		
Acute		
<i>Dermal</i>		
	Rabbit	> 5000 mg/kg
<i>Oral</i>		
	Rat	> 5000 mg/kg
LAURIC ALDEHYDE (CAS 112-54-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 231000 mg/kg
METHYL NAPHTHYL KETONE (CAS 93-08-3)		
Acute		
<i>Oral</i>		
LD50	Rat	2500 mg/kg
Presumed Non-Toxic		
<i>Dermal</i>		
LD50	Rabbit	99999 mg/kg
PHENYL HEXANOL (CAS 55066-48-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	2300 mg/kg
<i>Oral</i>		
LD50	Rat	1850 mg/kg
PINENE ALPHA (CAS 80-56-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
PINENE BETA (CAS 127-91-3)		
Acute		
<i>Oral</i>		
LD50	Rat	4700 mg/kg

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 11 of 18

Version # 03

Print Date: 11-18-2019

Components	Species	Test Results
TERPINENE GAMMA (CAS 99-85-4)		
Acute		
<i>Oral</i>		
LD50	Rat	3650 mg/kg
Skin corrosion/irritation	Causes skin irritation. May cause skin irritation and/or dermatitis. May cause skin irritation in susceptible persons.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation. Vapours may cause irritation to the eyes, respiratory system and the skin.	
Respiratory or skin sensitization		
ACGIH sensitization		
CITRAL, INHALABLE FRACTION AND VAPOR (CAS 5392-40-5)		Dermal sensitization
TURPENTINE AND SELECTED MONOTERPENES (CAS 127-91-3)		Dermal sensitization
TURPENTINE AND SELECTED MONOTERPENES (CAS 80-56-8)		Dermal sensitization
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction. Causes sensitisation.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
CARVENE (CAS 5989-27-5)		3 Not classifiable as to carcinogenicity to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)		
Not listed.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.	

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 12 of 18

Version # 03

Print Date: 11-18-2019

Components	Species		Test Results
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE (CAS 68039-49-6)			
<i>Aquatic</i>			
<i>Acute</i>			
Algae	EC50	Green algae (<i>Desmodesmus subspicatus</i>)	31 mg/l, 72 hours (based on growth rate - nominal concentration - OECD 201)
Crustacea	EC50	<i>Daphnia magna</i>	22.4 mg/l, 48 hours (measured concentration - similar to OECD 202)
Fish	LC50	<i>Oncorhynchus mykiss</i> (reported as <i>Salmo gairdneri</i>)	7.5 mg/l, 96 hours (measured concentration - OECD 203)
2,6-DIMETHYL-7-OCTEN-2-OL (CAS 18479-58-8)			
Other	EC50	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 hours (respiration rate - nominal concentration - OECD 209)
<i>Aquatic</i>			
Algae	EC50	Algae	80 mg/l, 72 hours (based on growth rate - nominal concentration - OECD 201)
			65 mg/l, 72 hours (based on biomass - nominal concentration - OECD 201)
	LOEC	Algae	50 mg/l, 72 hours (nominal concentration - OECD 201)
	NOEC	Algae	25 mg/l, 72 hours (nominal concentration - OECD 201)
Crustacea	LC50	<i>Daphnia magna</i>	38 mg/l, 48 hours (nominal concentration - OECD 202)
	NOEC	<i>Daphnia magna</i>	9.5 mg/l, 21 day (OECD 211 conducted with a structurally related substance)
Fish	LC50	<i>Oncorhynchus mykiss</i>	27.8 mg/l, 96 hours (measured concentration - OECD 203 conducted with a structurally related substance)
BUTYLPHENYL METHYLPROPIONAL (CAS 80-54-6)			
<i>Aquatic</i>			
<i>Acute</i>			
Algae	EC50	Green algae (<i>Chlamydomonas variabilis</i>)	29.16 mg/l, 72 hours The details of the toxic effect related to the nominal concentration. The product has a low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.
Crustacea	EC50	<i>Daphnia</i>	10.7 g/ml, 72 hours slightly toxic
Fish	LC50	Zebra danio (<i>Danio rerio</i>)	2.04 mg/l, 96 hours The statement of the toxic effect relates to the analytically determined concentration.

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 13 of 18

Version # 03

Print Date: 11-18-2019

Components		Species	Test Results
CARVENE (CAS 5989-27-5)			
Aquatic			
Crustacea	EC50	Water flea (<i>Daphnia pulex</i>)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	> 0.619 - < 0.796 mg/l, 96 hours
		Rainbow trout, donaldson trout (<i>Oncorhynchus mykiss</i>)	35 mg/l, 4 days
Other	EC50	Activated Sludge	3.94 mg/l
CITRAL (CAS 5392-40-5)			
<i>Acute</i>			
Other	EC20	Activated sludge of a predominantly domestic sewage	68 mg/l, 0.5 hours OECD Guideline 209 aquatic
Aquatic			
Other	EC50	Bacterium	2100 mg/l, 0.5 hours DIN 38412 Part 27 (draft) aquatic - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
<i>Acute</i>			
Algae	EC50	Green algae (<i>Chlamydomonas variabilis</i>)	103.8 mg/l, 72 hours DIN 38412 Part 9 static - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Crustacea	EC50	<i>Daphnia magna</i>	7 mg/l, 48 hours Directive 79/831/EEC static - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Fish	LC50	Ide, silver or golden orfe (<i>Leuciscus idus</i>)	> 4.6 - < 10 mg/l, 96 hours DIN 38415 Part 15 static - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 14 of 18

Version # 03

Print Date: 11-18-2019

Components	Species	Test Results
CITRONELLOL (CAS 106-22-9)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Algae 2.4 mg/l, 72 hours
Crustacea	EC50	Daphnia 17 mg/l, 48 hours
Fish	LC50	Leuciscus idus (Golden orfe) > 10 - < 22 mg/l, 96 hours
GERANIOL (CAS 106-24-1)		
Other	EC50	Activated sludge of a predominantly domestic sewage 70 mg/l, 0.5 hours
Aquatic		
Algae	EC50	Green algae (Desmodesmus subspicatus) 13.1 mg/l, 72 hours
Crustacea	EC50	Daphnia magna 10.8 mg/l, 48 hours
Fish	LC50	Danio rerio 22 mg/l, 96 hours
		Rainbow trout, donaldson trout (Oncorhynchus mykiss) > 3.3 - < 4.1 mg/l, 96 hours
HEXYL SALICYLATE (CAS 6259-76-3)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Green algae (Desmodesmus subspicatus) 0.61 mg/l, 72 hours
Crustacea	EC50	Daphnia magna 1.5 mg/l, 24 hours
PINENE ALPHA (CAS 80-56-8)		
Aquatic		
Crustacea	LC50	Daphnia magna 41 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 0.28 mg/l, 96 hours

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

GERANIOL

> 90 % OECD 301A (new version)(aerobic), activated sludge, domestic DOC reduction, Readily biodegradable (according to OECD criteria)

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CARVENE

4.232

PINENE ALPHA

4.83

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 15 of 18

Version # 03

Print Date: 11-18-2019

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

UN number	1169
UN proper shipping name	EXTRACTS, AROMATIC, LIQUID (Methyl isopropenyl cyclohexene, p-Mentha-1,4-diene)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3

ADR

UN number	1169
UN proper shipping name	EXTRACTS, AROMATIC, LIQUID (Methyl isopropenyl cyclohexene, p-Mentha-1,4-diene)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3

RID

UN number	1169
UN proper shipping name	EXTRACTS, AROMATIC, LIQUID (Methyl isopropenyl cyclohexene, p-Mentha-1,4-diene)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	3
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number	NA1993
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (Methyl isopropenyl cyclohexene, p-Mentha-1,4-diene)
Hazard class	Combustible Liquid
Packing group	III

SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 16 of 18

Version # 03

Print Date: 11-18-2019

Environmental hazards

Marine pollutant	No
Packaging bulk	242
Labels required	none

DOT**NON-BULK**

Not regulated as dangerous goods.

IATA

UN number	1169
UN proper shipping name	EXTRACTS, AROMATIC, LIQUID
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3

IMDG

UN number	1169
UN proper shipping name	EXTRACTS, AROMATIC, LIQUID (Methyl isopropenyl cyclohexene, p-Mentha-1,4-diene)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	3
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

ADN; ADR; IATA; IMDG; RID



SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 17 of 18

Version # 03

Print Date: 11-18-2019

Marine pollutant



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Respiratory or skin sensitization
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Aspiration hazard

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.



SAFETY DATA SHEET

507692 YUZUZEST TEC ABJ7091M

Revision Date: 11-18-2019

Page 18 of 18

Version # 03

Print Date: 11-18-2019

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 12-16-2016
Revision date 11-18-2019
Version # 03
HMIS® ratings Health: 2*
Flammability: 2
Physical hazard: 0

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Food Grade Certification



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

FEMA #: N/A

Vigon International, LLC. certifies that the above ingredient is **not** food grade.

Vigon International, LCC. may terminate this certification at any time upon written notice in which this certification shall be null and void as to any material supplied after termination of the certification.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Allergen/Sensitive Agents Identification Sheet



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

* A check mark (☑) indicates the Allergen/Sensitive Agent is present. If blank it means that there is no Allergen/Sensitive present.

ALLERGEN/SENSITIVE AGENTS	*
CORN & CORN PRODUCTS Includes modified starch, hydrolyzed protein, sweeteners, sugars, spice carriers	
EGG & EGG PRODUCTS liquid and powders	
FISH Includes any and all species of fresh and salt water fish	
GARLIC Dehydrated, powdered, granules, and flakes	
GLUTEN Wheat, rye, barley, oats, flour, etc.	
MILK & DAIRY PRODUCTS Includes whey, lactose, cheese, casein, spice carriers, milk, cream, etc.	
MONOSODIUM GLUTAMATE	
PEANUTS, PEANUT OIL & PEANUT DERIVED ITEMS Peanut meal, flour & ground nuts, szechwan sauce, mandelona nuts, etc.	
SESAME SEEDS & SESAME OIL	
CRUSTACEANS Shrimp, lobster, rock lobster, crab, crayfish, and products made from them	
MOLLUSKS Clams, mussels, oysters, scallops, and products made from them	
SOY Includes soya powder, protein, oil, lecithin, tofu	
SULFITES Includes sulfur dioxide, sodium dithionite, chemicals that lists sulfite, etc.	
TREE NUTS Includes almonds, beechnuts, basil nuts, nutmeg, cashews, chestnuts, etc.	
WHEAT Includes hydrolyzed wheat protein, flour, gluten flour, starches	
MUSTARD & MUSTARD OIL	
LUPIN	
CELERY	

Vigon International, LLC. follows Good Manufacturing Practices and has implemented HACCP systems. Our personnel are trained on the proper handling of allergenic materials.

Sincerely,

Vigon Regulatory Department
 regulatory@vigon.com
 Date of Issue: October 1, 2021

GMO Status Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. declares that the product listed above is not derived from or produced using genetically modified organisms or their derivatives.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com

Date of Issue: October 1, 2021

Irradiation and Sewage Sludge Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. declares that the product listed above has **not** been:

- a) Exposed to Ionizing Radiation
- b) Derived from Sewage Sludge
- c) Treated with Ethyl Oxide

Vigon International, LLC. may terminate this statement at any time upon written notice in which this statement shall be null and void as to any material supplied after termination of the statement.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Heavy Metals and Pesticide Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. declares that, to the best of our knowledge and belief, all ingredients in the product listed above are listed as being generally recognized as safe (GRAS) by the Food and Drug administration (FDA) when used in accordance with the FDA's good manufacturing practices (GMP) and contain no residues of heavy metals and pesticides in excess of tolerances set by the FDA and the Environmental Protection Agency (EPA).

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Stabilizer Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. declares that, to the best of our knowledge that the product listed above has been treated with:

<u>Stabilizer(s)</u>	<u>Percentage</u>
TBHQ	0.0100

Vigon International, LLC. may terminate this statement at any time upon written notice in which this statement shall be null and void as to any material supplied after termination of the statement.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Continuing Product Guarantee



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

In accordance with the regulations promulgated under the Federal Food, Drug, and Cosmetic Act, Vigon International, LLC. hereby provides continuing guarantee for the item listed above.

The article(s) comprising each shipment or other delivery hereafter made by Vigon International, LLC. is hereby guaranteed, as of the date of shipment or delivery, to be, on such date, not adulterated or misbranded within the meaning of the Federal Food, Drug, and Cosmetic Act, and not an article which may not, under the provisions of section 404, 505, or 512 of the act, be introduced into interstate commerce.

The guarantee herein given shall be a continuing guarantee and shall remain in full force and effect until revoked in writing by the undersigned. This guarantee shall not limit or preclude the operation and effect of any and all provisions of any agreement(s) under which the articles covered by this guarantee are sold, and the provisions of such agreement(s) shall govern in the event of any conflict or inconsistency herewith. Supplier's liability for breach of this guarantee shall in no event exceed the value of such of the articles of the supplier shipped to or on the order of Purchaser hereunder as may fail to comply with this guarantee.

This guarantee shall be void and of no effect in any instance where the particular use by Purchaser of any article to which this guarantee would otherwise apply is a use which is not in accordance with the requirements of the Federal Food, Drug and Cosmetic Act. Any and all prior guarantees and/or indemnity agreements heretofore given by supplier, are hereby revoked.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Dietary Preferences & Restrictions



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. certifies that the product listed above is suitable for consumption by:

Vegans Do not eat meat, poultry, fish/seafood, eggs, dairy products, honey	
Lacto-Vegetarians Do not eat meat, poultry, fish/seafood, eggs, but do eat dairy products	
Ovo-Vegetarians Do not eat meat, poultry, fish/seafood, dairy products, but do eat eggs	
Vegetarians Do not eat meat, poultry, fish/seafood, but do eat dairy products and eggs	

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Animal Testing Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. is not in the practice of performing or commissioning animal testing on its finished products and actively evaluates the ingredients of its products through non-animal testing methods and through computational (predictive) toxicology programs. However, some ingredients used in our products have been subjected to animal testing by the academic community, government agencies, or within the chemical industry.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Nanomaterials



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

We hereby confirm, to the best of our knowledge, that the above referenced product has not been formulated with engineered nanomaterials.

"Engineered nanomaterial" means any intentionally produced material that has one or more dimensions of the order of 100 nm or less or that is composed of discrete functional parts, either internally or at the surface, many of which have one or more dimensions of the order of 100 nm or less, including structures, agglomerates or aggregates, which may have a size above the order of 100nm but retain properties that are characteristic of the nanoscale.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Transmissible Spongiform Encephalopathy (TSE) and Bovine



Spongiform Encephalopathy (BSE) Statement

Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Vigon International, LLC. products are manufactured wholly from synthetic, natural or manufactured materials and do not contain any raw materials produced from or substances derived of animal origin. Moreover, these products do not contain, and are not derived from, specified risk material as defined in Commission Decision 97/534/EC or mechanically recovered meat obtained from the vertebral column of bovine, ovine or caprine animals.

The manufacturing process does not use any ingredient of animal origin nor do our products come in contact with animal products during storage and transportation.

We further declare that our products are Dioxin Free.

Therefore, to the best of our knowledge the product listed above are free from Transmissible Spongiform Encephalopathy (TSE) and Bovine Spongiform Encephalopathy (BSE).

Vigon International, LLC. may terminate this statement at any time upon written notice, in which this statement shall be null and void as to any material supplied after termination of the statement.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com

Date of Issue: October 1, 2021

IFRA



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

- Is not restricted as such according to the Standards of the International Fragrance Association (IFRA) (up to and including the 50th amendment)
- Bears no IFRA specifications

The IFRA Standards regarding use restriction are based on safety assessments by the Panel of Experts of the Research Institute for Fragrance Materials (RIFM) and are enforced by the IFRA Scientific Committee.

It is the ultimate responsibility of our customer to ensure the safety of the final product by further testing if need be.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Residual Solvents



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Based on our knowledge of our production process, raw materials and equipments used we do not expect residual solvents to be present.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

EU Fragrance Allergen Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

The product listed above contains the following substances listed in European Directive 76/768/EEC established by the SCCNFP declared allergens.

AMYL CINNAMAL	122-40-7	0.003%
BENZYL ALCOHOL	100-51-6	0.001%
BENZYL BENZOATE	120-51-4	0.006%
CITRAL	5392-40-5	0.771%
CITRONELLOL ISOMERS		0.360%
GERANIOL	106-24-1	0.198%
HEXYL CINNAMAL	101-86-0	4.979%
HYDROXYCITRONELLAL	107-75-5	0.564%

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Melamine Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692

Based on our knowledge of our production process, raw materials and equipment used we do not expect melamine to be present.

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

Phthalate Statement



Product Name: YUZUZEST TEC ABJ7091M

Vigon Code: 507692


We've performed a risk assessment on our product contact plastics which include tubes, joints, caps, pumps, as well as packaging (e.g. plastic wraps and bags) and can confirm that our plastic products do not contain certain phthalate esters (most notably bis-2-Ethylhexyl phthalate[DEHP] and dibutyl phthalate [DBP]).

Sincerely,

Vigon Regulatory Department
regulatory@vigon.com
Date of Issue: October 1, 2021

YUZUZEST TEC ABJ7091M

Code: **507692** ID #: **EXAMPLE**

	KG	LB
Approx. Gross: 	0.000	0.000
Approx. Tare: 	0.000	0.000
Net: 	0.000	0.000


Country of Origin: SWITZERLAND
 Chemical Name: MIXTURE
 CAS#: 138°F (59°C)
 Flash Point: NONE
 Allergens: 0.000
 Liters: N/A

Produced on: N/A
 Best used before: N/A
 Lot #: **EXAMPLE**

STORAGE CONDITIONS: Stable when stored in its original package, tightly sealed in a cool (46-90°F) and dry location out of direct heat and light.


INSTRUCTIONS FOR USE: Ask your employer for guidance regarding the safe use and handling of this product in your specific workplace environment based on the information provided in Vigon's Safety Data Sheet (SDS).

H A Z A R D S T A T E M E N T : Flammable liquid and vapor. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
P R E C A U T I O N A R Y S T A T E M E N T : -PREVENTION- Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe mist/vapors. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.-RESPONSE- IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.-STORAGE- Store in a well-ventilated place. Keep cool. Store locked up.-DISPOSAL- Dispose of contents/container in accordance with local/regional/national/international regulations.



NONE

Danger



PPE: p,r,y