



# Safety Data Sheet

Issue Date: 12-Jun-2015

Revision Date: 1-April-2020

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** BAD A\*\* DEGREASER

### Other means of identification

**SDS #** UC-001

**UN/ID No** UN1814

### Recommended use of the chemical and restrictions on use

**Recommended Use** Degreaser.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Ultimate Chemicals LLC  
PO Box 7557  
Moore, OK 73153

### Emergency Telephone Number

#### **Company Phone Number**

Phone: 405-03-2771

Fax: 405-703-4271

#### **Emergency Telephone (24 hr)**

INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Red liquid

**Physical State** Liquid

**Odor** Slight solvent

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage



<b>Ingestion</b>	Do not induce vomiting. Drink plenty of water. Immediately call a poison center or doctor/physician.
------------------	--

**Most important symptoms and effects**

<b>Symptoms</b>	Causes severe skin burns and eye damage.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water can be used to cool containers exposed to fire.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Corrosive material. Non-flammable.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
-----------------------------	--

<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	---

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

<b>Methods for Clean-Up</b>	Soak up with inert absorbent material. Neutralize residue with citric acid or other neutralizing agents for basic materials. Pick up and transfer to properly labeled containers.
-----------------------------	---

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not breathe vapors or spray mist. Wash face, hands, and any exposed skin thoroughly after handling.
--------------------------------	---

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep out of the reach of children. Protect from freezing. If product freezes, allow to thaw completely prior to use. Store away from incompatible materials.
---------------------------	---

<b>Incompatible Materials</b>	Acids. Bleach. Ammonia.
-------------------------------	-------------------------

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**Engineering Controls**

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**

Goggles and face shield as needed to prevent eye and face contact. Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection**

Wear suitable gloves. Wear suitable protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection**

Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Slight solvent
<b>Appearance</b>	Red liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	11.0 (for concentrate) 12.5 (for 10% water solution) 12.0 (for 5% water solution) 10.2 (for 1% water solution)	

<b>Melting Point/Freezing Point</b>	Not determined
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F
<b>Flash Point</b>	Non-flammable
<b>Evaporation Rate</b>	Same as water
<b>Flammability (Solid, Gas)</b>	Liquid-not applicable
<b>Upper Flammability Limits</b>	Not determined
<b>Lower Flammability Limit</b>	Not determined
<b>Vapor Pressure</b>	Same as water

<b>Vapor Density</b>	Not determined
<b>Specific Gravity</b>	1.065
<b>Water Solubility</b>	Completely soluble
<b>Solubility in other solvents</b>	Not determined
<b>Partition Coefficient</b>	Not determined
<b>Auto-ignition Temperature</b>	Not determined
<b>Decomposition Temperature</b>	Not determined
<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children. See Sec. 7 Handling & Storage.

### Incompatible Materials

Acids. Bleach. Ammonia.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not ingest.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide 1310-58-3	= 284 mg/kg ( Rat )	-	-
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5230 mg/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-
Sodium metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		10000: 96 h Pimephales promelas mg/L LC50 static		1919: 48 h Daphnia magna mg/L LC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Readily biodegradable.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Potassium hydroxide 1310-58-3	0.65 0.83
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-0.064

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive

#### 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

#### DOT

UN/ID No UN1814  
 Proper Shipping Name Potassium hydroxide, solution  
 Hazard Class 8  
 Packing Group II

#### IATA

UN/ID No UN1814  
 Proper Shipping Name Potassium hydroxide, solution  
 Hazard Class 8  
 Packing Group II

#### IMDG

UN/ID No UN1814  
 Proper Shipping Name Potassium hydroxide, solution  
 Hazard Class 8  
 Packing Group II

#### 15. REGULATORY INFORMATION

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Potassium hydroxide	Present	X		Present		Present	X	Present	X	X
Dipropylene Glycol Monomethyl Ether (DPM)	Present	X		Present		Present	X	Present	X	X
Sodium metasilicate	Present	X		Present		Present	X	Present	X	X

#### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

#### US Federal Regulations

#### CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	3.99	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	X	X	X

## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	0	0	Not determined
<b>HMIS</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	0	0	Not determined

Issue Date: 12-Jun-2015  
Revision Date: 1-April-2020  
Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**