



FR^{OG}GSWELL

AUDIO E-CATALOGUE

www.frogswell.com.hk

WORLD- CLASS QUALITY CONTROL




Our factory combines the latest technologies with over a decade of hardware expertise to design and build solid, reliable consumer electronics and mobile tech accessories, it has processing equipment in China in its own right.

Our in-house QC team in China is managed independently from our commercial teams and regularly audited to ensure quality. We also associated with the lab to provide the product requirement test report.

TABLE OF CONTENT

Earbuds



P.1-23

Speaker



P.24-42

Earphone



P.43-50

Earbuds Series

FS-22-0044

SPECIFICATION

EVERY DAY TWS STYLE

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: AB5376
- Support Profile: A2DP,AVRCP,AVDTP,HFP,SPP
- Mic for phone calls
- Touch Functions
- Playtime 5-6 hours

- Sensitivity: $96\pm 3\text{db}$
- Impedance: 32Ω
- Standby Time: 60H
- Charging Time: 1.5H
- Colors: Black, white
- Earbuds: 4.2g
- charging case: 43.8g
- MOQ: 3000



Earbuds Series

FS-22-0045

SPECIFICATION

SMALL HANDY TWS WITH ENC AND DURABLE
LONG LASTING PLAYTIME

- Bluetooth version: V5.1
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: AB8926
- Support Profile: HSP/HFP/A2DP/AVRCP
- Mic for phone calls
- Touch Functions
- Playtime 6-7 hours

- Sensitivity: $98.5\text{dB}\pm 3$
- Impedance: 16Ω
- Frequency Response: 2.402GHz-2.480GHz
- Charging Time: 1.5H
- Colors: Black, white
- Earbuds: 4.4g
- charging case: 34g
- MOQ: 3000



Earbuds Series

FS-22-0046

SPECIFICATION

ENTRY-LEVEL TWS

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: AB5376
- Mic for phone calls
- Touch Functions
- Playtime 4 hours
- Sensitivity: $97\text{db}\pm 3\text{b}$
- Impedance: 32Ω
- Standby Time: 60H
- Charging Time: 1H
- Charging Type: Micro USB
- Colors: Black, white
- Earbuds: 3.8g
- charging case: 30g
- MOQ: 3000



Earbuds Series

FS-22-0047

SPECIFICATION

TWS WITH ANC & ENC AND POWERFUL BASS

- Bluetooth version: V5.2
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: AB8922F2
- Mic for phone calls
- Touch Functions
- Playtime 4 hours
- Sensitivity: $116\text{dB}\pm 3$

- Impedance: 32Ω
- Standby Time: 60H
- Charging Time: 1.5H
- Waterproof Level: IPX 5
- Colors: Black,white,blue,red
- Earbuds: 4g
- charging case: 35g
- MOQ: 3000



Earbuds Series

FS-22-0048

SPECIFICATION

ANC TWS WITH DIGITAL DISPLAY

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: AB5396A
- Mic for phone calls
- Touch Functions
- Playtime 4 hours
- Sensitivity: $92.5\pm 3\text{dB}$
- Impedance: 32Ω
- Standby Time: 33H
- Charging Time: 1H
- Waterproof Level: IPX 4
- Colors: Black, white
- Earbuds: 3.8g
- charging case: 42.6g
- MOQ: 3000



Earbuds Series

FS-22-0049

SPECIFICATION

ANC TWS WITH DUAL MIC

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: AB8892E
- Mic for phone calls
- Touch Functions
- Playtime 4.5-5 hours
- Sensitivity: $111.85 \pm 3\text{dB}$

- Impedance: 32Ω
- Noise cancellation level: 26db
- Charging Time: 1.5-2H
- Waterproof Level: IPX 4
- Colors: Black, white, blue, red
- Earbuds: 4g
- charging case: 35g
- MOQ: 3000



Earbuds Series

FS-22-0050

SPECIFICATION

ANC TWS

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: BlueTrum 8892E
- Mic for phone calls
- Touch Functions
- Playtime Above 5 Hours
- Sensitivity: $105\pm 3\text{dB SPL at } 1\text{kHz}$
- Impedance: 32Ω
- ANC -25dB
- Charging Time: 1.5H
- Waterproof Level: IPX 5
- Colors: Black, white
- Earbuds Battery Capacity (Li): 35mAh
- Charger Battery Capacity (Li): 300mAh
- MOQ: 3000



Earbuds Series

FS-22-0051

SPECIFICATION

ANC + ENC TWS

- Bluetooth version: V5.2
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: BlueTrum 8922A
- Mic for phone calls
- Touch Functions
- Playtime Above 5 Hours
- Sensitivity: $105\pm 3\text{dB SPL at } 1\text{kHz}$

- Impedance: 32Ω
- ANC FF (Feed Forward)
- Charging Time: 1.5H
- Waterproof Level: IPX 5
- Colors: Black, white
- Earbuds Battery Capacity (Li): 35mah
- Charger Battery Capacity (Li): 300mah
- MOQ: 3000



Earbuds Series

FS-22-0052

SPECIFICATION

ANC + ENC TWS WITH DIGITAL DISPLAY

- Bluetooth version: V5.1
- Working Range: $\geq 10\text{m}$
- Brand/Model of Chipset: BLUETRUM 5396A
- Mic for phone calls
- Noise Cancelling Level: 20db
- Playtime 3-4 HOURS
- Sensitivity: $102\pm 3\text{db}$

- Impedance: 16Ω
- Earbuds Weight (Single)g: 4.5g
- Charging Time: 1.5H
- Waterproof Level: IPX 5
- Colors: Black, white
- Earbuds Battery Capacity (Li): 40mah
- Charger Battery Capacity (Li): 400mah
- MOQ: 3000



Earbuds Series

FS-22-0053

SPECIFICATION

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Support Profile: A2DP, AVRCP, HFP
- Support Codecs: SBC, AAC
- ANC-25dB/-28db
- Colors: Black, white
- Charging Type: Type-C
- Charging Time: 2H
- Earbuds Size: 64 X 45 x 32 mm
- Case Size: 64 x 45 x 32 mm
- Earbuds: 3.7g
- Charging case: 36g
- MOQ: 3000



Earbuds Series

FS-22-0054

SPECIFICATION

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Support Profile: A2DP, AVRCP, HFP
- Support Codecs: SBC, AAC
- Battery: dc 5v
- Colors: Black, white
- Charging Type: Type-C

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Support Profile: A2DP, AVRCP, HFP
- Support Codecs: SBC, AAC
- Battery: dc 5v
- Colors: Black, white
- Charging Type: Type-C



Earbuds Series

FS-22-0055

SPECIFICATION

- Bluetooth version: V5.0
- Working Range: $\geq 10\text{m}$
- Support Profile: A2DP, AVRCP, HFP
- Support Codecs: SBC, AAC
- Battery: dc 5v
- Colors: Black, white
- Charging Type: Type-C
- Charging Time: 2.5H
- Earbuds Size: 27 X 19 x 33 mm
- Case Size: 65 x 46 x 26 mm
- Earbuds: 5g
- Charging case: 34g
- MOQ: 3000



Earbuds Series

FS-22-0056

SPECIFICATION

- Chipset: JL6983D
- Transmission distance: 10M
- Earbuds Battery: 25mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 2.5-3 hours, 50-80% volume
- Charging time: 1.5 hours
- Standby time: about 80-100 hours
- Speaker: 13mm
- Material: ABS
- Type-C Charging Port



Earbuds Series

FS-22-0057

SPECIFICATION

- Chipset: BT5616
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 1.5-2 hours at 50-80% volume
- Charging time: 3-4 times
- Standby time: about 80-100 hours
- Speaker: 8mm
- Impedance: 32 Ω
- Material: ABS
- Type-C Charging Port



Earbuds Series

FS-22-0058

SPECIFICATION

- Chipset: BT5616T
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 1-2 hours, 50-80% volume
- Charging time: 1.5 hours
- Standby time: about 80-100 hours
- Speaker: 10mm
- Material: ABS
- Type-C Charging Port



Earbuds Series

FS-22-0059

SPECIFICATION

- Chipset: LX5616T
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 1.5-2 hours at 50-80% volume
- Charging time: 1.5 hours
- Standby time: about 80-100 hours
- Speaker: 8mm
- Impedance: 32 Ω
- Material: ABS
- Micro Charging Port



Earbuds Series

FS-22-0060

SPECIFICATION

- Chipset: JL6969(Wireless charging)
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 1.5-2 hours at 50%-60% volume
- Charging time: 1.5 hours
- Standby time: 100 days
- Speaker: 8mm
- Material: ABS
- Micro charging port



Earbuds Series

FS-22-0061

SPECIFICATION

- Chipset: BT5616
- Transmission distance: 10M
- Earbuds Battery: 40mAh
- Charging Case Battery: 300mAh
- Play/talk time: 2-3 h (60-80% volume)
- Charging time: 1 hour
- Standby time: 24 hours
- Speaker: ϕ 13 mm
- Material: ABS
- Micro charging port



Earbuds Series

FS-22-0062

SPECIFICATION

- Chipset: LX5616
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 1.5-2 hours, 50-80% volume
- Charging time: 3-4 times
- Standby time: about 80-100 hours
- Speaker: 8mm
- Impedance: 32 Ω
- Material: ABS
- Micro Charging Port



Earbuds Series

FS-22-0063

SPECIFICATION

- Chipset: JL6973
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 250mAh
- Play and Call time: 3-4.5 h (60-80% volume)
- Charging time: 1 hour
- Standby time: 24 hours
- Speaker: ϕ 13 mm
- Material: ABS
- Type C charging port



SPECIFICATION

- Chipset: Jerry AD6973 Mic ENC
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 250mAh
- Play/talk time: about 3 hours at 50-80% volume
- Charging time: 1.5hrs
- Standby time: 60 days
- Speaker: 10mm
- Button function: touch function
- Material: ABS
- Type-C Charging Port



Earbuds Series

FS-22-0065

SPECIFICATION

- Chipset: JL6983D mic ENC
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 200mAh
- Play/talk time: about 3 hours at 50-80% volume
Charging time: 1.5 hours
- Standby time: about 80-100 hours
- Speaker: 13mm
- Material: ABS
- Type-C Charging Port



Earbuds Series

FS-22-0066

SPECIFICATION

- Chipset: BT8926B2 mic ENC
- Product size: 36.5 x 35.8 x 28.5mm
- Transmission distance: 10M
- Earbuds Battery: 30mAh
- Charging Case Battery: 180mAh
- Recharging Time: 3h
- Play/talk time: 2-3.5 hours at 80% volume
- Charging time: 1-2 hours
- Standby time: 90 days hours
- Speaker: Φ 6 mm
- Touch Control
- Material: ABS
- Micro Charging Port



Speaker Series

FS-22-0067

SPECIFICATION

- Bluetooth version: 5.1
- TWS support: Yes
- Loud Speaker: 52mm
- Output Power: 3W
- Channel: Single Stereo
- Signal-to-Noise: $\geq 75\text{dB}$
- Frequency Response: 50Hz – 20kHz
- THD: $< 1\%$
- Working Range: 10 meter
- Outer Cone Speaker: 4 Ω ,3W
- Battery Capacity: 1200mAh
- Recharge Port: Micro USB
- External Source: USBA, TF slot
- Charging Voltage: DC 5V
- Recharge Time: approx. 2hrs
- Working Time : 3 hrs at 80dB SPL
- Waterproof Level: NA
- Product size: 75 x 75 x 180mm
- MOQ: 2000



Speaker Series

FS-22-0068

SPECIFICATION

- Bluetooth version: 5.0
- TWS support: No
- Loud Speaker: 76mm x 2
- Output Power: 20W (2 x 10W)
- Channel: Stereo
- Signal-to-Noise: $\geq 80\text{dB}$
- Frequency Response: 100Hz – 20kHz
- THD: $< 1\%$
- Working Range: 10 meter
- Outer Cone Speaker: $3\Omega, 10\text{W} \times 2$
- Battery Capacity: 2400mAh
- Recharge Port: Micro USB
- External Source: USBA, TF slot, AUX
- Charging Voltage: DC 5V
- Recharge Time: approx. 3.5hrs
- Working Time: 4 hrs at 80dB SPL
- Waterproof Level: IPX 3
- Product size: 347 x 135 x 169mm
- MOQ: 2000



Speaker Series

FS-22-0069

SPECIFICATION

- Bluetooth version: 5.0
- TWS support: Yes
- Loud Speaker: 76mm
- Output Power: 10W
- Channel: Stereo
- Signal-to-Noise: $\geq 75\text{dB}$
- Frequency Response: 100Hz – 20kHz
- THD: $< 1\%$
- Working Range: 10 meter
- Outer Cone Speaker: $3\Omega, 10\text{W}$
- Battery Capacity: 2400mAh
- Recharge Port: Micro USB
- External Source: USBA, TF slot, AUX
- Charging Voltage: DC 5V
- Recharge Time: approx. 3.5hrs
- Working Time: 4.5 hrs at 80dB SPL
- Waterproof Level: NA
- Product size: 150 x 150 x 100mm
- MOQ: 2000



Speaker Series

FS-22-0070

SPECIFICATION

- Bluetooth version: 5.0
- TWS support: Yes
- Loud Speaker: 57mm
- Output Power: 55W
- Channel: Stereo
- Signal-to-Noise: $\geq 75\text{dB}$
- Frequency Response: 150Hz – 15kHz
- THD: $< 1\%$
- Working Range: 10 meter
- Outer Cone Speaker: $4\Omega, 5\text{W}$
- Battery Capacity: 1500mAh
- Recharge Port: Micro USB
- External Source: AUX
- Charging Voltage: DC 5V
- Recharge Time: approx. 2hrs
- Working Time: 4 hrs at 80dB SPL
- Waterproof Level: NA
- Product size: 95 x 95 x 213mm
- MOQ: 2000



Speaker Series

FS-22-0071

SPECIFICATION

- Output Power: 5W
- Channel: Single Stereo (TWS capable)
- Bluetooth Version: 5.1
- Signal-to-Noise: ≥ 80 dB
- Frequency Response: 70Hz – 18kHz
- THD: $< 1\%$
- Working Range: 10 meter
- Outer Cone Speaker: 4 Ω , 5W
- Battery Capacity: 2000mAh
- Recharge Port: Type-C
- Charging Voltage: DC 5V
- Recharge Time: approx. 2hrs
- Working Time: 8-10 hrs at 60dB SPL
- Waterproof Level: IPX6
- 4C colour print Paper packaging Box
- Mock-up images only
- Due to it is cut and sew the speaker fabric, every speaker will not be same pattern
- Product Size: 40 x 95 x 77mm
- MOQ: 2000



Speaker Series

FS-22-0072

SPECIFICATION

- Bluetooth version: 5.0
- Waterproof level: IPX5
- Operating range: 10m
- Impedance: 4Ω
- Speaker: 5W/ Speaker diameter: 45mm
- SNR: ≥80dB
- Audio format supported: MP3 / WMA / WAV
- Support TWS function
- Playtime: 6-7hrs

- Materials: ABS
- 4C colour print Paper packaging Box
- Mock-up images only
- Due to it is cut and sew the speaker fabric, every speaker will not be same pattern.
- Product Size: 103 x 103 x 106mm
- MOQ: 2000



Speaker Series

FS-22-0073

SPECIFICATION

- Bluetooth version: 5.0
- Waterproof level: IPX5
- Operating range: 10m
- Impedance: 4Ω
- Speaker: 5W/ Speaker diameter: 45mm
- SNR: ≥80dB
- Audio format supported: MP3 / WMA / WAV
- Support TWS function
- Battery capacity: 3.7V 1200mAh
- Playtime: 7-8hrs
- Materials: ABS
- 4C colour print Paper packaging Box
- Mock-up images only
- Due to it is cut and sew the speaker fabric, every speaker will not be same pattern
- Product Size: 88 x 75 x 41 mm
- MOQ: 2000



Speaker Series

FS-22-0074

SPECIFICATION

- Bluetooth version: 5.1
- IPX7
- Speaker 2*4W, dia 45mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 1800mAh
- Playtime: 6-8hr
- Product size: 93 x 94 x 122mm
- Material: Plastic + Fabric



Speaker Series

FS-22-0075

SPECIFICATION

- Bluetooth version: 5.0
- IPX5
- Speaker 1*10W, dia 52mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 1800mAh
- Playtime: 6-8hr
- Product size: 175 x 74 x 74mm
- Material: Plastic + Fabric



Speaker Series

FS-22-0076

SPECIFICATION

- Bluetooth version: 5.0
- IPX5
- Speaker 1*5W, dia 52mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 500mAh
- Playtime: 6hr
- Product size: 90 x 90 x 46mm
- Material: Plastic + Fabric



Speaker Series

FS-22-0077

SPECIFICATION

- Bluetooth version: 5.0
- Speaker 1*5W, dia 52mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 1200mAh
- Playtime: 8hr
- Product size: 103 x 103 x 106mm
- Material: Plastic + Fabric
- Function: with LED light



Speaker Series

FS-22-0078

SPECIFICATION

- Bluetooth version: 5.0
- Speaker 2*8W,
- Audio support MP#/WMA/WAV
- Battery capacity: 3600mAh
- Playtime: 6hr
- Product size: 406 x 70 x 73mm
- Material: Plastic + Fabric
- Function: with LED light



Speaker Series

FS-22-0079

SPECIFICATION

- Bluetooth version: 5.0
- IPX5
- Speaker 1*5W, dia 45mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 1200mAh
- Playtime: 8hr
- Product size: 104 x 87 x 34mm
- Material: Plastic + Fabric



Speaker Series

FS-22-0080

SPECIFICATION

- Bluetooth version: 5.0
- Speaker 2*5W
- dia 52mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 3600mAh
- Playtime: 8hr
- Product size: 106 x 106 x 166mm
- Material: Plastic + Fabric
- Function: with TF card slot, LED light



Speaker Series

FS-22-0081

SPECIFICATION

- Bluetooth version: 5.1 JL 6965E
- Speaker 1*5W
- dia 52mm,
- Audio support MP#/WMA/WAV
- Battery capacity: 1200mAh
- Playtime: 6-8hr
- Product size: 145 x 80 x 40mm
- Material: Plastic + Fabric
- Function: AUX, TF card, BT, handfree, USB, RGB



Speaker Series

FS-22-0082

SPECIFICATION

- Audio decoding:
- AAC/SBC/MP3/WMA/FLAC/MP4/M4A
- Communication range: 12m
- Speaker: $\Phi 52\text{mm}$
- Frequency response range: 50Hz-12KHz
- Speaker sensitivity: $-38\pm 2\text{dB}$
- Working voltage: 3.0~4.2V
- Power: 5W
- Impedance: 4Ω
- Battery capacity: 600mAh
- Music time: 6h (70% volume)
- Talk time: 7h (70% volume)
- Charging time: 1.5h
- Standby time (connected): 48h
- Charging input: 5V=1A
- Charging port: Type-C
- Material: ABS
- Net weight: 215g



Speaker Series

FS-22-0083

SPECIFICATION

- Name: RGB Wireless Speaker
- Model: JR-ML05
- BT version: V5.3
- Audio decoding: SBC
- Supported protocols: HSP, HFP, A2DP, AVRCP
- BT range: 10m
- Frequency response range: 20Hz-20KHz
- Speaker: ϕ 57mm
- Power: 8W
- Music format: MP3
- TF card capacity: 32G (max)
- Music time: about 3h (80% volume)
- Standby time (connected): about 12h
- Battery capacity: 1500mAh
- Charging time: about 3.5h
- Charging port: Type-C
- Charging input: 5V=1A
- Size: 137*100mm
- Material: ABS + PC + speaker mesh
- Net weight: 490g



Speaker Series

FS-22-0084

SPECIFICATION

- Output: 5V1A, 2*5W,
- speaker size: 52mm
- Material: Plastic + Fabric
- Battery Capacity: 1200 + 1200 mAh
- BT version: 5.0
- Function: TWS, FM Radio



Speaker Series

FS-22-0085

SPECIFICATION

- Output: 5V1A, 2*5W,
- speaker size: 52mm
- Material: Plastic + Fabric
- Battery Capacity: 1200 + 1200 mAh
- BT version: 5.0
- Function: TWS, FM Radio, TF card slot, IPX5



Earphone Series

FS-22-0086

SPECIFICATION

- Bluetooth Chipset: JIELI V5.0
- Support profile: HFP/HSP/A2DP/AVRCP
- 10 meters operation range(open area)
- Playing time: 5 hours
- Earphone battery: 200mAh
- Charging time to headphones: 2-3 hour
- Speaker diameter: 40mm
- Sensitivity: $96\pm 3\text{dB}$ at 1 kHz
- Standby Time: ≥ 200 days
- Unit weight: 201g
- Adjustable headband for comfortable wearing
- MOQ: 3000 per colour/item



Earphone Series

FS-22-0087

SPECIFICATION

- Bluetooth Version: V5.1
- Working Distance: 10m
- Frequency Range: 2.4GHz-2.18GHz
- Battery Specs: 3.7v 300mAh
- Charging Voltage: 5V
- Charging time: 2 hours
- Talking time: 20 hours
- Driver: 40x2mm
- Impedance: 320hm S.P.L
- Built in Microphone
- Rich and strong bass audio profile
- Type C charging port
- Overall lightweight
- Product Size: 18.5 X 17.8 X 9.5 CM
- MOQ: 2000 per colour/item



Earphone Series

FS-22-0088



SPECIFICATION

- Bluetooth Version: V5.1
- Working Distance: 10m
- Frequency Range: 2.4GHz-2.18GHz
- Battery Specs: 3.7v 300mAh
- Charging Voltage: 5V
- Charging time: 2 Hours
- Talking time: 20 Hours
- Driver: 40x2mm
- Impedance: 320hm S.P.L
- Built in Microphone
- Dynamic Hifi-Headphone
- Ear-cups with turnable 90°
- Softable and comfortable earmuffs, closed design, resting on the ear
- With voice assistant
- Type C charging port
- Product Size:19 X 17.5 X 8.5 CM
- MOQ: 2000 per colour/item



Earphone Series

FS-22-0089



SPECIFICATION

- Bluetooth Version: V5.1
- Working Distance: 10m
- Frequency Range: 2.4GHz-2.18GHz
- Battery Specs: 3.7v 300mAh
- Charging Voltage: 5V
- Charging time: 2 Hours
- Talking time: 20 Hours
- Driver: 40x2mm
- Impedance: 320hm S.P.L
- Built in Microphone
- Dynamic Hifi-Headphone
- Ear-cups with turnable 90°
- Softable and comfortable earmuffs, closed design, resting on the ear
- With voice assistant
- Type C charging port
- Product Size: 18 X 15.8 X 8CM
- MOQ: 2000 per colour/item



Earphone Series

FS-22-0090

SPECIFICATION

ANC Bluetooth Headphones

- Bluetooth Version: 5.0
- Chipset: AC6925D
- Support A2DP, AVRCP, HSP, HFP
- Working distance: 10-12m
- ANC Sensitivity: 20dB
- ANC Frequency: 50Hz-1KHz
- Frequency Response: 20Hz-20KHz
- Support handsfree function

- Built-in 400mAh Lithium Battery
- Charging time: around 2hrs
- Bluetooth mode working time: 25hrs
- ANC mode working time: 100hrs
- Bluetooth + ANC modes working time: 20hrs
- Display the remaining battery on your iPhone
- MOQ: 3000 per colour/item



Earphone Series

FS-22-0091

SPECIFICATION

- Bluetooth Chipset: CSR8635+Ti
- Support profile: HFP/HSP/A2DP/AVRCP/DI, SBC/MP3/AAC
- Meters operation range (open area)
- ANC Performance: 20dB
- Playing time: ANC ON 11hrs; ANC OFF 15hrs
- Earphone battery: 400mAh
- Charging time to headphone: 2 hour
- Speaker diameter: 42mm
- Sensitivity: 98 ± 3 dB at 1 KHz
- Standby Time: ≥ 200 days
- Adjustable headband for comfortable wearing
- 183 x 193 x 83mm
- MOQ: 3000 per colour/item



Earphone Series

FS-22-0092



SPECIFICATION

- Bluetooth Version: V5.1
- Working Distance: 10m
- Frequency Range: 2.4GHz-2.18GHz
- Battery Specs: 3.7v 300mAh
- Charging Voltage: 5V
- Charging time: 2 Hours
- Talking time: 20 Hours
- Driver: 40x2mm
- Impedance: 320hm S.P.L
- Built in Microphone
- Ear-cups with Foldable
- With memory foam, protein earmuffs
- With voice assistant
- USB-A Charging Port
- Aux in
- Active Noise Canceling: -25dB (with High Frequency Earmuffs)
- Product Size: 18.5 X 16.5 X 8.5 CM
- MOQ: 2000 per colour/item



Earphone Series

FS-22-0093

SPECIFICATION

- Bluetooth Version: V5.1
- Working Distance:10m
- Frequency Range:2.4GHz-2.18GHz
- Battery Specs: 3.7v 350mAh
- Charing Voltage:5V
- Charging time:2 Hours
- Talking time:22 Hours
- Driver:40x2mm
- Impedance:320hm S.P.L
- Built in Microphone
- Dynamic Hifi-Headphone
- EQ music sound effect adjustment
- Softable and comfortable earmuffs, resting on the ear
- Ear-cups with Foldable design
- Type C charging port
- Voice Assistant
- Aux in Function
- Product Size: 19.5 X 17.5 X 9.5 CM
- MOQ: 2000 per colour/item



YOUR HOLISTIC MANUFACTURING PARTNER

CONTACT US

FOR INQUIRIES

E-MAIL:

sourcing@frogswell.com.hk

PHONE:

(852) 3758 2901

ADDRESS:

B11, 5/F, Block B, Hong Kong Industrial Centre, No. 489-491 Castle Peak Road, Kowloon, Hong Kong

WEB:

www.frogswell.com.hk