

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 1/8

Gollit Diamant Kunststoffpflege

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Gollit Diamant Kunststoffpflege

UFI:

V0T4-1HPC-F12D-PMU9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Automotive care products

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Gollit Autopflege Oliver Gollers e.K

Ahornweg 11 D

83126 Flintsbach

Germany

Telephone: +49 8033609333

Telefax: +49 8033609334

E-mail: info@gollit.de

Website: www.gollit.de

E-mail (competent person): info@gollit.de

1.4. Emergency telephone number

Gollit Autopflege, +49 8033609333 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS08

Health hazard

Signal word: Danger

Hazard statements for health hazards

H304 May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 2/8

Gollit Diamant Kunststoffpflege

Supplemental hazard information: none

Precautionary statements

P102 Keep out of reach of children.

Precautionary statements Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P331 Do NOT induce vomiting.

Precautionary statements Storage

P405 Store locked up.

Precautionary statements Disposal

P501 Dispose of contents/container to Completely emptied packages can be recycled..

Special rules for supplemental label elements for certain mixtures:

12,0 % percent of the mixture consists of ingredient(s) of unknown acute toxicity (inhalative).



2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
EC No.: 929-018-5 REACH No.: 01-2119475608-26	Hydrocarbons, C10 -C13, n-alkanes, <2% aromatics Asp. Tox. 1 (H304)  Danger	43 - < 80 weight-%
CAS No.: 123-92-2 EC No.: 204-662-3 Index No.: 607-130-00-2	3-Methylbutylacetat Flam. Liq. 3 (H226)  Warning EUH066	0 - ≤ 0.008 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Do NOT induce vomiting. Let 1 glass of water be drunk in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Headache Pneumonia Pulmonary oedema

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 3/8

Gollit Diamant Kunststoffpflege

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Sand Water spray

Unsuitable extinguishing media:

Water Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Use personal protection equipment.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove all sources of ignition. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). All work processes must always be designed so that the following is excluded: Skin contact Eye contact generation/formation of aerosols Use only in well-ventilated areas. Do not spray on naked flames or any incandescent material.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 4/8

Gollit Diamant Kunststoffpflege

Environmental precautions:

Shafts and sewers must be protected from entry of the product. Provide for retaining containers, e.g. floor pan without outflow.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Requirements for storage rooms and vessels Ensure adequate ventilation of the storage area. Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Storage class (TRGS 510, Germany): 3 - Flammable liquids

Further information on storage conditions:

Keep locked up. Keep locked up and out of reach of children. Keep only in the original container in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 1 Sept 2015	Paraffinum Perliquidum P 170 CAS No.: 8042-47-5	① 5 mg/m ³ ② 20 mg/m ³ ⑤ (alveolengängige Fraktion) DFG, Y
TRGS 900 (DE)	3-Methylbutylacetat CAS No.: 123-92-2 EC No.: 204-662-3	① 50 ppm (270 mg/m ³) ② 50 ppm (270 mg/m ³) ⑤ DFG, EU
IOELV (EU)	3-Methylbutylacetat CAS No.: 123-92-2 EC No.: 204-662-3	① 50 ppm (270 mg/m ³) ② 100 ppm (540 mg/m ³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 5/8

Gollit Diamant Kunststoffpflege

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: colourless

Odour: fruity

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	8		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	160 – 245 °C		
Decomposition temperature	<i>not determined</i>		
Flash point	> 61 °C		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	> 200 °C		
Upper/lower flammability or explosive limits	0.6 %		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	<i>not determined</i>		
Relative density	0.86	20 °C	
Bulk density	<i>not determined</i>		
Water solubility			② unlöslich
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	<i>not determined</i>		
Benutzerdefinierter PC-Wert	<i>not determined</i>		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 6/8

Gollit Diamant Kunststoffpflege

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hydrocarbons, C10 -C13, n-alkanes, <2% aromatics EC No.: 929-018-5
--

LD₅₀ oral: >5,000 mg/kg (Ratte)

LD₅₀ dermal: >5,000 mg/kg (Kaninchen)

LC₅₀ Acute inhalation toxicity (vapour): >5,000 mg/L 8 h (ratte)
--

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Hydrocarbons, C10 -C13, n-alkanes, <2% aromatics EC No.: 929-018-5
--

Results of PBT and vPvB assessment: —
--

3-Methylbutylacetat CAS No.: 123-92-2 EC No.: 204-662-3
--

Results of PBT and vPvB assessment: —
--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 7/8

Gollit Diamant Kunststoffpflege

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Appropriate disposal / Package Recycle according to official regulations.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 01 04 *	other organic solvents, washing liquids and mother liquors
------------	--

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 31 Mar 2023

Print date: 31 Mar 2023

Version: 3,1

Page 8/8

Gollit Diamant Kunststoffpflege

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Do not sell or give to persons under the age of 18 years. 5 MuSchRiV. 22 JArbSchG.

Betriebssicherheitsverordnung (BetrSichV)

leichtentzündlich

Water hazard class

WGK:

1 - schwach wassergefährdend

Description:

slightly hazardous to water

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.

16.6. Training advice

Special training for first aid necessary.

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.