


#### INSTALLATION INSTRUCTIONS

## WIDEBAND AIR/FUEL KIT



Parts included: Bosch LSU4.9 Oxygen Sensor Sensor wiring harness Stainless weld in bung

Wideband AFR Controller Power wiring harness Output harness

### **Installation**

- 1. Install the provided LSU4.9 sensor by welding the exhaust bung into the exhaust pipe. You must use the provided M18x1.5 bung if your vehicle does not have an open or existing one. Make sure the location of the bung is no less than a minimum of 18 inches after the exhaust ports.
  - a. If you have a turbo charger, the bung must be installed no less than a minimum of 36 inches after the exhaust ports, but before the catalytic converter. This also applies if you are using unleaded race fuel.
  - b. The bung must be positioned in such a way that the sensor is at a minimum of 10 degrees from a horizontal position with the electrical connection up to prevent a collection of liquid at the element during the warm up phase.



2. Route and secure the wire harness from the sensor into the vehicle, close to the controller's location.

- 3. The controller must be placed inside the vehicle away from the heat, water, moisture, dirt, and all moving parts. The controller also should be in an easy access location, so that it may be accessed for calibration, when necessary.
- 4. Once the controller is in its permanent location, secure and route the power wire harness for the controller.
  - a. Connect the **red** wire to a switched (ignition on) positive 12 volt source.
  - b. Connect the **white** wire to a switched (ignition on) positive 12 volt source.
  - c. Connect the **black** wire to a ground source (the wire going to pin 5 of the OBD2 port is a good source for signal ground but not required. It may eliminate the rare instance of a small error due to differences in ground potentials).
  - d. Orange wire is not used.

# **Analog Output Harness**

**Black** - Ground (from your power connection - this can be connected to the input of a the data logging device if needed). This does not need to be connected to ground.

**Brown** - Wide band analog output 0-5v (0v = 10 AFR, 5V = 20 AFR). This wire will connect to the Interceptor analog input (see gauge instructions) or other data logging device.

**Green** - Narrow band analog output (narrow band simulator). Connect to the appropriate wire on factory O2 harness to prevent check engine light if this sensor has replaced a factory sensor.

#### **Calibration Mode**

No calibration should be needed initially. If over time a calibration is deemed necessary, this can be done after letting vehicle sit over night without engine running. Press the Cal button for 3 seconds to calibrate. This will take approximately 20 seconds to complete. After which time you can start the vehicle. Calibration should be done with key on engine off when the vehicle has not been run for several hours or sensor is in free air:

If you replace or change your sensor you must perform a calibration

#### Functions:

- 1. Prior to operation, the sensor must warm up for 30 seconds. This is a mandatory process every time the gauge and sensor are powered from a cold vehicle start. The output will remain at 5v (19.98-20.00 A/F) until the warm up phase is complete.
- 2. If the output of the controller becomes stuck at 20 then there is a sensor error detected. If the readings are way off at any given time and a calibration does not bring them back inline you may need to **reset** the controller. Check and confirm the connection of the sensor and wire harness to and from the controller unit. If the connections are secure and in place, press the button on the controller for 8 seconds to reset the controller to the original factory settings. If there is still no output contact sales@aeroforcetech.com or check sensor for contamination.

## **Interceptor gauge configuration**

To configure the Interceptor to read A/F ratio, you'll need to enter the menu and choose the appropriate analog input. You'll then be able to enter a conversion. The number to enter for slope is 2, and 10 for intercept. The value displayed on the gauge when this analog input is chosen will now represent A/F ratio. You will typically see 14.5-14.8 at idle and cruise, and under WOT the reading will go richer (lower) depending on your tune. Our testing has shown the sensor's accuracy to be +/- 0.1 decimal place.

If you prefer to see Lambda rather than A/F ratio, set the slope to 0.136, and the intercept to 0.68. A properly tuned vehicle will display a lambda of ~1 at idle or part throttle when in closed loop operation.

If using E85 A/F ratio use slope = 1.33, intercept = 6.67. Stoich for E85 is 9.77 A/F ratio.

# Note on ground potentials:

If the wide band ground is different than the Interceptor gauge ground, it's possible that you may experience an offset in readings due to ground potential differences. These can be unnoticeable to as much as 0.2 AFR in magnitude in rare instances. If you see readings that for example are off by .1 AFR despite doing a calibration this is most likely the cause. There is an easy fix, change the Intercept value that you entered into the gauge by the amount of error. For example, if you see 14.8 when you should see 14.7 at idle, change the intercept value to 9.9. This ground potential, if it exists, will cause a constant error throughout the readings, by changing the intercept value you will be correcting it throughout the range of readings.

### Lambda vs Air/Fuel ratio:

Gasoline AFR = Lambda x 14.65 Methanol AFR = Lambda x 6.47 Propane AFR = Lambda x 15.7 Ethanol AFR = Lambda x 9.00 CNG AFR = Lambda x 14.5

## Warranty

Aeroforce Technology Inc. warrants to the consumer that this wideband kit will be free from defects in material and workmanship for a period of six (6) months from date of the original purchase. Products that fail within this 6-month warranty period will be repaired or replaced at Aeroforce's option when determined by Aeroforce that the product failed due to defects in material or workmanship. This warranty is limited to the repair or replacement of the Aeroforce part. In no event shall this warranty exceed the original purchase price of the Aeroforce part nor shall Aeroforce be responsible for special, incidental or consequential damages or cost incurred due to the failure of this product. Aeroforce does not warranty the Bosch LSU4.9 sensor. Warranty claims to Aeroforce must be transportation prepaid and accompanied with dated proof of purchase. This warranty applies only to the original purchaser of product and is non-transferable. All implied warranties shall be limited in duration to the said 6 month warranty period. Improper use or installation, accident, abuse, unauthorized repairs or alterations voids this warranty. Aeroforce disclaims any liability for consequential damages due to breach of any written or implied warranty on all products manufactured by Aeroforce. Warranty returns will only be accepted by Aeroforce when approval is given and/or accompanied by a valid Return Goods Authorization (RGA) number received from <a href="mailto:service@aeroforcetech.com">service@aeroforcetech.com</a>. Product must be received by Aeroforce within 30 days of the date the RGA is issued.

0.00     0.683     10.00       0.16     0.705     10.32       0.31     0.725     10.62       0.47     0.747     10.94       0.62     0.768     11.24       0.78     0.790     11.56       0.94     0.811     11.8       1.09     0.832     12.18       1.25     0.854     12.50       1.40     0.874     12.80       1.56     0.896     13.12       1.72     0.918     13.44       1.87     0.939     13.74       2.03     0.960     14.06       2.18     0.981     14.36       2.34     1.003     14.68       2.50     1.025     15.00       2.65     1.045     15.30       2.81     1.067     15.62       2.96     1.087     15.92       3.12     1.109     16.24       3.28     1.130     16.54       3.43     1.152     16.86       3.59     1	Volts	Lambda	Gasoline AFR
0.31     0.725     10.62       0.47     0.747     10.94       0.62     0.768     11.24       0.78     0.790     11.56       0.94     0.811     11.8       1.09     0.832     12.18       1.25     0.854     12.50       1.40     0.874     12.80       1.56     0.896     13.12       1.72     0.918     13.44       1.87     0.939     13.74       2.03     0.960     14.06       2.18     0.981     14.36       2.34     1.003     14.68       2.50     1.025     15.00       2.65     1.045     15.30       2.81     1.067     15.62       2.96     1.087     15.92       3.12     1.109     16.24       3.28     1.130     16.54       3.43     1.152     16.86       3.59     1.173     17.18       3.74     1.194     17.48       3.90     1	0.00	0.683	10.00
0.477     0.747     10.94       0.62     0.768     11.24       0.78     0.790     11.56       0.94     0.811     11.8       1.09     0.832     12.18       1.25     0.884     12.50       1.40     0.874     12.80       1.56     0.896     13.12       1.72     0.918     13.44       1.87     0.939     13.74       2.03     0.960     14.06       2.18     0.981     14.36       2.34     1.003     14.68       2.50     1.025     15.00       2.65     1.045     15.30       2.81     1.067     15.62       2.96     1.087     15.92       3.12     1.109     16.24       3.28     1.130     16.54       3.43     1.152     16.86       3.59     1.173     17.18       3.74     1.194     17.48       3.90     1.216     17.80       4.06	0.16	0.705	10.32
0.62     0.768     11.24       0.78     0.790     11.56       0.94     0.811     11.8       1.09     0.832     12.18       1.25     0.854     12.50       1.40     0.874     12.80       1.56     0.896     13.12       1.72     0.918     13.44       1.87     0.939     13.74       2.03     0.960     14.06       2.18     0.981     14.36       2.34     1.003     14.68       2.50     1.025     15.00       2.65     1.045     15.30       2.81     1.067     15.62       2.96     1.087     15.92       3.12     1.109     16.24       3.28     1.130     16.54       3.43     1.152     16.86       3.59     1.173     17.18       3.74     1.194     17.48       3.90     1.216     17.80       4.06     1.236     18.10       4.21     1	0.31	0.725	10.62
0.78     0.790     11.56       0.94     0.811     11.8       1.09     0.832     12.18       1.25     0.854     12.50       1.40     0.874     12.80       1.56     0.896     13.12       1.72     0.918     13.44       1.87     0.939     13.74       2.03     0.960     14.06       2.18     0.981     14.36       2.34     1.003     14.68       2.50     1.025     15.00       2.65     1.045     15.30       2.81     1.067     15.62       2.96     1.087     15.92       3.12     1.109     16.24       3.28     1.130     16.54       3.43     1.152     16.86       3.59     1.173     17.18       3.74     1.194     17.48       3.90     1.216     17.80       4.06     1.236     18.10       4.21     1.258     18.42       4.37     1	0.47	0.747	10.94
0.94     0.811     11.8       1.09     0.832     12.18       1.25     0.854     12.50       1.40     0.874     12.80       1.56     0.896     13.12       1.72     0.918     13.44       1.87     0.939     13.74       2.03     0.960     14.06       2.18     0.981     14.36       2.34     1.003     14.68       2.50     1.025     15.00       2.65     1.045     15.30       2.81     1.067     15.62       2.96     1.087     15.92       3.12     1.109     16.24       3.28     1.130     16.54       3.43     1.152     16.86       3.59     1.173     17.18       3.74     1.194     17.48       3.90     1.216     17.80       4.06     1.236     18.10       4.21     1.258     18.42       4.37     1.280     18.74       4.52     1	0.62	0.768	11.24
1.09	0.78	0.790	11.56
1.25	0.94	0.811	11.8
1.40	1.09	0.832	12.18
1.56   0.896   13.12     1.72   0.918   13.44     1.87   0.939   13.74     2.03   0.960   14.06     2.18   0.981   14.36     2.34   1.003   14.68     2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	1.25	0.854	12.50
1.72   0.918   13.44     1.87   0.939   13.74     2.03   0.960   14.06     2.18   0.981   14.36     2.34   1.003   14.68     2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	1.40	0.874	12.80
1.87   0.939   13.74     2.03   0.960   14.06     2.18   0.981   14.36     2.34   1.003   14.68     2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	1.56	0.896	13.12
2.03   0.960   14.06     2.18   0.981   14.36     2.34   1.003   14.68     2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	1.72	0.918	13.44
2.18   0.981   14.36     2.34   1.003   14.68     2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	1.87	0.939	13.74
2.34   1.003   14.68     2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.03	0.960	14.06
2.50   1.025   15.00     2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.18	0.981	14.36
2.65   1.045   15.30     2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.34	1.003	14.68
2.81   1.067   15.62     2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.50	1.025	15.00
2.96   1.087   15.92     3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.65	1.045	15.30
3.12   1.109   16.24     3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.81	1.067	15.62
3.28   1.130   16.54     3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	2.96	1.087	15.92
3.43   1.152   16.86     3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	3.12	1.109	16.24
3.59   1.173   17.18     3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	3.28	1.130	16.54
3.74   1.194   17.48     3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	3.43	1.152	16.86
3.90   1.216   17.80     4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	3.59	1.173	17.18
4.06   1.236   18.10     4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	3.74	1.194	17.48
4.21   1.258   18.42     4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	3.90	1.216	17.80
4.37   1.280   18.74     4.52   1.301   19.04     4.68   1.322   19.36     4.84   1.343   19.66	4.06	1.236	18.10
4.52 1.301 19.04   4.68 1.322 19.36   4.84 1.343 19.66	4.21	1.258	18.42
4.68 1.322 19.36   4.84 1.343 19.66	4.37	1.280	18.74
4.84 1.343 19.66	4.52	1.301	19.04
	4.68	1.322	19.36
4.99 1.356 19.98	4.84	1.343	19.66
	4.99	1.356	19.98