

Product Information Sheet

CP-2127

ACCELERATOR

Application Temperature(s):

Color: Clear/Amber Freeze Thaw Stable: N/A Min Use Temperature:

Shelf Life: 12 months in original sealed container when

properly stored.

Solids (~):

Specific Gravity: 0.79 Viscosity: 3 cps



Characteristics:

Solvent Base: Heptane

This accelerator has been developed as a treating agent for use with the cyanoacrylate instant adhesive product. It will aid the curing process and give exceptionally faster set times. In applications where the adhesive is not between two parts, it will allow for faster uniform curing. Using this will enable the adhesive to fill gaps up to 0.20". It can be applied by brushing or spraying.

Applications:

It will aid the bonding of porous materials such as fabrics or woods. It is useful when bonding acidic surfaces or in low humidity conditions promoting consistent curing times. Ideal for wire tacking, silk screening, or in loudspeaker assembly.

Directions:

Boiling Point: >=195°F

Flash Point: 15°F Vapor Density: N.D.

This accelerator can be used with a variety of cyanoacrylate adhesives. Please refer to directions for the adhesive for proper usage instructions.

Clean Up and Storage:

Accelerator can be wiped up with a dry cloth. CAUTION: HOWEVER THE PRODUCT IS EXTREMELY FLAMMABLE, DO NOT DISPOSE OF CLOTH NEAR HEAT OR FLAME.

Can be stored for 12 months in original sealed container when properly stored.

1 of 1