

# WAC LIGHTING

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Cylo Outdoor Wall Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-W91809 9"	3000K 90	11W	776	537	BZ Bronze
	4000K 90	11W	807	559	TT Titanium

Example: **WS-W91809-30-BZ**

### DESCRIPTION

Crafted in aluminum with contrast end-caps in durable weather-resistant finishes, Cylo provides reliable illumination in a simple form that's perfect for outdoor paths and entryways.

### FEATURES


- Weather-resistant finish
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	4000K, 3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24: 2019 Wet Location Listed
Construction:	Aluminum hardware with natural white acrylic diffuser




### FINISHES



Bronze Titanium

### LINE DRAWING



WS-W91809

# WAC LIGHTING

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Cylo Outdoor Wall Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-W91816 16"	3000K 90	20W	1683	1279	BZ Bronze
	4000K 90	20W	1788	1359	TT Titanium

Example: **WS-W91816-30-BZ**

### DESCRIPTION

Crafted in aluminum with contrast end-caps in durable weather-resistant finishes, Cylo provides reliable illumination in a simple form that's perfect for outdoor paths and entryways.


### FEATURES

- Weather-resistant finish
- ACLED driverless technology
- 5 year warranty


### SPECIFICATIONS

<b>Color Temp:</b>	4000K, 3000K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100-10%
<b>Rated Life:</b>	50000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, IP65, Title 24: 2019 Wet Location Listed
<b>Construction:</b>	Aluminum hardware with natural white acrylic diffuser

### FINISHES



### LINE DRAWING



**WS-W91816**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Cylo Outdoor Wall Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-W91824 24"	3000K 90	37W	3132	2513	BZ Bronze
	4000K 90	37W	3241	2601	TT Titanium

Example: **WS-W91824-30-BZ**

### DESCRIPTION

Crafted in aluminum with contrast end-caps in durable weather-resistant finishes, Cylo provides reliable illumination in a simple form that's perfect for outdoor paths and entryways.

### FEATURES


- Weather-resistant finish
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

<b>Color Temp:</b>	4000K, 3000K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100-10%
<b>Rated Life:</b>	50000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, IP65, Title 24: 2019 Wet Location Listed
<b>Construction:</b>	Aluminum hardware with natural white acrylic diffuser




### FINISHES



Bronze Titanium

### LINE DRAWING



WS-W91824