

# DESSAU 48 LINEAR SUSPENSION

## PRODUCT FEATURES

- The Dessau 48 Linear Suspension is perfect for the modern minimalist with a slim recessed design housing a panel of integrated LED lights.
- Offered in modern finishes
- Fixture includes a selectable CCT feature upon installation, offering the option of 2700K or 3000K to fit your desired ambiance
- Includes 12 feet of field-cutttable satin cable
- This item is made of natural brass. It is a living finish that will patina and warm with age which adds richness. If it gets an uneven patina or spots, a brass cleaner can restore the finish
- Protected by a 5-year warranty. please visit the "About Us" Page on [techlighting.com](http://techlighting.com) for more for warranty details



## LAMPING

Includes 36.2 watts, 2261 total delivered lumens, 2700K/3000K selectable LED modules. Dimmable with most LED compatible ELV and TRIAC dimmers. Ships with 10 feet of field-cutttable satin cable. Can be installed on a sloped ceiling up to 45°. 120V

Nightshade Black 3/4



Nightshade Black 3/4

Natural Brass

Natural Brass 3/4



## ORDERING INFORMATION



700LSDES	LENGTH (A)	FINISH	LAMP
	48 48"	NB NATURAL BRASS	-LED92730 LED 90 CRI SELECTABLE 2700K-3000K 120V
		B NIGHTSHADE BLACK	

JOB NAME

NOTES

---

---




© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C.  
Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, IL 60077  
T 847.410.4400 | F 847.410.4500 | [techlighting.com](http://techlighting.com)

# DESSAU 48 LINEAR SUSPENSION

## SPECIFICATIONS

PRIMARY MATERIAL	Aluminum
SHADE MATERIAL	Aluminum
NET WEIGHT	7 lbs
HEIGHT	1.3in
WIDTH	1.5in
LENGTH	48.2in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
MIN. HANGING HEIGHT	12in
MAX HANGING HEIGHT	144in
TOTAL CORD LENGTH	120in
TOTAL STEM LENGTH	
STEM QTY	
SLOPED CEILING ADAPTABLE?	Yes 45° Max
GENERAL LISTING	ETL Listed
INCLUDES	



## LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		2261		
WATTS		36.2		
MAX WATTAGE PER BULB		36.2W		
INPUT VOLTAGE/ DIMMING TYPE		120V ELV, TRIAC		
CCT		2700K/3000K Selectable		
CRI		90 CRI		
LED LIFETIME L70		>50000		
AVERAGE BULB HOURS				
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		True		
WARRANTY**		5 Years		

\* Dimming information available at [www.techlighting.com/Downloads#dimming](http://www.techlighting.com/Downloads#dimming)

\*\* Visit [techlighting.com](http://techlighting.com) for specific warranty limitations and details.

## T20 / T24 / JA8 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp*
This product can be used to comply with California Building Energy Efficiency Standards 2016 <b>Title 24</b> Part 6 / JA8.	Yes		
This product can be used to comply with California Appliance Efficiency Standards 2016 <b>Title 20</b> and may be shipped to and sold in California.	N/A		

\* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.



© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, IL 60077  
T 847.410.4400 | F 847.410.4500 | [techlighting.com](http://techlighting.com)