### PRODUCT FEATURES

- · Large transitional design style yet modern
- Simple slender ring that adds a minimalist chic feel to any space
- · Ideal for dining room lighting, foyer lighting and commercial
- · Ships with an energy efficient integrated LED lamp
- Fully dimmable integrated LEDs illuminate up and down to create the desired ambiance
- Protected by a 5-year warranty



#### LAMPING

Includes 80.3 watt, 5768 delivered lumen, 3000K or 3500K LED module. Dimmable with most LED compatible ELV, TRIAC and 0-10V dimmers. Fixture provided with twelve feet of field-cuttable cable to match finish selection.



## ORDERING INFORMATION

700FIA	SHAPE OR SIZE FINISH		LAMP	
	3030" DIAMETER B BLACK		<b>-LED930</b> LED 90 CRI 3000K 120V-277V UNV	
		<b>BR</b> PLATED BRASS	<b>-LED935</b> LED 90 CRI 3500K 120V-277V UNV	
		C CATININICIZEI		

JOB NAME			
NOTES			




© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, IL 60077 T 847.410.4400 | F 847.410.4500 | techlighting.com

# TECH LIGHTING

## **SPECIFICATIONS**

PRIMARY MATERIAL	Aluminum
SHADE MATERIAL	Aluminum
NET WEIGHT	9 lbs
HEIGHT	1.5in
WIDTH	30in
LENGTH	30in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
MIN. HANGING HEIGHT	15in
MAX HANGING HEIGHT	147in
TOTAL CORD LENGTH	144in
TOTAL STEM LENGTH	
STEM QTY	
SLOPED CEILING ADAPTABLE?	Yes 45° Max
GENERAL LISTING	ETL Listed
INCLUDES	



## LAMPING SPECIFICATIONS

LED LAMP	INTEGRATED LED	NON LED	NO LAMP	
DELIVERED	5768.0			
LUMENS	5/66.0			
WATTS	80.3			
MAX WATTAGE	80.3W			
PER BULB	00.399			
INPUT				
VOLTAGE/	Universal 120V-277V 0-10, ELV, TRIAC			
DIMMING				
TYPE				
CCT	3000K			
	3500K			
CRI	90 CRI			
LED LIFETIME				
L70	>50000			
AVERAGE				
BULB HOURS				
FIELD				
SERVICEABLE				
LED				
LAMP BASE	Integrated LED			
LAMP SHAPE	Integrated LED			
LAMP	True			
INCLUDED?				
WARRANTY**	5 Years			

\*Pinning information available at www.techlighting.com/Downloads#dimming.
\*V2.Dechlighting.com/APS-galikVar NR/Middles 20 Dails.

	Integrated LED	Replacement LED Lamp	No Lamp*
This product can be used to comply with			
California Building Energy Efficiency Standards 2016 <b>Title 24</b> Part 6/JA8.	No		
This product can be used to comply with			
California Appliance Efficiency Standards 2016 <b>Title 20</b> and may be shipped to and sold in California	N/A		

 $^{*}$  If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.



© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, IL 60077 T 847.410.4400 | F 847.410.4500 | techlighting.com