

---

## Satellite Floor Lamp, Outdoor - US

Designed by Mathieu Matégot - 1950ies

---



---

|             |   |          |
|-------------|---|----------|
| ITEM NUMBER | Satellite Floor Lamp - Outdoor (Cream White Semi Matt)  | 10117698 |
|             | Satellite Floor Lamp - Outdoor (Mustard Gold Semi Matt) | 10117697 |

DESCRIPTION

Building on the Satellite Collection of whimsical, modernist sculptural lamps, the Satellite Outdoor Pendant and Satellite Outdoor Floor Lamp are GUBI's first lighting designs created specifically for outdoor use. Based on Mathieu Matégot's original design concept from 1953, the designs feature an ovoid shade crafted from a perforated sheet of stainless steel, topped with an aluminum cap that helps direct the light. Playful and modern even 70 years after their first creation, both Satellite designs are ideal for installation on covered patios, verandas, or other sheltered dining areas. Two sizes of pendant are available, and both the pendants and the floor lamp are available with a semi-matt shade in either Cream White or Mustard Gold.

## Materials & Finishes

SHADE

Cream White Semi Matt, Mustard Gold Semi Matt



BASE

Black




MATERIALS

Stainless Steel, Aluminium

---

## Dimensions



|                |                  |
|----------------|------------------|
| LAMP WIDTH     | 45 cm / 17.7 in  |
| LAMP DEPTH     | 42 cm / 16.5 in  |
| LAMP HEIGHT    | 128 cm / 50.4 in |
| SHADE DIAMETER | Ø 22 cm / 8.6 in |
| HAT WIDTH      | 45 cm / 17.7 in  |
| HAT DEPTH      | 27 cm / 10.6 in  |
| HAT HEIGHT     | 2,5 cm / 1 in    |
| CORD LENGTH    | 200 cm / 78.7 in |

---

## Weight

TOTAL WEIGHT 3,75 kg / 8.26 lbs

## Packaging

NUMBER OF PARCELS 1  
PACKAGING LENGTH 102 cm / 40.1 in  
PACKAGING WIDTH 46 cm / 18.1 in  
PACKAGING HEIGHT 26 cm / 10.2 in  
PACKAGING WEIGHT 2,75 kg / 6 lbs  
GROSS WEIGHT 6,5 kg / 14.3 lbs

---

## Electrical Specifications

BULB SOCKET E26  
RECOMMENDED BULB 5W LED 810 lm  
VOLTAGE 120V  
BULB INCLUDED Yes

---

## Test & Certifications

CERTIFICATION



ISOLATION CLASS

II

IP CLASSIFICATION

65

---