


AJ FLOOR

Designed by Arne Jacobsen



Description

The floor lamp emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.

Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5744905916	WHT, 024	10.8 / 51.2 / - IN / 7.5 LB
5744905929	BLACK, 314	10.8 / 51.2 / - IN / 7.5 LB
5744906009	PALE PETROLEUM, 447	10.8 / 51.2 / - IN / 7.6 LB
5744909462	ELECTRIC ORANGE	- / - / - IN / 7.6 LB
5744909475	SOFT LEMON	- / - / - IN / 7.6 LB
5744909488	WARM SAND	- / - / - IN / 7.6 LB
5744909491	DUSTY BLUE	- / - / - IN / 7.6 LB
5744909501	WARM GREY	- / - / - IN / 7.6 LB
5744915113	STAINL STEEL POLISH, 957	10.8 / 51.2 / - IN / 8.0 LB

Materials & Finishes

MATERIALS

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

FINISHES

louis poulsen

Dark green, dark grey, aubergine, light grey, midnight blue, pale petroleum, rusty red, yellow ochre, black or white, wet painted.

Mounting


Cord type: White (White finish), black (non-white finish). Cord length: 9'. Switch: In-line on/off foot switch provided. For mounting instructions, see download section on the product detail page.

Information


The white version is supplied with a white cable. The other versions are supplied with a black cable. For the E-socket product variants, bulbs are not included. LED light source is part of the product.

Light distribution diagrams


CARTESIAN



ISOLUX



POLAR



Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744905916	E26		506	-	Wht
5744905929	E26		506	-	Blk
5744906009	E26		506	-	Blk
5744909462	E26		506	-	Wht
5744909475	E26		506	-	Wht
5744909488	E26		506	-	Wht
5744909491	E26		506	-	Blk
5744909501	E26		506	-	Blk
5744915113	A-19/medium	120V	506	-	Blk

louis poulsen
