


VOX

FH-W1802-26

26" Flush Mounted Fan

MODERN FORMS SMART FANS



PRODUCT DESCRIPTION

The Vox speaks in hushed tones- the powerful DC motor keeps the blades running smooth, ultra quiet and up to 70% more efficient than traditional AC motors. Perfect for smaller rooms, or mounted in multiples for larger spaces, Vox delivers the goods with a host of smart control features through our exclusive Modern Forms app.

FEATURES

- 6 fan speeds through both Summer and Winter Modes
- Silent DC motor
- Luminaire cover not available
- Includes Bluetooth remote control
- Additional remote control with wall cradle sold separately
- Optional wall control for 3, 4-way control sold separately
- Compatible with Modern Forms app

AIRFLOW/ENERGY EFFICIENCY

Weighted Average/High Airflow CFM:	1624/2715
Weighted Average/High Energy Use (W):	20/32
Estimated Yearly Energy Cost (\$):	6
Weighted Average/High Efficiency (CFM/W):	132/161
Max RPM:	348

ORDER NUMBER

Model	Housing	Blade
FH-W1802-26L	BZ <i>Bronze</i>	BZ <i>Bronze</i>
	MW <i>Matte White</i>	MW <i>Matte White</i>
	TT <i>Titanium Silver</i>	TT <i>Titanium Silver</i>

Example: **FH-W1802-26L-BZ**

For 2700K add "-27" ; for 3500K add "-35" before the finish: **FH-W1802-26L-27-MW**

***Results may vary based on application and surroundings.**

***This fan comes uni-pack - blade select options are not available**



The Modern Forms app synchronizes seamlessly with smart home devices you already own



modernforms.com
Phone (800) 526.2588
Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive
Port Washington, NY 11050

Central Distribution Center
1600 Distribution Ct
Lithia Springs, GA 30122

Western Distribution Center
1750 Archibald Avenue
Ontario, CA 91760

Modern Forms retains the right to modify the design of our products at any time as part of the company's continuous improvement program. JUL 2020

SPECIFICATIONS

Construction:	Aluminum/ABS
Blade:	13° Pitch, 26" sweep
Wire:	8"
Hanging Weight:	13 lbs
Total Power:	39.5W
Standards:	UL/cUL Wet Location listed, Title 24 JA8-2016 Compliant, Title 20, Energy Star rated
Motor Type:	125 x 20 sensorless DC motor

WIRELESS PERFORMANCE

Wi-Fi Range:	Up to 150 ft*
Bluetooth Range:	Up to 150 ft*

LUMINAIRE PERFORMANCE

Light Source:	LED
Light Wattage:	23.5W
Lumens/Delivered Lumens:	2100/1013
Dimming:	Integrated
CRI:	90
Color Temperature:	3000K (2700K/3500K options available)
Rated Life:	50,000 hours



VOX

FH-W1802-26

26" Flush Mounted Fan

MODERN FORMS
SMART FANS

OPTIONAL ACCESSORIES

Bluetooth Wall Control	 <p>F-WCBT</p>	WT White	Control fan speed and light brightness, and switch between Summer and Winter Modes. Additional Wall Controls can be purchased separately for multiple location control.
Bluetooth Remote Control	 <p>F-RCBT</p>	WT White	Control fan speed and light brightness, and switch between Summer and Winter Modes. Compatible with Modern Forms Smart Fans. Includes easy-to-install wall cradle and batteries.


Examples: Wall Control - **F-WCBT-WT**, Remote Control - **F-RCBT-WT**

VOX

FH-W1802-38

38" Flush Mounted Fan

MODERN FORMS SMART FANS



PRODUCT DESCRIPTION

The Vox speaks in hushed tones- the powerful DC motor keeps the blades running smooth, ultra quiet and up to 70% more efficient than traditional AC motors. Perfect for smaller rooms, or mounted in multiples for larger spaces, Vox delivers the goods with a host of smart control features through our exclusive Modern Forms app.

FEATURES

- 6 fan speeds through both Summer and Winter Modes
- Silent DC motor
- Luminaire cover not available
- Includes BT wall control
- Optional remote control with wall cradle sold separately
- Additional wall control for 3, 4-way control sold separately
- Compatible with Modern Forms app

AIRFLOW/ENERGY EFFICIENCY

Weighted Average/High Airflow CFM:	3377/5237
Weighted Average/High Energy Use (W):	28/39
Estimated Yearly Energy Cost (\$):	8
Weighted Average/High Efficiency (CFM/W):	121/161
Max RPM:	240

ORDER NUMBER

Model	Housing	Blade
FH-W1802-38L	BZ <i>Bronze</i>	BZ <i>Bronze</i>
	MW <i>Matte White</i>	MW <i>Matte White</i>
	TT <i>Titanium Silver</i>	TT <i>Titanium Silver</i>

Example: **FH-W1802-38L-BZ**

For 2700K add "-27" ; for 3500K add "-35" before the finish: **FH-W1802-38L-27-MW**

***Results may vary based on application and surroundings.**

***This fan comes uni-pack - blade select options are not available**



The Modern Forms app synchronizes seamlessly with smart home devices you already own



modernforms.com
Phone (800) 526.2588
Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive
Port Washington, NY 11050

Central Distribution Center
1600 Distribution Ct
Lithia Springs, GA 30122

Western Distribution Center
1750 Archibald Avenue
Ontario, CA 91760

Modern Forms retains the right to modify the design of our products at any time as part of the company's continuous improvement program. JUL 2020

SPECIFICATIONS

Construction:	Aluminum
Blade:	13° Pitch, 38" sweep, ABS
Wire:	8"
Hanging Weight:	14.5 lbs
Total Power:	55.5W
Standards:	UL/cUL Wet Location listed, Title 24 JA8-2016 Compliant, Title 20, Energy Star rated
Motor Type:	125 x 20 sensorless DC motor

WIRELESS PERFORMANCE

Wi-Fi Range:	Up to 150 ft*
Bluetooth Range:	Up to 150 ft*

LUMINAIRE PERFORMANCE

Light Source:	LED
Light Wattage:	23.5W
Lumens/Delivered Lumens:	2100/1013
Dimming:	Integrated
CRI:	90
Color Temperature:	3000K (2700K/3500K options available)
Rated Life:	50,000 hours



VOX

FH-W1802-38

38" Flush Mounted Fan

MODERN FORMS
SMART FANS

OPTIONAL ACCESSORIES

Bluetooth Wall Control	 <p>F-WCBT</p>	WT White	Control fan speed and light brightness, and switch between Summer and Winter Modes. Additional Wall Controls can be purchased separately for multiple location control.
Bluetooth Remote Control	 <p>F-RCBT</p>	WT White	Control fan speed and light brightness, and switch between Summer and Winter Modes. Compatible with WAC Smart Fans. Includes easy-to-install wall cradle and batteries.

Examples: Wall Control - **F-WCBT-WT**, Remote Control - **F-RCBT-WT**