




Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Polar

WS-3218

**PRODUCT DESCRIPTION**

Optically engineered to maximize the LED projection for functional lighting in the bath as well as proper illumination in hotel corridors, transitional spaces and more, Polar's clean,streamlined design foregrounds what's most important—the light itself.

**FEATURES**

- 277V option available for special order.
- Transformer installed within the Junction Box, transformer dimension: 2.0" x 1.4" x 1.0"
- White ceramic silk-screened mitered glass

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120 VAC,50/60Hz
<b>Driver Dimension</b>	2.0" x 1.4" x 1.0"
<b>Dimming</b>	ELV
<b>Mounting</b>	Can be mounted on wall in all orientations
<b>Color Temp</b>	3000K
<b>CRI</b>	90
<b>Construction</b>	Aluminum hardware with mitered glass



WS-3218

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-3218 18"	3000K	BN Brushed Nickel	34W	1841	1064

Example: **WS-3218-BN**

•For 277V special order, add an "F" before the finish: WS-3218F-BN

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Polar

WS-3226

**PRODUCT DESCRIPTION**

Optically engineered to maximize the LED projection for functional lighting in the bath as well as proper illumination in hotel corridors, transitional spaces and more, Polar's clean,streamlined design foregrounds what's most important—the light itself.

**FEATURES**

- 277V option available for special order.
- Transformer installed within the Junction Box, transformer dimension: 2.0" x 1.4" x 1.0"
- White ceramic silk-screened mitered glass

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120 VAC,50/60Hz
<b>Driver Dimension</b>	2.0" x 1.4" x 1.0"
<b>Dimming</b>	ELV
<b>Mounting</b>	Can be mounted on wall in all orientations
<b>Color Temp</b>	3000K
<b>CRI</b>	90
<b>Construction</b>	Aluminum hardware with mitered glass

**REPLACEMENT PARTS**

RPL-GLA-3226 - Glass



WS-3226

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-3226 26"	3000K	BN Brushed Nickel	45W	2617	1451

Example: **WS-3226-BN**

•For 277V special order, add an "F" before the finish: WS-3226F-BN

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Polar

WS-3240

**PRODUCT DESCRIPTION**

Optically engineered to maximize the LED projection for functional lighting in the bath as well as proper illumination in hotel corridors, transitional spaces and more, Polar's clean,streamlined design foregrounds what's most important—the light itself.

**FEATURES**

- 277V option available for special order.
- Transformer installed within the Junction Box, transformer dimension: 2.0" x 1.4" x 1.0"
- White ceramic silk-screened mitered glass

**SPECIFICATIONS**

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120 VAC,50/60Hz
Driver Dimension	2.0" x 1.4" x 1.0"
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with mitered glass

**REPLACEMENT PARTS**

RPL-GLA-3240 - Glass



WS-3240

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-3240 40"	3000K	BN Brushed Nickel	75W	4037	2451
	3000K	CH Chrome	75W	4037	2451

Example: **WS-3240-CH**

•For 277V special order, add an "F" before the finish: WS-3240F-CH

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)