


Smoke Chandelier

MAARTEN BAAS



Furniture finished with fire. The beauty and character of burned wood is now captured in a long lasting material. By creating the strange sensation of a burnt chandelier Maarten Baas interpreted his fascination for the element fire with a groundbreaking approach. Capturing the burning flames into the solidity of wood. Each Chandelier is unique due to this exceptional production process. Just like the Phoenix, the Smoke objects are reborn from their ashes, gaining new vitality and beauty in a very unusual way.

Detailing



The enchanting texture of burnt wood. Each item from the Smoke series share the unfamiliar and untamed finish that is characterized by fire.

Colours




Black

Smoke Chandelier

Dimensions

65cm | 25.6"



55cm | 21.7"

Product

WIDTH 65cm | 25.6"

HEIGHT 55cm | 21.7"

DEPTH 46cm | 18.1"

WEIGHT NETTO 2.9kg | 6.39lbs

Packaging

WIDTH 54cm | 21.3"

HEIGHT 65cm | 25.6"

CUBAGE 0.16m³ | 5.7ft³

LENGTH 46cm | 18.1"

WEIGHT 7.5kg | 16.53lbs

Technical CE

MATERIAL

Burnt wood finished with epoxy resin.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

LED

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

40W

LAMPHOLDER

E14

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

3

FREQUENCY

50/60

DIMMABLE

Yes

CABLE COLOUR

Black

CANOPY

Matching smoked canopy

Technical cULus

MATERIAL

Burnt wood finished with epoxy resin.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

LED

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

3

INPUT VOLTAGE

110-130

MAX POWER CONSUMPTION

40W

LAMPHOLDER

E12

CABLE LENGTH

400cm | 157.5"

FREQUENCY

50/60

DIMMABLE

Yes

CABLE COLOUR

Black

CANOPY

Matching smoked canopy

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

DIMMER TYPE

Mains dimmable with compatible light source

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.
