



Superarchimoon outdoor Green wall

Designed by Philippe Starck, 2007



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607011959	
Mounting	Floor	
Environments	Outdoor wet location	
Light Source Type	Bulb	
Lamp type	T Shielded	
Lamp holders	E26	
Number of heads	1	
Power (W)	250	

Physical

Color	Green Wall	
Orientation	Adjustable	
Net weight (lb)	353.46	
Package volume (in)	88876.93	
IP internal	55	
IP external	55	



Download Mounting instructions ♣ PDF











Photometric

Lighting type	Direct	
Light distribution	Symmetric	
Beam angle CO-180 (°)	74	
Beam angle C90-270 (°)	74	

Electrical

Insulation class	II	
Frequency (Hz)	50/60	
Dimmable	Yes	
Dimming interface	Remote Dimmable (Dimmer Not Included)	
Batteries inside	No	

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.



01.	Superarchimoon/Romeo C3	F6377041
	Outdoor Diffuser Green Wall	
02.	Internal diffuser for Panama &	RF6377100
	Green Wall version	
04.	Floor support bag kit	RF6372200



F6377041 Superarchimoon/Romeo C3 Outdoor Diffuser Green Wall



RF6377100 Internal diffuser for Panama & Green Wall version



RF6372200

Floor support bag kit