


_	
Pro	iect:
110	CCL.

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Vogue

WS-3120

PRODUCT DESCRIPTION

What's in Vogue right now? Just some of the most powerful LEDs in the industry, along with mouth-blown etched opal glass and expertly crafted hardware. With its wide variety of sizesand luminaire options, Vogue slips into transitional, contemporary and urban industrial decor plans with ease.

FEATURES

- 277V option available for special order.
- 2700K and 3500K CCT option available for special order.
- ACLED driverless technology
- Mouth-blown opal glass diffuser

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, mouth-blown opal glass diffuser

REPLACEMENT PARTS

RPL-GLA-3120 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-3120 20"	3000K 3000K 3000K 3000K	BN Brushed Nickel BR Brushed Brass BZ Bronze CH Chrome	35.4W 35.4W 35.4W 35.4W	2971 2971 2971 2971	2157 2157 2157 2157 2157


Example: WS-3120-CH

 $\bullet \text{For 277V}$ special order, add an "F" before the finish: WS-3120F-CH

•For '2700K' add "-'27"";'3500K' add "-'35"" before the finish: WS-3120-35-CH

For custom requests please contact customs@modernforms.com





Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Vogue

WS-3127

PRODUCT DESCRIPTION

What's in Vogue right now? Just some of the most powerful LEDs in the industry, along with mouth-blown etched opal glass and expertly crafted hardware. With its wide variety of sizesand luminaire options, Vogue slips into transitional, contemporary and urban industrial decor plans with ease.

FEATURES

- 277V option available for special order.
- 2700K and 3500K CCT option available for special order.
- ACLED driverless technology
- Mouth-blown opal glass diffuser

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, mouth-blown opal glass diffuser

REPLACEMENT PARTS

RPL-GLA-3115 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-3127 27"	3000K 3000K 3000K 3000K	BN Brushed Nickel BR Brushed Brass BZ Bronze CH Chrome	38.9W 38.9W 38.9W 38.9W	3348 3348 3348 3348	2425 2425 2425 2425 2425


Example: WS-3127-CH

 $\bullet For 277V$ special order, add an "F" before the finish: WS-3127F-BN

•For '2700K' add "-'27"";'3500K' add "-'35"" before the finish: WS-3127-35-BZ

For custom requests please contact customs@modernforms.com





Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Vogue

WS-3139

PRODUCT DESCRIPTION

What's in Vogue right now? Just some of the most powerful LEDs in the industry, along with mouth-blown etched opal glass and expertly crafted hardware. With its wide variety of sizesand luminaire options, Vogue slips into transitional, contemporary and urban industrial decor plans with ease.

FEATURES

- 277V option available for special order.
- 2700K and 3500K CCT option available for special order.
- ACLED driverless technology
- Mouth-blown opal glass diffuser

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, mouth-blown opal glass diffuser

REPLACEMENT PARTS

RPL-GLA-3120 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-3139 39"	3000K	BN Brushed Nickel	70.6W	5872	4390
	3000K	BR Brushed Brass	70.6W	5872	4390
	3000K	BZ Bronze	70.6W	5872	4390
	3000K	CH Chrome	70.6W	5872	4390

Example: WS-3139-CH

 $\bullet For 277V$ special order, add an "F" before the finish: WS-3139F-BN

•For '3500K' add "-'35"';'2700K' add "-'27"' before the finish: WS-3139-27-BN

For custom requests please contact customs@modernforms.com