

iQ700, Induction hob, 60 cm, Black EX651FEC1E



Induction hob with innovative features that enable highly flexible cooking in any situation.

- ✓ Always the optimal cooking zone for your cookware - flexInduction
- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ fryingSensor: maintains the desired pan temperature automatically after heating up to avoid scorching.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.
- ✓ Timer with cooking zone shut-off function

Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 4
 Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500
 Width of the appliance : 592
 Dimensions : 51 x 592 x 522
 Dimensions of the packed product (HxWxD) (mm) : 126 x 753 x 603
 Net weight (kg) : 13.411
 Gross weight (kg) : 14.6
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Black
 Approval certificates : AENOR, CE
 Length of electrical supply cord (cm) : 110
 EAN code : 4242003716786
 Electrical connection rating (W) : 7400
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60



Optional accessories

HZ9SE030
 HZ9LP200
 HZ9LP160
 HZ9CF260
 HZ390522 Griddle Plate
 HZ390512 Teppan Yaki (large)
 HZ390230
 HZ390220
 HZ390210
 HZ390012
 HZ390011

iQ700, Induction hob, 60 cm, Black EX651FEC1E

Features

Control

- touchSlider control
- fryingSensor with 4 temperature settings

Design

- 592 mm
- 3 sided bevelled frameless finish

Special features

- 1 flexInduction zone. Can be used as 2 single induction zones of 380cm² or 1 flexible induction zone of 760cm²
- flexInduction zone
- 4 induction cooking zones
- quickStart function
- reStart function
- Timer for all zones
- Acoustic signal
-
- 17 power levels
- Power boost setting
- Energy Consumption Display

Safety Features

- Automatic pan recognition
- Automatic safety switch off
- Control panel lock
- Control panel pause
-
- 2 stage residual heat indicators
- Main on/off switch

Power and size

- Cooking zones: 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Powerlevels 3.7 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

Technical information

- Min. worktop thickness: 16 mm
- Connected load: 7.4 KW
- Connection cable 110 cm
- Cable included in packaging

iQ700, Induction hob, 60 cm, Black EX651FEC1E

Dimensioned drawings

