


## iQ700, Induction hob, 80 cm, Black EX851FVC1E



Induction hob with innovative features that enable highly flexible cooking in any situation.

- ✓ Always the optimal cooking zone for your cookware - flexInduction
- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ fryingSensor: maintains the desired pan temperature automatically after heating up to avoid scorching.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.
- ✓ Timer with cooking zone shut-off function

### Features

#### Technical Data

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 5  
 Required niche size for installation (HxWxD) : 51 x 750-750 x 490-500  
 Width of the appliance : 802  
 Dimensions : 51 x 802 x 522  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 953 x 603  
 Net weight (kg) : 16.216  
 Gross weight (kg) : 17.8  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Black  
 Approval certificates : AENOR, CE  
 Length of electrical supply cord (cm) : 110  
 EAN code : 4242003716991  
 Electrical connection rating (W) : 7400  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60



### Optional accessories

- HZ9SE030
- HZ9LP200
- HZ9LP160
- HZ9CF260
- HZ390522 Griddle Plate
- HZ390512 Teppan Yaki (large)
- HZ390230
- HZ390220
- HZ390210
- HZ390012
- HZ390011

## iQ700, Induction hob, 80 cm, Black EX851FVC1E

### Features

#### Design

- 3 sided bevelled frameless finish
- 802 mm

#### Control

- touchSlider control
- fryingSensor with 4 temperature settings

#### Special features

- flexInduction zone
- 5 induction cooking zones
- quickStart function
- reStart function
- Timer for all zones
- Acoustic signal
- 
- 17 power levels
- Power boost setting
- Energy Consumption Display

#### Safety Features

- Automatic pan recognition
- Automatic safety switch off
- Control panel lock
- Control panel pause
- 
- 2 stage residual heat indicators
- Main on/off switch

#### Power and size

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 240 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 400 mmx210 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

#### Technical information

- Min. worktop thickness: 16 mm
- Connected load: 7.4 KW
- Connection cable 110 cm
- Cable included in packaging

## iQ700, Induction hob, 80 cm, Black EX851FVC1E

### Dimensioned drawings

