



iQ700, Induction hob, 90 cm, Black EX975KXW1E



Siemens flexInduction cooktop is designed for greater flexibility when cooking

- ✓ Always the optimal cooking zone for your cookware - flexInduction
- ✓ For easy operation and good readability from any viewing angle - TFT Touchdisplay.
- ✓ Home Connect: Information about your cooktop, no matter where you are via smartphone or tablet.
- ✓ cookingSensor Plus ready: the supplementary available sensor prevents overboiling thanks to precise temperature control.
- ✓ The fryingSensor plus controls the temperature in the pan

Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 5
 Required niche size for installation (HxWxD) : 51 x 880-880 x 490-500
 Width of the appliance : 912
 Dimensions : 51 x 912 x 520
 Dimensions of the packed product (HxWxD) (mm) : 126 x 1073 x 603
 Net weight (kg) : 21.365
 Gross weight (kg) : 23.2
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Color of surface : Black
 Approval certificates : AENOR, CE
 Length of electrical supply cord (cm) : 110
 EAN code : 4242003765685
 Electrical connection rating (W) : 11100
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60

Optional accessories

HZ9SE030 : , HZ9LP200 : , HZ9LP160 : , HZ9CF260 : , HZ394301 : ,
 HZ390522 : Griddle Plate , HZ390512 : Teppan Yaki (large) ,
 HZ39050 : , HZ390230 : , HZ390220 : , HZ390210 : , HZ390012 : ,
 HZ390011 :



iQ700, Induction hob, 90 cm, Black EX975KXW1E

Features

Design

- 912 mm
- Side profiles

Control

- fullTouch TFT Display
- cookingSensor Plus ready (sensor available as additional purchase)

Special features

- 3 x flexInduction zones
- 5 induction cooking zones
- Home Connect - enables Remote Monitoring no matter where you are, with the easy-to-use Home Connect App
- cookConnect - hood control (with Wi-Fi enabled hood)
- flexMotion
- powerMove plus
- reStart function
- cookControl Plus
- Timer for all zones
- Acoustic signal
- Count up timer
-
- Keep warm function
- 17 power levels
- Power boost setting
- panBoost
- Energy Consumption Display

Safety Features

- Automatic pan recognition
- Automatic safety switch off
- Control panel lock
- Control panel pause
-
- 2 stage residual heat indicators
- Main on/off switch

Power and size

- Connected load: 11.1 KW
- Cooking zones: 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Powerlevels 3.7 KW) Induction; 1 x Ø 300 mmx240 mm, 2.6 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

Technical information

- Min. worktop thickness: 16 mm
- Measurement: (H/B/T) 51 x 912 x 520 mm
- Installation dimensions: (ID/W/D) 51 mm x 880 mm x 490 mm
- Connection cable 110 cm
- Cable included in packaging

iQ700, Induction hob, 90 cm, Black EX975KXW1E

Dimensioned drawings

