

Serie | 8, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm KIF86PFE0





Included accessories

3 x egg tray 1 x ice cube tray 1 x bottle holder in door tray

Optional accessories

KSZ10020:

Built-in bottom freezer combination with VitaFresh pro: thanks to ideal storage conditions your food stays vitamin-rich and fresher for longer.

- VitaFresh pro 0°C: keeps fruit, vegetables, fish and meat fresh for up to three times as long thanks to 0°C technology and optimal humidity
- LED lights bring a completely new lighting concept to fridges
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- Automatic super freezing: for freezing smaller food loads faster whilst protecting your frozen items from defrosting, thanks to the detection of temperature increase
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.

Technical Data

A ↑ G

Energy Efficiency Class (Regulation (EU) 2017/1369):	E
Average annual energy consumption in kilowatt hour per year	
(kWh/a) (EU) 2017/1369:	252
Sum of volume of frozen compartments (EU 2017/1369): 67
Sum of volume of chill compartments (EU 2017/1369):	156
Airborne acoustical noise emissions (EU 2017/1369):	36
Airborne acoustical noise emission class (EU 2017/1369	9): C
Construction type:	Built-in
Door panel options: Not	possible
Width of the appliance:	558
Depth of the product:	545
Required niche size for installation (HxWxD):	
1775.0 x 560 x 550	
Net weight (kg):	69.713
Connection rating (W):	90
Current (A):	10
Door hinge: Right	reversible
Voltage (V):	220-240
Frequency (Hz):	50
Approval certificates:	CE
Length of electrical supply cord (cm):	230
Storage Period in Event of Power Failure (h):	8
Number of compressors:	1
Number of independent cooling systems:	2
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment (Stck): 2	
Shelves for Bottles:	No
Frost free system:	Freezer
Installation type: Full-i	ntegrated
Type of hinge: Flus	sh-folding





Serie | 8, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm KIF86PFE0

Built-in bottom freezer combination with VitaFresh pro: thanks to ideal storage conditions your food stays vitamin-rich and fresher for longer.

Functions

- Bright interior LED fridge light

Design features

- NoFrost freezer, never have to defrost ever again
- Electronic control for fridge and freezer with LED display
- FreshSense Constant temperature control by intelligent sensor technology
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- Super Cooling: automatic deactivation
- Holiday mode
- Optical and acoustical door open warning

Design features

- 3 safety glass shelves (2 height adjustable)
- 2 door trays, including 1x dairy compartment

Freshness System

- Deli Drawer

1 VitaFresh pro 0°C drawer with humidity control - fruits and vegetables stay vitamin-rich and fresher for longer.

Food freshness system

- Vario Zone removable safety glass shelves for extra space!
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Connection value 90 W
- 220 240 V

Key features - Freezer section

- 3 x egg tray, 1 x ice cube tray, .

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features

Dimension and installation


Additional features


Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 223 l
- Net Fridge Volume : 156 l
- Net Freezer Volume : 67 l
- Freezing capacity 24h : 7 kg
- Annual Energy Consumption: 252 kWh/a
- Climate Class: SN-ST
 - Noise Level : 36 dB
 - Temperature rise time : EU19_Temperature rise time_D: 8 H




Serie | 8, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm KIF86PFE0





The specified unit door dimensions are valid for a door gap of 4 mm. measurements in mm Air outlet min. 200 cm² min. 560 recommended min. 550 1772⁺⁸ Ventilation space in the base min. 200 cm 2 measurements in mm

measurements in mm Recommended gap dimensions for flat hinges



The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

3/3