


SI2M7953D

Hob, Aesthetics: Universal, Induction, 90 cm, Built-in: Ultra-low profile or Fully Flushed



	MULTI _slider	19	(\mathbf{P})	년 ()	;•!• ;⊙	()	
\bigcirc	0	14 14 10 5	0	STOP °C∓		ECO HEAT =-	C000

TYPE

Product Family: Hob • Dimensions: 90 cm • Type: Induction • Built-in: Ultra-low profile or Fully Flushed • Power supply: Electric • EAN code: 8017709258948

AESTHETICS

Colour: Black • Finishing: Glass • Aesthetics: Universal • Material: Glass • Glass Type: Ceramic • Type of control setting: Multi Slider • Control knobs position: Front • Slider: Yes • Slider: Red • Glass edge: Straight edge • Serigraphy colour: Grey

PROGRAMS / FUNCTIONS

Total no. of cook zones: 5 • No. of induction cook zones: 5 • No. of cooking zones with booster: 5 • No. of Flexible zones: 2 • Main on/off switch: Yes • Power levels: 14 • Auto-Vent: Yes

OPTIONS

Standard cut out: 490x880 mm • Multizone Option: Yes • Flexible Zone Type: MultiZone • End cooking timer: 5 • Pause option: Yes • Minute minder: 5 • End of cooking acoustic alarm: Yes • Residual time indicator: Yes • Show Room Demo Option: Yes • Control Lock / Child Safety: Yes • Rapid level selection: Yes

COOKING ZONES

1st zone position: Front left • 2nd zone position: Rear left • 3rd zone position: Central • 4th zone position: Front right • 5th zone position: Rear right • 1st zone type: Induction - Multizone • 2nd zone type: Induction - multizone • 3rd zone type: Induction - giant • 4th zone tipe: Induction - multizone • 5th zone type: Induction - Multizone • 1st zone dimensions: Ø 21 cm • 2nd zone dimensions: Ø 21 cm • 3rd zone dimensions: Ø 18/28 cm • 4th zone dimensions: Ø 21 cm • 5th zone dimensions: Ø 21 cm • 2nd zone dimensions: Ø 21 cm • 3rd zone dimensions: Ø 18/28 cm • 4th zone dimensions: Ø 21 cm • 5th zone dimensions: Ø 21 cm • Left Multizone dimension: 39.2x19.5 cm • Right Multizone dimension: 39.2x19.5 cm • 1st zone power: 2.30 kW • 2nd zone power: 2.30 kW • 3rd zone power: 1.80 - 2.80 kW • 4th zone power: 2.30 kW • 5th zone power: 2.30 kW • 1st zone booster power: 3.20 kW • 3rd zone booster power: 3.20 kW • 3rd zone booster power: 3.20 kW • 5th zone booster power: 3.20 kW • 5th zone booster power: 3.20 kW • 3rd zone booster power: 3.20 kW • 5th zone booster power: 3.20 kW

TECHNICAL FEATURES

Automatic setting according to pan dimension: Yes • Automatic pan detection: Yes • Minimum pan diameter indication: Yes • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Eco-Heat: Yes • Eco-Off: Yes

PERFORMANCE / ENERGY LABEL

2nd zone energy consumption: 177 Wh/Kg • Energy consumption zone 3: 187.9 Wh/Kg • Energy consumption zone 4: 188.8 Wh /Kg • Energy consumption zone 5: 177 Wh/Kg

ELECTRICAL CONNECTION

Nominal power (W): 7350 W • Voltage (V): 220-240 V • Voltage 2 (V): 400 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Universal • Power supply cable length: 150 cm

LOGISTIC INFORMATION

Dimensions of the product (mm): 49x900x510 • Depth (mm): 510 mm • Width (mm): 900 mm • Product Height (mm): 49 mm

