



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 1 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

Instrument: Custom "0" Concert Body

Cutaway: No

Orientation: Right Handed

Neck Joint: Dovetail

Appointment Level:	Standard
Adhesive:	Modern Adhesive
Top Material:	Italian Alpine Spruce
Bracing Material, Top:	Sitka Spruce
Back and Side Material:	Cocobolo
Binding Material:	Grained Ivoroid
Top Pearl:	None
Rosette Style:	Style 45 Black Maple Fiber
Bridge Style:	Modern Straight Line
Neck Material:	12/4 Genuine Mahogany Mfg Pref
Neck Profile:	Low Profile
Neck Taper:	High Performance Taper
Tuning Machines:	Golden Age 2514-RB; Relic Brass, Side Mount, Cream Btn
Fingerboard Material:	Black Ebony
Fingerboard Inlay:	Diamonds and Squares Long
Finish Type:	Standard
Finish Package:	Gloss Body w/Satin Neck and Polished Headplate
Top Color:	Aging Toner
Electronics:	None



Image may not represent all of your selected options. Please read the specification carefully.



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 2 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

Frets Clear:	14 Frets Clear of Body
Body Shape:	"0" Concert Body
Inspired by:	028
Appointment Level:	Standard
Base Model Note:	Wood selected by Custom Expert Lightning Joe's Cocobolo Set #K3
Adhesive:	Modern Adhesive
Orientation:	Right Handed
String Number:	6 String
Venetian Cutaway:	No
Electronics:	None
Body Depth:	Standard
Scale Length:	24.9"
Compensated Scale Length:	24.980"
Neck Joint:	Dovetail
Truss Rod:	Adjustable 14 Fret
Construction Note:	

TOP

Top Material:	Italian Alpine Spruce
Top Material Upgrade:	Standard
Final Top Grade:	Grade 3-4
Top Thickness:	Standard
Bracing Material, Top:	Sitka Spruce
Bracing Pattern, Top:	X Brace
Bracing Pattern Number, Top:	15-A 014F
Bracing Shape, Top:	Scalloped
Bracing Style, Top:	Standard
Bracing Size, Top:	1/4"
Top Note:	
Binding Material:	Grained Ivoroid
Area 1:	Top
Inlay 1:	BI,Herringbone,Top Inlay,OOO Bold
Area 2:	Back
Inlay 2:	BI,Fiber,B/M/B,.015/.012/.015x.060x63
Area 3:	Endpiece
Inlay 3:	BI,Fiber,B/M/B,.015/.012/.015x.080x63
Area 4:	
Inlay 4:	
Area 5:	
Inlay 5:	
Area 6:	
Inlay 6:	



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 3 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

Area 7:
Inlay 7:
Area 8:
Inlay 8:
Area 9:
Inlay 9:
Area 10:
Inlay 10:
Area 11:
Inlay 11:
Top Pearl: None
Top Pearl Species: N/A
Top Pearl and Thickness: N/A
Back Pearl and Thickness: N/A
Side Pearl and Thickness: N/A
Endpiece Pearl and Thickness: N/A
Binding and Body Pearl Note:
Rosette Style: Style 45 Black Maple Fiber
Rosette Pearl Species: Select Abalone
Rosette Pearl Species And Thickness: Select Abalone 0.064"
Rosette Poly: 0.68 Poly
Pickguard Material: None
Under Finish Pickguard: No
Pickguard Pattern: N/A
Pickguard Inlay: None
Pickguard Inlay Pearl Species: N/A
Rosette and Pickguard Note:

BACK AND SIDE

Back Piece Qty: 2 Piece
Back and Sides Material: Cocobolo
Back and Sides Material Upgrade: Premium
Back and Sides Final Grade: n/a
Back and Sides Note:
Wedge Material: None
Wedge Material Upgrade: n/a
Wedge Final Grade: n/a
Back Purfling: Style 28 (Checker)
Bracing Material, Back and Sides: Sitka Spruce
Bracing Pattern: 014 Fret
Center Strip: Sitka Spruce
Center Strip Stamp Location: Between 1st & 2nd Brace



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 4 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

Caution Stamp:	None
Ribbons:	Spanish Cedar
Side Strips:	None
Endpiece Material:	Grained Ivoroid

NECK

Neck Material:	12/4 Genuine Mahogany Mfg Pref
Neck Center Piece Material:	n/a
Neck Profile:	Low Profile
Neck Taper:	High Performance Taper
Heelcap Material:	Grained Ivoroid
Headstock:	Slotted with Square Slots
Diamond Volute:	Standard
Headstock Taper:	Square
Corners:	Standard
Headplate Material:	Cocobolo
Headplate Material Grade:	Premium
Headplate Decal:	None
Headplate Binding:	No
Headplate Inlay:	CFM Script Logo
Headplate Inlay Pearl Species:	Select Abalone
Stamp:	None
Neck Material, Shape, Headstock Note:	Authentic Thickness Single HP

FINGERBOARD

Fingerboard Material:	Black Ebony
Fingerboard Material Grade:	2
Fingerboard Stain:	Yes
Fingerboard Oil:	Yes
Fingerboard Radius:	16"
Fingerboard Width at Nut:	1 3/4"
Fingerboard Width at 12th Fret:	2 1/8"
String Spacing:	2 5/32"
Fingerboard Length:	17.500"
Fret Wire:	Standard
Fret Slot:	0.023 Pocketed
Total Frets:	20 Total
Fingerboard Binding:	No
Fingerboard Inlay:	Diamonds and Squares Long
Fingerboard Inlay Pearl Species:	Regular Abalone
Side Dots:	White
Side Dot Postion:	One at 3rd, 5th, 7th, 9th, Two at 12th, One at 15th & 17th Frets



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 5 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

Nut Material: Bone
Nut Positioning: Angled
Fingerboard Note:

FINISH

Finish Type: Standard
Stage 1 Aged Finish: No
Finish Package: Gloss Body w/Satin Neck and Polished Headplate
Notes for Finish: Tape Rosette & Inlays
Top Color: Aging Toner
Body Filler: Rosewood
Body Stain: None
Neck Filler: Rosewood
Neck Stain: Maple
Solid Color: None
Solid Color Neck: None
Complete Burst: None
Finish and Extras Note: ICA sealer on BD & HP

BRIDGE

Bridge Material: Black Ebony
Bridge Style: Modern Straight Line
Saddle Style: Drop in Saddle
Bridge Inlay: 6pt. Snowflake
Bridge Inlay Pearl Species: Select Abalone
Saddle Material: Compensated Bone
Bridge End Pins: Bone w/ Paua
Bridge Note:

EXTRAS

Tuning Machines: Golden Age 2514-RB; Relic Brass, Side Mount, Cream Btn
Tuning Machine Drilling: Tooling & Machinery
Strings: Authentic Acoustic Lifespan 2.0
Strings Gauge: Light
Strap Button: None
Case: 5-Ply Hardshell
Strap: None
Custom Label: None
Handcrafted by the Custom Shop for:
Custom Shop Credentials Book: Yes
Custom Charge:
Rate (%): 12
Custom Shop Luthier Services: 838.56



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 6 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

Required Deposit:



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 7 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

This Order Request contains all specifications for your Custom instrument. PLEASE REVIEW CAREFULLY AND BE AWARE THAT WE MAKE NO ASSUMPTIONS REGARDING YOUR SPECIFICATIONS. Please ensure that each item presented is exactly as you and your customer have specified. This document will constitute the final manufacturing specifications for your instrument.

Please feel free to call us if you have any questions or if you need to make any changes to this order request prior to submission. If additional changes are required- including changes Martin may deem necessary for structural or aesthetic integrity, then we will add them as necessary or issue a revised request requiring your acknowledgement. THIS REQUEST IS VALID FOR SIXTY (60) DAYS FROM THE DATE INDICATED. If you are satisfied that the specifications for your instrument are correct, then the Dealer must sign below to authorize and return to C.F. MARTIN & CO., INC. or fax a copy directly to us at 1-484-291-6639, attention: Custom Shop.

After we have received your signed Order Request, we will promptly submit the Custom guitar into production. THE SPECIFICATIONS ON THE SIGNED ORDER REQUEST ARE CONSIDERED FINAL, AND NO FURTHER CHANGES OR CANCELLATIONS ARE PERMITTED. Once received, custom orders are non-cancelable. If your customer cancels the order after we receive the signed request, you (Dealer) remain responsible for the instrument and specifically for payment in full upon completion. Again, please feel free to call us at 800-633-2060 if you have any questions concerning your Custom guitar.

Artwork- Artwork submitted must be free of royalty and client (dealer/consumer) attests to such. Martin reserves the right to challenge or refuse the submission of any artwork deemed to be "familiar to the general public" or otherwise objectionable in any way. Art / imagery designed in collaboration with Martin that is not considered "Turn-Key" will be considered property of Martin and therefore may not be considered exclusive or otherwise protected from subsequent use.

Dealer-configured and Consumer-configured customs shall not be named, described, and/or advertised using Martin Standard Nomenclature and must follow approved Custom Nomenclature policy. "Martin Standard Nomenclature" is defined by model name found on the Martin Guitar MAP price list.

Martin Custom Shop "0" Concert Body, 28 Style, Italian Alpine Spruce Top, Cocobolo Back & Sides, 6 String

This constitutes an agreement – solely between the named dealer/distributor and C.F. Martin & Co., Inc. - to produce a Custom instrument of the specifications and quantity requested herein.

Thank you for your interest in the Martin Custom Shop.

Regards,

C.F. MARTIN & CO., INC.

BY: _____
The Custom Shop



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

CUSTOM ORDER REQUEST

Configuration Date	Quantity	Price	Configuration	Page 8 of 8
1/21/2021	1	\$ 7,826.56 Ea.	C20-097832	

DEALER APPROVAL AND ACCEPTANCE

The undersigned dealer has carefully read and reviewed the above Custom Order Request, specifications, terms, and conditions and hereby expressly approves, accepts and consents to them.

DEALER SIGNATURE (REQUIRED) _____ DATE: _____

CONSUMER APPROVAL AND ACCEPTANCE

The undersigned customer has carefully read and reviewed the above Custom Order Request, specifications, terms, and conditions and hereby expressly approves, accepts and consents to them.

CONSUMER SIGNATURE (OPTIONAL) _____ DATE: _____