

GU10 Downlighters & Spot Lights

RUBICON
LIGHTING

Contents

06 **Welcome**

07 **GU10 Recessed Downlighters**

Erin 08 | Riley Round 08 | Riley Square 09 | Riley Square Duo 09 | Bridget Round 10

Bridget Square 10 | Bridget Square Duo 11

12 **GU10 Surface Downlighters**

Raegan 13 | Kiara 13 | Bria Round 14 | Bria Square 14 | Bria Square Duo 15

Finley 15

16 **GU10 Surface Spot Lights**

Shea 17 | Shea Duo 17 | Shea Trio B 18 | Shea Trio C 18

19 **GU10 Surface Mounted Wall Lights**

Casey 20 | Ena 20 | Neala 21

One of the best things about LEDs is their flexibility. With countless potential arrangements, LED lighting alloys for dozens of different fixtures and while traditional fluorescent and halogen bulbs are extremely limited in terms of their applications, LED lighting can be designed to suit almost any purpose. Some of the most popular types of LED fixtures are LED downlights due to their efficiency, durability, and safety. If you're new to the world of LED lighting fixtures, here are some advantages worth taking into consideration:

Efficiency
LED downlights and spots use only a fraction of the energy required by traditional lighting solutions. Replacing your existing lights with Province LED lighting fixtures will result in dramatic energy savings.

Low Maintenance
LED downlights and spots last longer than their traditional counterparts, which means you spend less money and time on maintaining your fixtures.

Erin

FEATURES:
- Aluminium alloy body

Ordering example: Product Name/Fitting Colour (e.g. Erin/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Aluminium	Sand White (W)

DIMENSIONS:



Riley Round

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. RileyRnd/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Aluminium	Sand White (W) Sand Black (B) Aluminium (A)

COLOUR OPTION:

DIMENSIONS:



Return to Contents Page

Riley Square

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. RileySq/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Aluminium	Sand White (W) Sand Black (B) Aluminium (A)

COLOUR OPTION:

DIMENSIONS:



Riley Square Duo

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. RileySqDuo/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Aluminium	Sand White (W) Sand Black (B) Aluminium (A)

COLOUR OPTIONS:

DIMENSIONS:



Return to Contents Page

Bridget Round

FEATURES:
- Zinc alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. BridgetRnd/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Zinc Alloy	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Bridget Square

FEATURES:
- Zinc alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. BridgetSq/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Zinc Alloy	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Return to Contents Page

Bridget Square Duo

FEATURES:
- Zinc alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. BridgetSqDuo/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Recessed Mounted	Zinc Alloy	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Return to Contents Page

Raegan

LED IP20 rating

FEATURES:
- Aluminium alloy body

Ordering example: Product Name/Fitting Colour (e.g. Raegan/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Surface Mounted	Aluminium	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Kiara

LED IP20 rating

FEATURES:
- Aluminium alloy body

Ordering example: Product Name/Fitting Colour (e.g. Kiara/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Surface Mounted	Aluminium	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Return to Contents Page

Bria Round

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. BriaRnd/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Surface Mounted	Aluminium	Sand White (W) Sand Black (B) Aluminium (A)

COLOUR OPTION:

DIMENSIONS:



Bria Square

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. BriaSq/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Surface Mounted	Aluminium	Sand White (W) Sand Black (B) Aluminium (A)

COLOUR OPTIONS:

DIMENSIONS:



Return to Contents Page

Bria Square Duo

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. BriaSqDuo/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Surface Mounted	Aluminium	Sand White (W) Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Finley

FEATURES:
- Aluminium alloy body
- Adjustable

Ordering example: Product Name/Fitting Colour (e.g. TH5826/W/B/A)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 50W (Max)	-	Surface Mounted	Aluminium	Sand White (W) Sand Black (B) Aluminium (A)

COLOUR OPTIONS:

DIMENSIONS:



Return to Contents Page

Shea

FEATURES:
- Aluminium alloy body
- Adjustable head

Ordering example: Product Name/Fitting Colour/Switch Option (e.g. Shea/W/CS)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 35W (Max)	-	Surface Mounted	Aluminium	○ Sand White (W) ● Sand Black (B)

INTEGRATED SWITCH OPTION:

Complete with switch (CS)

COLOUR OPTION:

Non-switchable (NS)

DIMENSIONS:



Shea Duo



FEATURES:
- Aluminium alloy body
- Adjustable heads

Ordering example: Product Name/Fitting Colour (e.g. SheaDuo/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 35W (Max)	-	Surface Mounted	Aluminium	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Return to Contents Page

Shea Trio B

FEATURES:
- Aluminium alloy body
- Adjustable heads

Ordering example: Product Name/Fitting Colour (e.g. SheaTrioB/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 35W (Max)	-	Surface Mounted	Aluminium	○ Sand White (W) ● Sand Black (B)

COLOUR OPTIONS:

DIMENSIONS:



Shea Trio C

FEATURES:
- Aluminium alloy body
- Adjustable heads

Ordering example: Product Name/Fitting Colour (e.g. SheaTrioC/W)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	GU10 LED Compatible 35W (Max)	-	Surface Mounted	Aluminium	○ Sand White (W) ● Sand Black (B)

COLOUR OPTION:

DIMENSIONS:



Return to Contents Page

Casey

LED IP20 rating

FEATURES:
- Alumnium alloy body
- Up and down Light Distribution

Ordering example: Product Name/Fitting Colour (e.g. Casey/SW/G)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	G9 LED Compatible 40W (Max)	-	Surface Wall Mounted	Aluminium	Sand White (SW/SW) Sand White & Gold (SW/G) Sand Black & Gold (SB/G)

COLOUR OPTIONS:



DIMENSIONS:



Ena

LED IP20 rating

FEATURES:
- Aluminium alloy body
- Up and down Light Distribution

Ordering example: Product Name/Fitting Colour (e.g. Ena/SW/G)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	G9 LED Compatible 40W (Max)	-	Surface Wall Mounted	Aluminium	Sand White (SW/SW) Sand White & Gold (SW/G) Sand Black & Gold (SB/G)

COLOUR OPTIONS:



DIMENSIONS:



Return to Contents Page

Neala

LED IP20 rating

FEATURES:
- Aluminium alloy body
- Up and down Light Distribution

Ordering example: Product Name/Fitting Colour (e.g. Neala/SW/G)

Input Power	LED-Modules	Colour Consistency	Installation Type	Material	**Luminaire Colour**
230 V	G9 LED Compatible 40W (Max)	-	Surface Wall Mounted	Aluminium	Sand White (SW/SW) Sand White & Gold (SW/G) Sand Black & Gold (SB/G)

COLOUR OPTIONS:

DIMENSIONS:



Return to Contents Page

Contact us

Cape Town

100 Upper Canterbury Street
Gardens, Cape Town
Western Cape, 8001
+27 21 464 4661

Johannesburg

Unit 5a Galaxy Park,
Galaxy Road Linbro Park,
Johannesburg
Gauteng, 1401
+27 11 262 5179

Pretoria

Unit 11, Lenchen Park
Lenchen Road South,
Centurion
Gauteng, 0157
+27 12 663 5921

Port Elizabeth

4 Reith Street
Sidwell, Port Elizabeth
Eastern Cape, 6061
+27 41 817 5535

Durban

Unit L, Nandi Park, 34 Brickworks
Way Briardene, Durban
Kwazulu Natal, 4051
+27 31 001 2964

Namibia

Unit 2, Tesoro Building
31 TV More Street
Windhoek
+264 61 400 339

Rest of Africa

Regus Office Space, 1st Floor,
Willowbridge Centre, Carl Cronje
Drive Belville Park, Cape Town
Western Cape, 7530
+27 21 974 6100 (Ext 6131)

Email: info@province.co.za
Website: www.provincelighting.com

RUBICON
LIGHTING

DISCLAIMER: While every effort has been made to ensure that the information contained within this catalogue is accurate and up to date, Rubicon Lighting makes no warranty, representation or undertaking whether expressed or implied, nor does it assume any legal liability, whether direct or indirect, or responsibility for the accuracy, completeness, or usefulness of any information.