


RUBICON
LIGHTING

ABBE 150






Features:

- Various Beam Angles Available
- Minimum Lumen Maintenance: 54 000h (L80B10)

| | | | | | |
|---|-----------------------------------|-----------------------------|------------|---------------|--------------------------------------|
| Power Supply: | 220 - 240VAC 50 - 60Hz | | | | |
| Operating Temperature Range: (Ta - Ambient) | - 20°C to 35°C | | | | |
| Colour Rendering Index: | CRI 80+ | | | | |
| Colour Consistency: | 3-Step MacAdam | | | | |
| Colour Temperature: (Kelvin / CCT) | ○ 4000K | | | | |
| Beam Angle: | 12° _ 24° _ 36° | | | | |
| Installation Types: | Surface Mounted | | | | |
| Ingress Protection: | IP20 | | | | |
| Luminaire Colour: | ○ White ● Black ● Special | | | | |
| Material: | Housing - Powder Coated Aluminium | | | | |
| | Dimensions | Wattage (System) | CRI | Kelvin | Luminous Flux (Effective) |
| | 110mm x 110mm x 150mm | 18W | 80+ | 4000K | 1900Lm* |

Dimensions:



*E & O.E (Errors And Omissions Excepted)

*Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above are subject to change without prior notice.

*All lumen outputs stated above are based a nominal output that included a 10% light loss, this can vary depending on the optic used.

Contact

Cape Town

1B Hansen Close,
Richmond Park,
Cape Town
T. +27 21 555 0570

Durban

Unit L, Nandi Park,
34 Brickworks Way
Briardene
T. +27 31 001 2964

Namibia – Windhoek

Unit 2, Tesoro Building,
31 TV More Street
Windhoek
T. +264 61 40 0339

Johannesburg

17 Galaxy Road,
Unit 5A Galaxy Park,
Linbro Park
T. +27 11 262 5179

Port Elizabeth

216 Main Road,
Walmer
Port Elizabeth
T. +27 41 451 4359