

## ALVIS DALI KIT





**Features:**

- Non-Maintained Operation
- DALI Addressable
- Constant Current
- Low Profile Casing
- Remote Box Supplied

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Power Supply:</b>          | 220 - 240V AC   50 - 60Hz   |
| <b>Emergency Duration:</b>    | 1 Hour 20% Output           |
| <b>Battery Type:</b>          | Nickel Metal Hydride 6x2Ahr |
| <b>Ingress Protection:</b>    | IP20                        |
| <b>Dimensions:</b>            | 179mm x 30mm x 21mm         |
| <b>Remote Box Dimensions:</b> | 220mm x 82mm x 50mm         |

*\*For detailed luminaire compatibility, please contact your Rubicon Lighting representative.*



\*E & O.E ( Errors And Omissions Excepted )

\*Subject to change without prior notice.

# Contact

## Cape Town

1B Hansen Close,  
Richmond Park,  
Cape Town  
T. +27 21 555 0570

## Durban

Unit L, Nandi Park,  
34 Brickworks Way  
Briardene  
T. +27 31 001 2964

## Namibia – Windhoek

Unit 2, Tesoro Building,  
31 TV More Street  
Windhoek  
T. +264 61 40 0339

## Johannesburg

17 Galaxy Road,  
Unit 5A Galaxy Park,  
Linbro Park  
T. +27 11 262 5179

## Port Elizabeth

216 Main Road,  
Walmer  
Port Elizabeth  
T. +27 41 451 4359