

















Features:


- Efficacy Of Up To 164Lm/ W*
- 12 Year Battery Lifespan
- 25 Year Photovoltaic Panel Lifespan
- Cellphone Based Monitoring
- Built In Motion Sensor
- Optional Off Site Monitoring & Communication
- Resistant To Extreme Climates
- Plug And Play Installation
- Minimum Lumen Maintenance: 50 000h

Battery:	24V NiMH High Temperature	
Photovoltaic Panels:	Mono-Crystaline 160W (4x 40WP)	ll ll
Operating Temperature Range: (Ta - Ambient)	-20°C to +70°C	
Colour Temperature: (Kelvin / CCT)	○ 3000K ○ 5700K ○ 4000K	YEAR WARRANTY
Luminous Flux:	6400lm - No Motion 11200lm - Motion Detected	
Wattage:	40W - No Motion 80W - Motion Detected	
Ingress Protection:	IP65	
IK Rating:	IKO8	
Material:	ABS PMMA Casting Aluminium	

Exploded View:



Lighting Performance:




^{*}E & O.E (Errors And Omissions Excepted)

 $^{^*}$ Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above are subject to change without prior notice.


^{*}All lumen outputs stated above are based a nominal output that included a 10% light loss, this can vary depending on the optic used.



Lighting Control:



Dimensions:



^{*}E & O.E (Errors And Omissions Excepted)

 $^{^{\}star} \text{Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above}$ are subject to change without prior notice.

 $^{{}^{\}star}\text{All lumen outputs stated above are based a nominal output that included a 10\% light loss, this can vary depending on the optic used.}$



Contact

Cape Town

1B Hansen Close, Richmond Park, Cape Town T. +27 21 555 0570

Durban

Unit L, Nandi Park, 34 Brickworks Way Briardene T. +27 31 001 2964

Namibia - Windhoek

Unit 2, Tesoro Building, 31 TV More Street Windhoek T. +264 61 40 0339

Johann esburg

17 Galaxy Road, Unit 5A Galaxy Park, Linbro Park T. +27 11 262 5179

Port Elizabeth

216 Main Road, Walmer Port Elizabeth T. +27 41 451 4359