

RUBICON
LIGHTING

CICERO





Features:

- Efficacy Of Up To 135lm/W*
- Superior Uniformity
- THD: < 10%
- Power Factor: > 0.92
- Surge Protection: 6kV line-line, 10kV line-earth
- Minimum Lumen Maintenance: 50 000h (L80B10)



Power Supply:	220-240V AC 50 - 60Hz				
Operating Temperature Range: (Ta - Ambient)	- 30°C to 50°C				
Control Options:	<ul style="list-style-type: none"> • Daylight Sensor Control • Dimming Control • Timing Control • Solar Control 				
Dimming:	Dali (On Request)				
Colour Rendering Index:	CRI 70+ _ CRI 80+				
Colour Consistency:	3-Step MacAdam				
Colour Temperature: (Kelvin / CCT)	<input type="radio"/> 3000K <input type="radio"/> 4000K <input type="radio"/> 5000K				
Installation Type:	• Pole Mounted • Wall Mounted				
Mounting Height:	8M - 12M				
Ingress Protection:	IP66				
IK Rating:	IK08				
Luminaire Colour:	<input checked="" type="radio"/> Light Grey				
Material:	Housing - Aluminium Alloy				
	Dimensions	Wattage (System)	CRI	Kelvin	Luminous Flux (Effective)
	479mm x 236mm x 236mm	30W	70+	4000K	4800Lm*
	479mm x 236mm x 236mm	40W	70+	4000K	6400Lm*
	580mm x 236mm x 236mm	75W	70+	4000K	12000Lm*
	580mm x 236mm x 236mm	100W	70+	4000K	16000Lm*
	650mm x 280mm x 236mm	120W	70+	4000K	19200Lm*
	650mm x 280mm x 236mm	150W	70+	4000K	24000Lm*
	650mm x 280mm x 236mm	180W	70+	4000K	28800Lm*

*E & O.E (Errors And Omissions Excepted)

*Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above are subject to change without prior notice.

*All lumen outputs stated above are based a nominal output that included a 10% light loss, this can vary depending on the optic used.

Contact

Cape Town

1B Hansen Close,
Richmond Park,
Cape Town
T. +27 21 555 0570

Durban

Unit L, Nandi Park,
34 Brickworks Way
Briardene
T. +27 31 001 2964

Namibia – Windhoek

Unit 2, Tesoro Building,
31 TV More Street
Windhoek
T. +264 61 40 0339

Johannesburg

17 Galaxy Road,
Unit 5A Galaxy Park,
Linbro Park
T. +27 11 262 5179

Port Elizabeth

216 Main Road,
Walmer
Port Elizabeth
T. +27 41 451 4359