

RUBICON
LIGHTING

LUDO
Track Light





Features:

- Internal Driver
- Aluminium Housing
- Assembled In South Africa
- Adjustable 3-Phase Track Adapter
- Micro Prismatic Lens
- Minimum Lumen Maintenance: 50 000h (L80B10)



Power Supply:	207 - 253V AC 50 - 60Hz
Operating Temperature Range: (Ta - Ambient)	- 20°C to 35°C
Colour Rendering Index:	CRI 80+ _ CRI 90+
Dimming:	Dali (On Request)
Colour Consistency:	3-Step MacAdam
Colour Temperature: (Kelvin / CCT)	<input checked="" type="radio"/> 3000K <input type="radio"/> 4000K <input checked="" type="radio"/> 3500K
Beam Angle:	93°
Installation Type:	3-Phase Track
Ingress Protection:	IP20
Luminaire Colour:	<input type="radio"/> White <input checked="" type="radio"/> Black <input type="radio"/> Silver
Material:	Body - Powder coated High quality extrusion grade aluminium Diffuser - Micro Prismatic PMMA


Dimensions	Wattage (System)	CRI	Kelvin	Luminous Flux (Effective)
600mm x 80mm x 47mm	18W	80+	4000K	7236Lm*
600mm x 80mm x 47mm	27W	80+	4000K	10134Lm*
600mm x 80mm x 47mm	33W	80+	4000K	13788Lm*
860mm x 80mm x 47mm	36W	80+	4000K	9045Lm*
860mm x 80mm x 47mm	53W	80+	4000K	12667Lm*
860mm x 80mm x 47mm	65W	80+	4000K	17235Lm*
1140mm x 80mm x 47mm	45W	80+	4000K	10854Lm*
1140mm x 80mm x 47mm	66W	80+	4000K	15201Lm*
1140mm x 80mm x 47mm	81W	80+	4000K	20682Lm*

*E & O.E (Errors And Omissions Excepted)

*Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above are subject to change without prior notice.


*All lumen outputs stated above are based a nominal output that included a 10% light loss, this can vary depending on the optic used.

Light Distribution:



90°

Dimensions:



*E & O.E (Errors And Omissions Excepted)

*Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above are subject to change without prior notice.

*All lumen outputs stated above are based a nominal output that included a 10% light loss, this can vary depending on the optic used.

Contact

Cape Town

1B Hansen Close,
Richmond Park,
Cape Town
T. +27 21 555 0570

Durban

Unit L, Nandi Park,
34 Brickworks Way
Briardene
T. +27 31 001 2964

Namibia – Windhoek

Unit 2, Tesoro Building,
31 TV More Street
Windhoek
T. +264 61 40 0339

Johannesburg

17 Galaxy Road,
Unit 5A Galaxy Park,
Linbro Park
T. +27 11 262 5179

Port Elizabeth

216 Main Road,
Walmer
Port Elizabeth
T. +27 41 451 4359