

**RUBICON**  
LIGHTING

## PHOBOS






**Features:**

- Efficacy Of Up To 100lm/W\*
- Power Factor > 0.95
- Min. 1H Emergency Backup Option Available (On Request)
- Minimum Lumen Maintenance: 50 000h (L80B10)



<b>Power Supply:</b>	220-240V AC   50 - 60Hz				
<b>Operating Temperature Range:</b> (Ta - Ambient)	- 20°C to 35°C				
<b>Dimming:</b>	Dali_1-10V (On Request)				
<b>Colour Rendering Index:</b>	CRI 80+ _ CRI 90+				
<b>Colour Consistency:</b>	3-Step MacAdam				
<b>Colour Temperature:</b> (Kelvin / CCT)	<input type="radio"/> 3000K <input type="radio"/> 4000K				
<b>Beam Angle:</b>	120° x 95°				
<b>Installation Type:</b>	Surface Mounted				
<b>Ingress Protection:</b>	IP20				
<b>IK Rating:</b>	IK06				
<b>Luminaire Colour:</b>	<input type="radio"/> White <input type="radio"/> Custom Colours Available On Request				
<b>Material:</b>	<ul style="list-style-type: none"> <li>• Powder Coated Aluminium</li> <li>• PMMA Optical Lens</li> </ul>				
	<b>Dimensions</b>	<b>Wattage (System)</b>	<b>CRI</b>	<b>Kelvin</b>	<b>Luminous Flux (Effective)</b>
	947mm x 87mm x 60mm	40W	80+	4000K	4105Lm*
	947mm x 87mm x 60mm	63W	80+	4000K	6477Lm*
	1236mm x 87mm x 60mm	40W	80+	4000K	4169Lm*
	1236mm x 87mm x 60mm	61W	80+	4000K	6117Lm*

**Dimensions:**



\*E & O.E (Errors And Omissions Excepted)

\*Due to the rapid development in LED technology the performance values, power consumption and lumen output levels stated above are subject to change without prior notice.

\*All lumen outputs stated above are based a nominal output that included a 10% light loss, this can vary depending on the optic used.

# Contact

## Cape Town

1B Hansen Close,  
Richmond Park,  
Cape Town  
T. +27 21 555 0570

## Durban

Unit L, Nandi Park,  
34 Brickworks Way  
Briardene  
T. +27 31 001 2964

## Namibia – Windhoek

Unit 2, Tesoro Building,  
31 TV More Street  
Windhoek  
T. +264 61 40 0339

## Johannesburg

17 Galaxy Road,  
Unit 5A Galaxy Park,  
Linbro Park  
T. +27 11 262 5179

## Port Elizabeth

216 Main Road,  
Walmer  
Port Elizabeth  
T. +27 41 451 4359