



TEST REPORT

ACCORDING TO IES LM-80-15
For

Shenzhen Runlite Technology Co.,Ltd

Building A15, Tantou the 4th Industrial Estate, SongGang Town, BaoAn District, ShenZhen, China.

Model: 2835 LED

Report Type: 9000 Hours Test Report	Product Type: LED Package
Test Engineer: Pote Wang	<i>Pote Wang</i>
Report Number: RSZ161221560-10-9000	
Test Date: 2017-01-04 to 2018-01-14	
Report Date: 2018-03-07	
Reviewed By: Daniel Duan / EE Manager	<i>Daniel Duan</i>
Test Facility: Test facility was located at No.69,Pulongcun ,Puxinhu Industrial Area, Tangxia , Dongguan, Guangdong, China.	
Prepared By: Bay Area Compliance Laboratories Corp. (Dongguan). No.69,Pulongcun ,Puxinhu Industrial Area, Tangxia , Dongguan, Guangdong, China. Tel: +86-0769-86858888 Fax:+86-0769-86858588	

Note: The test data was only valid for the test sample(s). This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Dongguan).

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

TABLE OF CONTENTS

1 - General Information	3
1.1 Description of LED Light Sources	3
1.2 Standards Used:	3
1.3 Testing Equipment	3
1.4 Drive Level.....	4
1.5 Ambient Conditions for Maintenance Test.....	4
1.6 Photometric Measurement Method and Uncertainty.....	4
1.7 Statement of Traceability.....	5
1.8 Sample Set.....	5
2 - Summary of Test Result	6
3 - Test Data.....	7
3.1 Data Set 1, 55°C, 60mA (Lumen Maintenance)	7
3.2 Data Set 1, 55°C, 60mA (Forward Voltage)	8
3.3 Data Set 1, 55°C, 60mA (Chromaticity Shift)	9
3.4 Data Set 2, 85°C, 60mA (Lumen Maintenance)	10
3.5 Data Set 2, 85°C, 60mA (Forward Voltage)	11
3.6 Data Set 2, 85°C, 60mA (Chromaticity Shift)	12
3.7 Data Set 3, 105°C, 60mA (Lumen Maintenance)	13
3.8 Data Set 3, 105°C, 60mA (Forward Voltage)	14
3.9 Data Set 3, 105°C, 60mA (Chromaticity Shift)	15
4 - EUT Photo.....	16
4.1 Mechanical Dimensions.....	16
4.2 EUT Photo.....	16

1 - General Information

1.1 Description of LED Light Sources

Sample Size:

75 PCS samples were received on 2016-12-21. The samples were numbered from 1 to 25, 26 to 50 and 51 to 75.

Manufacturer:	Shenzhen Runlite Technology Co.,Ltd
Part Number:	2835 LED
Part Type:	LED Package
Drive Level:	DC 60mA
Nominal CCT:	2700K
Power:	0.2W
Current Density per LED die:	85.71mA/mm ²
Power Density per LED die:	0.26W/mm ²
CRI:	80
Die Spacing:	N/A

Sampling Method:

LED samples for IESNA LM-80 testing consist of units built from a minimum of three manufacturing lots with each manufacturing lot built from different wafer lots built on non-consecutive days.

These manufacturing lots are picked to represent a wide parametric distribution.

1.2 Standards Used:

- ANSI/IES LM-80-15: IES Approved Method for Measuring Lumen Maintenance of LED Light Sources.
- CIE 127:2007: Measurement of LEDs (This standard was not accredited by IAS)
- ENERGY STAR® Requirements for the Use of LM-80 Data (This standard was not accredited by IAS)

1.3 Testing Equipment

Device	Manufacture	Model No	Serial No	Calibration date	Calibration due date
0.3m integrating sphere	EVERFINE	Diameter 0.3m	1011119	2017-03-09	2018-03-09
Programmable Test Power for LEDs	EVERFINE	LED300E	1008002	2018-03-03	2019-03-03
High accuracy array spectroradiometer	EVERFINE	HAAS-2000	1012016T	2017-03-09	2018-03-09
Standard Light Source	EVERFINE	D062	1011093	2017-09-13	2018-09-13

Device	Manufacture	Model No	Serial No	Calibration date	Calibration due date
Precision digital stabilized DC power supply	EVERFINE	WY605-V110	G115987CJ7321114	2018-03-03	2019-03-03
Multilayer aging machine	BACL	B2-270	20013	2017-09-01	2018-09-01
Digital CC&CV DC Power Supply	EVERFINE	WY5015	11090008	2017-07-07	2018-07-07
Digital CC&CV DC Power Supply	EVERFINE	WY5015	11060002	2017-07-07	2018-07-07
Digital CC&CV DC Power Supply	EVERFINE	WY5015	11090007	2018-03-03	2019-03-03

1.4 Drive Level

Samples are driven with a constant direct current (DC) during maintenance test, photometric and electrical measurement. The current value was regulated to within $\pm 3\%$ of the specified value of the manufacturer during maintenance test, and was within $\pm 0.5\%$ during photometric and electrical measurement test.

1.5 Ambient Conditions for Maintenance Test

For lumen maintenance test, samples within one data set, were installed on cooling boards in thermal chambers with minimal ambient airflow. The case temperature and ambient temperature was monitored by thermocouples which one was soldered to the coldest DUTs' case ($T_{MP_{LED}}$) location, while the other is mounted at a distance of 5 mm above the T_{MP} location.

During life testing, $T_{MP_{LED}}$ of the coldest LEDs were maintained at a temperature that was greater than or equal to 2°C below the corresponding nominal case temperature. Surrounding air was maintained at a temperature that was greater than or equal to 5°C below the corresponding nominal case temperature. Thermocouples were shielded from direct DUT optical radiation and comply with ASTM E230 Table 1 "Special Limits".

Samples were connected to DC power supply in series circuits with a constant current. The forward current was regulated to within $\pm 3\%$ of the specified value of the manufacturer.

The relative humidity within chamber was kept less than 65% during test.

For photometry measurement, the ambient temperature during test was set to $25^{\circ}\text{C} \pm 2^{\circ}\text{C}$, RH <65%.

1.6 Photometric Measurement Method and Uncertainty

Integrating sphere and spectroradiometer is used to measure luminous flux and chromaticity coordinate $u'v'$. 2π measurement was used and sample was driven by DC power supply.

Luminous flux and chromaticity coordinate was scaled by halogen reference lamp. The ambient temperature during test was set to $25^{\circ}\text{C} \pm 2^{\circ}\text{C}$, RH <65%.

The uncertainty of the light output measurements is $U=1.59\%$ ($K=2$), at the 95% confidence level. The uncertainty of the correlated color temperature measurements is $U=21\text{K}$ ($K=2$), at the 95% confidence level.

The uncertainty of the temperature is $U=0.8671^{\circ}\text{C}$ ($K=2$), at the 95% confidence level.

1.7 Statement of Traceability

Bay Area Compliance Laboratories Corp. (Dongguan) attested that all calibration has been performed using suitable standards traceable to National Primary Standards and International System of Units (SI).

1.8 Sample Set

Data Set 1: 55°C , 60mA

Part Number: 2835 LED

Number of Units: 25

Case Temperature: $>53^{\circ}\text{C}$

Ambient Temperature: $>50^{\circ}\text{C}$

Life Test Drive Current: 60mA

Measurement Current: 60mA

Data Set 2: 85°C , 60mA

Part Number: 2835 LED

Number of Units: 25

Case Temperature: $>83^{\circ}\text{C}$

Ambient Temperature: $>80^{\circ}\text{C}$

Life Test Drive Current: 60mA

Measurement Current: 60mA

Data Set 3: 105°C , 60mA

Part Number: 2835 LED

Number of Units: 25

Case Temperature: $>103^{\circ}\text{C}$

Ambient Temperature: $>100^{\circ}\text{C}$

Life Test Drive Current: 60mA

Measurement Current: 60mA

2 - Summary of Test Result

Data Set:	Sample Size	Failures Observed:	Test Interval(hours)	Test Duration(hours)	Reported TM-21 L ₇₀ Lifetime	Reported TM-21 L ₉₀ Lifetime
1	25	0	1000	9000	>54000hours	51000hours
2	25	0	1000	9000	>54000hours	41000hours
3	25	0	1000	9000	>54000hours	35000hours

Average Lumen Maintenance (Percentage of Initial Luminous Flux)

Data Set:	1000	2000	3000	4000	5000	6000	7000	8000	9000
1	100.07 %	99.91%	99.72%	99.53%	99.35%	99.19%	98.96%	98.71%	98.46%
2	99.91%	99.72%	99.45%	99.20%	98.97%	98.73%	98.46%	98.19%	97.90%
3	99.81%	99.60%	99.30%	99.03%	98.76%	98.49%	98.16%	97.83%	97.51%

Average Color Maintenance

Data Set:	1000	2000	3000	4000	5000	6000	7000	8000	9000
1	0.0003	0.0005	0.0007	0.0011	0.0013	0.0014	0.0018	0.0021	0.0023
2	0.0005	0.0008	0.0010	0.0013	0.0015	0.0016	0.0020	0.0023	0.0026
3	0.0007	0.0008	0.0010	0.0014	0.0016	0.0018	0.0022	0.0025	0.0028

3 - Test Data

3.1 Data Set 1, 55°C, 60mA (Lumen Maintenance)

No.	$\Phi(\text{lm})$	Lumen Maintenance (%)								
		0hr(Initial)	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs
1	33.05	100.09	99.82	99.67	99.55	99.39	99.24	98.94	98.67	98.49
2	32.32	99.91	99.72	99.44	99.23	99.07	98.76	98.55	98.21	98.11
3	32.51	100.22	100.06	99.78	99.57	99.29	99.05	98.77	98.49	98.34
4	31.69	99.78	99.62	99.40	99.34	99.21	98.96	98.90	98.71	98.42
5	31.78	99.81	99.43	99.28	99.12	98.96	98.68	98.46	98.27	98.02
6	32.02	100.12	99.97	99.66	99.53	99.38	99.31	99.03	98.75	98.41
7	32.64	100.18	99.85	99.72	99.42	99.30	99.17	99.08	98.74	98.38
8	32.26	100.15	100.09	99.85	99.69	99.66	99.57	99.35	99.04	98.92
9	32.22	99.88	99.75	99.53	99.44	99.38	99.22	98.91	98.73	98.48
10	32.23	100.16	100.06	99.84	99.57	99.35	99.13	98.95	98.63	98.36
11	32.57	100.28	100.15	99.97	99.79	99.45	99.26	98.99	98.77	98.68
12	32.26	100.19	100.09	99.91	99.81	99.69	99.63	99.44	99.16	98.92
13	33.01	99.97	99.85	99.76	99.55	99.33	99.27	99.03	98.82	98.55
14	32.55	100.22	100.15	99.88	99.60	99.39	99.20	98.92	98.68	98.40
15	32.82	99.91	99.73	99.45	99.15	99.02	98.87	98.78	98.51	98.29
16	32.40	100.19	99.94	99.69	99.51	99.23	99.17	98.80	98.55	98.30
17	32.26	100.15	100.03	99.85	99.63	99.41	99.32	99.04	98.79	98.54
18	32.99	100.21	100.15	100.09	99.94	99.88	99.64	99.58	99.30	99.09
19	31.84	100.06	99.91	99.87	99.69	99.40	99.18	98.96	98.74	98.43
20	32.80	99.97	99.85	99.76	99.63	99.45	99.33	99.02	98.75	98.48
21	32.75	100.21	99.94	99.76	99.57	99.39	99.18	98.93	98.60	98.32
22	32.81	100.12	100.06	99.82	99.60	99.36	99.24	98.93	98.78	98.45
23	33.01	100.06	100.03	99.79	99.61	99.39	99.33	99.06	98.76	98.36
24	32.79	99.88	99.63	99.45	99.36	99.15	98.93	98.72	98.60	98.38
25	32.49	100.09	99.82	99.72	99.38	99.11	99.02	98.83	98.58	98.46
Ave.	32.48	100.07	99.91	99.72	99.53	99.35	99.19	98.96	98.71	98.46
Med.	32.51	100.12	99.94	99.76	99.57	99.38	99.20	98.94	98.73	98.42
st dev	0.3939	0.1433	0.1890	0.1952	0.1959	0.2041	0.2366	0.2425	0.2339	0.2345
Min.	31.69	99.78	99.43	99.28	99.12	98.96	98.68	98.46	98.21	98.02
Max.	33.05	100.28	100.15	100.09	99.94	99.88	99.64	99.58	99.30	99.09

TM-21 Projection:

Test Duration: 9000 hours

Failures Observed: 0

α : 2.164E-06

β : 1.004

Reported L₇₀: >54000 hours


Reported L₉₀: 51000hours

3.2 Data Set 1, 55°C, 60mA (Forward Voltage)

No.	Forward Voltage (V)									
	0hr(Initial)	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
1	2.801	2.801	2.800	2.800	2.793	2.795	2.793	2.806	2.800	2.796
2	2.778	2.778	2.773	2.867	2.771	2.772	2.779	2.780	2.777	2.774
3	2.794	2.793	2.788	2.793	2.787	2.787	2.797	2.799	2.793	2.794
4	2.770	2.770	2.767	2.769	2.763	2.768	2.773	2.773	2.770	2.769
5	2.771	2.775	2.767	2.847	2.763	2.778	2.770	2.772	2.771	2.769
6	2.773	2.770	2.767	2.776	2.807	2.769	2.768	2.775	2.771	2.770
7	2.803	2.805	2.819	2.801	2.796	2.799	2.797	2.812	2.806	2.801
8	2.772	2.772	2.774	2.771	2.767	2.768	2.766	2.818	2.773	2.770
9	2.799	2.799	2.794	2.782	2.779	2.794	2.794	2.805	2.801	2.797
10	2.786	2.787	2.794	2.782	2.779	2.782	2.857	2.793	2.787	2.783
11	2.778	2.779	2.777	2.776	2.772	2.775	2.773	2.783	2.779	2.777
12	2.784	2.783	2.780	2.781	2.776	2.781	2.776	2.788	2.785	2.782
13	2.795	2.795	2.791	2.791	2.788	2.832	2.789	2.801	2.795	2.782
14	2.779	2.782	2.795	2.779	2.773	2.777	2.808	2.874	2.781	2.779
15	2.794	2.797	2.794	2.794	2.789	2.791	2.789	2.798	2.794	2.792
16	2.782	2.783	2.791	2.787	2.775	2.899	2.820	2.796	2.783	2.780
17	2.775	2.775	2.772	2.775	2.780	2.792	2.778	2.783	2.862	2.775
18	2.796	2.796	2.798	2.794	2.789	2.825	2.822	2.813	2.799	2.794
19	2.773	2.771	2.771	2.770	2.764	2.857	2.766	2.778	2.772	2.769
20	2.780	2.780	2.776	2.776	2.773	2.774	2.778	2.782	2.778	2.777
21	2.813	2.813	2.810	2.810	2.804	2.806	2.805	2.819	2.813	2.809
22	2.830	2.789	2.787	2.788	2.851	2.786	2.831	2.793	2.788	2.791
23	2.813	2.814	2.809	2.812	2.805	2.807	2.805	2.819	2.813	2.812
24	2.801	2.800	2.797	2.802	2.792	2.799	2.802	2.804	2.800	2.799
25	2.789	2.788	2.784	2.786	2.781	2.795	2.875	2.793	2.788	2.787
Ave.	2.789	2.788	2.787	2.792	2.785	2.796	2.796	2.798	2.791	2.785
Med.	2.786	2.787	2.788	2.787	2.780	2.791	2.793	2.796	2.788	2.782
st dev	0.0155	0.0131	0.0144	0.0230	0.0189	0.0302	0.0278	0.0215	0.0196	0.0128
Min.	2.770	2.770	2.767	2.769	2.763	2.768	2.766	2.772	2.770	2.769
Max.	2.830	2.814	2.819	2.867	2.851	2.899	2.875	2.874	2.862	2.812

3.3 Data Set 1, 55°C, 60mA (Chromaticity Shift)

No.	u'	v'	CCT(K)	Chromaticity Shift ($\Delta u'v'$)								
	0hr(Initial)			1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
1	0.2614	0.5242	2737	0.0003	0.0005	0.0009	0.0011	0.0014	0.0016	0.0019	0.0022	0.0025
2	0.2621	0.5257	2716	0.0004	0.0006	0.0008	0.0013	0.0015	0.0015	0.0019	0.0022	0.0025
3	0.2624	0.5233	2719	0.0004	0.0006	0.0008	0.0011	0.0013	0.0016	0.0018	0.0021	0.0024
4	0.2649	0.5222	2670	0.0003	0.0005	0.0007	0.0011	0.0013	0.0016	0.0017	0.0020	0.0023
5	0.2639	0.5240	2683	0.0003	0.0004	0.0004	0.0010	0.0013	0.0014	0.0016	0.0020	0.0023
6	0.2636	0.5257	2683	0.0002	0.0005	0.0006	0.0010	0.0013	0.0015	0.0017	0.0020	0.0023
7	0.2621	0.5233	2726	0.0003	0.0005	0.0007	0.0012	0.0011	0.0014	0.0018	0.0021	0.0023
8	0.2600	0.5224	2774	0.0003	0.0004	0.0006	0.0010	0.0012	0.0013	0.0018	0.0020	0.0023
9	0.2629	0.5236	2708	0.0003	0.0006	0.0008	0.0012	0.0015	0.0016	0.0019	0.0022	0.0025
10	0.2621	0.5247	2718	0.0002	0.0005	0.0008	0.0010	0.0013	0.0013	0.0017	0.0020	0.0023
11	0.2612	0.5262	2733	0.0004	0.0005	0.0009	0.0010	0.0016	0.0016	0.0020	0.0023	0.0026
12	0.2642	0.5253	2673	0.0004	0.0005	0.0009	0.0012	0.0014	0.0015	0.0019	0.0022	0.0025
13	0.2623	0.5258	2711	0.0003	0.0004	0.0006	0.0009	0.0013	0.0013	0.0016	0.0019	0.0023
14	0.2642	0.5258	2671	0.0003	0.0005	0.0007	0.0009	0.0013	0.0012	0.0017	0.0020	0.0023
15	0.2614	0.5275	2722	0.0003	0.0005	0.0006	0.0009	0.0013	0.0012	0.0016	0.0019	0.0022
16	0.2631	0.5247	2698	0.0004	0.0005	0.0008	0.0011	0.0013	0.0013	0.0018	0.0021	0.0025
17	0.2620	0.5252	2720	0.0003	0.0004	0.0008	0.0010	0.0014	0.0015	0.0018	0.0022	0.0024
18	0.2617	0.5255	2725	0.0004	0.0004	0.0007	0.0010	0.0013	0.0016	0.0018	0.0021	0.0025
19	0.2644	0.5234	2677	0.0004	0.0005	0.0009	0.0010	0.0013	0.0014	0.0018	0.0021	0.0024
20	0.2616	0.5251	2728	0.0003	0.0004	0.0007	0.0010	0.0013	0.0012	0.0016	0.0019	0.0022
21	0.2613	0.5217	2749	0.0003	0.0005	0.0006	0.0009	0.0012	0.0012	0.0017	0.0021	0.0023
22	0.2605	0.5267	2745	0.0004	0.0004	0.0008	0.0011	0.0014	0.0014	0.0018	0.0021	0.0023
23	0.2610	0.5246	2744	0.0004	0.0004	0.0008	0.0010	0.0015	0.0015	0.0019	0.0023	0.0025
24	0.2639	0.5297	2662	0.0002	0.0004	0.0006	0.0009	0.0012	0.0012	0.0016	0.0018	0.0021
25	0.2616	0.5268	2721	0.0002	0.0005	0.0008	0.0010	0.0013	0.0013	0.0017	0.0021	0.0022
Ave.	0.2624	0.5249	2713	0.0003	0.0005	0.0007	0.0011	0.0013	0.0014	0.0018	0.0021	0.0023
Med.	0.2621	0.5251	2719	0.0003	0.0005	0.0008	0.0010	0.0013	0.0014	0.0018	0.0021	0.0023
st dev	0.0013	0.0018	28.8229	0.0000	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
Min.	0.2600	0.5217	2662	0.0002	0.0004	0.0004	0.0009	0.0011	0.0012	0.0016	0.0018	0.0021
Max.	0.2649	0.5297	2774	0.0004	0.0006	0.0009	0.0013	0.0016	0.0016	0.0020	0.0023	0.0026



3.4 Data Set 2, 85°C, 60mA (Lumen Maintenance)

No.	$\Phi(Im)$ 0hr(Initial)	Lumen Maintenance (%)								
		1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
26	32.28	100.03	99.88	99.72	99.41	99.16	99.01	98.79	98.51	98.23
27	32.73	99.97	99.73	99.42	99.21	99.02	98.63	98.29	98.01	97.74
28	32.33	99.94	99.81	99.51	99.29	99.01	98.79	98.55	98.30	98.02
29	32.37	99.78	99.60	99.47	99.29	99.01	98.83	98.55	98.18	97.90
30	32.68	99.88	99.72	99.48	99.14	98.84	98.56	98.32	98.07	97.77
31	32.50	100.06	99.85	99.54	99.38	99.05	98.80	98.46	98.28	98.03
32	32.63	100.03	99.94	99.54	99.33	99.14	98.93	98.68	98.35	98.22
33	33.20	99.73	99.58	99.31	99.19	98.86	98.58	98.22	97.98	97.71
34	32.39	100.12	99.85	99.57	99.23	99.10	98.83	98.64	98.33	98.05
35	32.75	99.97	99.91	99.63	99.39	99.11	98.90	98.66	98.44	98.29
36	32.50	99.75	99.63	99.38	99.23	99.05	98.92	98.55	98.18	97.88
37	32.21	99.94	99.72	99.29	99.07	98.98	98.73	98.42	98.17	97.73
38	32.56	99.88	99.72	99.29	98.96	98.65	98.34	98.00	97.64	97.27
39	31.98	99.75	99.62	99.31	99.09	98.75	98.47	98.22	97.94	97.72
40	31.79	99.97	99.78	99.37	99.31	99.21	98.80	98.58	98.24	97.99
41	33.09	100.03	99.88	99.58	99.37	99.24	99.00	98.73	98.43	98.07
42	32.26	99.81	99.69	99.47	99.23	99.07	98.79	98.67	98.36	97.89
43	32.59	99.75	99.57	99.45	99.17	98.86	98.62	98.37	98.10	97.88
44	33.04	99.91	99.55	99.39	99.00	98.82	98.46	98.12	98.03	97.79
45	32.65	99.82	99.57	99.39	99.17	98.81	98.62	98.28	98.04	97.89
46	32.79	99.97	99.60	99.30	98.96	98.81	98.60	98.26	98.02	97.68
47	31.95	99.87	99.62	99.41	99.06	98.81	98.72	98.47	98.15	97.87
48	32.61	99.91	99.72	99.33	99.05	98.77	98.68	98.44	98.13	97.88
49	32.61	99.85	99.69	99.48	99.17	98.83	98.56	98.47	98.22	97.85
50	32.75	99.94	99.76	99.60	99.36	99.24	99.15	98.81	98.53	98.08
Ave.	32.53	99.91	99.72	99.45	99.20	98.97	98.73	98.46	98.19	97.90
Med.	32.59	99.91	99.72	99.45	99.21	99.01	98.73	98.47	98.18	97.88
st dev	0.3417	0.1074	0.1172	0.1176	0.1361	0.1697	0.1931	0.2116	0.2031	0.2136
Min.	31.79	99.73	99.55	99.29	98.96	98.65	98.34	98.00	97.64	97.27
Max.	33.20	100.12	99.94	99.72	99.41	99.24	99.15	98.81	98.53	98.29

TM-21 Projection:

Test Duration: 9000 hours

Failures Observed: 0

α : 2.641E-06

β : 1.003

Reported L₇₀: >54000 hours


Reported L₉₀: 41000hours

3.5 Data Set 2, 85°C, 60mA (Forward Voltage)

No.	Forward Voltage (V)									
	0hr(Initial)	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
26	2.776	2.776	2.779	2.776	2.770	2.772	2.782	2.782	2.776	2.774
27	2.809	2.809	2.806	2.808	2.801	2.804	2.803	2.816	2.808	2.807
28	2.779	2.777	2.780	2.789	2.772	2.775	2.784	2.783	2.778	2.776
29	2.793	2.787	2.786	2.794	2.782	2.789	2.795	2.782	2.789	2.787
30	2.784	2.783	2.782	2.789	2.778	2.785	2.781	2.788	2.785	2.783
31	2.790	2.789	2.787	2.788	2.782	2.789	2.807	2.796	2.799	2.788
32	2.804	2.814	2.802	2.791	2.790	2.785	2.784	2.791	2.786	2.785
33	2.807	2.806	2.811	2.803	2.797	2.804	2.803	2.816	2.807	2.807
34	2.779	2.778	2.775	2.776	2.771	2.776	2.777	2.790	2.779	2.776
35	2.808	2.808	2.805	2.804	2.799	2.802	2.801	2.815	2.808	2.806
36	2.785	2.784	2.779	2.781	2.777	2.780	2.779	2.788	2.784	2.782
37	2.783	2.783	2.781	2.781	2.777	2.780	2.779	2.787	2.783	2.789
38	2.789	2.788	2.792	2.788	2.782	2.789	2.783	2.793	2.791	2.791
39	2.775	2.774	2.773	2.774	2.767	2.772	2.769	2.778	2.774	2.772
40	2.772	2.771	2.772	2.771	2.766	2.770	2.766	2.777	2.772	2.770
41	2.808	2.808	2.807	2.805	2.800	2.803	2.802	2.817	2.808	2.806
42	2.779	2.778	2.775	2.776	2.771	2.775	2.774	2.783	2.776	2.776
43	2.798	2.798	2.793	2.798	2.838	2.792	2.789	2.782	2.797	2.795
44	2.794	2.794	2.789	2.793	2.787	2.790	2.788	2.801	2.794	2.793
45	2.805	2.806	2.802	2.802	2.795	2.800	2.800	2.818	2.804	2.806
46	2.787	2.787	2.789	2.784	2.778	2.782	2.780	2.791	2.785	2.783
47	2.774	2.773	2.769	2.771	2.765	2.770	2.768	2.776	2.773	2.771
48	2.787	2.786	2.786	2.784	2.779	2.784	2.782	2.815	2.784	2.784
49	2.786	2.785	2.782	2.782	2.778	2.782	2.781	2.789	2.784	2.782
50	2.815	2.814	2.809	2.810	2.806	2.810	2.808	2.819	2.815	2.813
Ave.	2.791	2.790	2.788	2.789	2.784	2.786	2.787	2.795	2.790	2.788
Med.	2.787	2.787	2.786	2.788	2.779	2.785	2.783	2.790	2.785	2.785
st dev	0.0128	0.0137	0.0128	0.0119	0.0163	0.0119	0.0125	0.0149	0.0129	0.0130
Min.	2.772	2.771	2.769	2.771	2.765	2.770	2.766	2.776	2.772	2.770
Max.	2.815	2.814	2.811	2.810	2.838	2.810	2.808	2.819	2.815	2.813

3.6 Data Set 2, 85°C, 60mA (Chromaticity Shift)

No.	u'	v'	CCT(K)	Chromaticity Shift ($\Delta u'v'$)								
	0hr(Initial)			1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
26	0.2631	0.5270	2688	0.0004	0.0004	0.0007	0.0012	0.0013	0.0013	0.0018	0.0022	0.0025
27	0.2626	0.5230	2716	0.0006	0.0009	0.0011	0.0014	0.0014	0.0016	0.0022	0.0025	0.0028
28	0.2624	0.5259	2707	0.0005	0.0006	0.0009	0.0012	0.0012	0.0013	0.0018	0.0021	0.0024
29	0.2625	0.5259	2706	0.0006	0.0007	0.0009	0.0012	0.0013	0.0015	0.0020	0.0023	0.0026
30	0.2619	0.5249	2723	0.0005	0.0008	0.0010	0.0013	0.0013	0.0013	0.0018	0.0021	0.0023
31	0.2618	0.5260	2720	0.0005	0.0007	0.0009	0.0013	0.0014	0.0014	0.0019	0.0023	0.0025
32	0.2606	0.5269	2743	0.0006	0.0008	0.0010	0.0012	0.0013	0.0013	0.0018	0.0023	0.0025
33	0.2617	0.5264	2720	0.0005	0.0008	0.0009	0.0012	0.0011	0.0013	0.0018	0.0021	0.0024
34	0.2634	0.5257	2688	0.0006	0.0008	0.0010	0.0013	0.0012	0.0013	0.0018	0.0022	0.0025
35	0.2620	0.5236	2725	0.0006	0.0009	0.0009	0.0013	0.0017	0.0015	0.0021	0.0024	0.0028
36	0.2620	0.5243	2723	0.0006	0.0007	0.0009	0.0013	0.0017	0.0017	0.0019	0.0023	0.0026
37	0.2622	0.5243	2720	0.0006	0.0007	0.0009	0.0014	0.0015	0.0016	0.0019	0.0022	0.0026
38	0.2632	0.5276	2686	0.0007	0.0009	0.0013	0.0014	0.0018	0.0018	0.0021	0.0024	0.0028
39	0.2656	0.5278	2636	0.0004	0.0006	0.0009	0.0012	0.0015	0.0015	0.0018	0.0022	0.0025
40	0.2635	0.5241	2692	0.0004	0.0008	0.0011	0.0015	0.0017	0.0017	0.0021	0.0024	0.0028
41	0.2635	0.5276	2678	0.0004	0.0006	0.0009	0.0012	0.0016	0.0017	0.0020	0.0023	0.0026
42	0.2624	0.5244	2713	0.0004	0.0007	0.0009	0.0013	0.0016	0.0017	0.0021	0.0023	0.0027
43	0.2603	0.5231	2765	0.0004	0.0009	0.0011	0.0015	0.0017	0.0018	0.0021	0.0025	0.0028
44	0.2623	0.5256	2710	0.0004	0.0006	0.0009	0.0012	0.0015	0.0016	0.0018	0.0022	0.0025
45	0.2626	0.5238	2712	0.0004	0.0008	0.0010	0.0014	0.0016	0.0016	0.0020	0.0023	0.0026
46	0.2613	0.5261	2729	0.0004	0.0007	0.0010	0.0012	0.0016	0.0019	0.0022	0.0024	0.0028
47	0.2640	0.5234	2685	0.0004	0.0009	0.0010	0.0014	0.0017	0.0017	0.0020	0.0023	0.0026
48	0.2630	0.5266	2692	0.0004	0.0008	0.0009	0.0012	0.0016	0.0015	0.0017	0.0022	0.0025
49	0.2622	0.5257	2714	0.0005	0.0007	0.0010	0.0013	0.0016	0.0016	0.0020	0.0023	0.0027
50	0.2627	0.5243	2707	0.0005	0.0008	0.0010	0.0013	0.0017	0.0016	0.0021	0.0023	0.0026
Ave.	0.2625	0.5254	2708	0.0005	0.0008	0.0010	0.0013	0.0015	0.0016	0.0020	0.0023	0.0026
Med.	0.2624	0.5257	2712	0.0005	0.0008	0.0009	0.0013	0.0016	0.0016	0.0020	0.0023	0.0026
st dev	0.0011	0.0015	24.7031	0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.0001	0.0001	0.0001
Min.	0.2603	0.5230	2636	0.0004	0.0004	0.0007	0.0012	0.0011	0.0013	0.0017	0.0021	0.0023
Max.	0.2656	0.5278	2765	0.0007	0.0009	0.0013	0.0015	0.0018	0.0019	0.0022	0.0025	0.0028



3.7 Data Set 3, 105°C, 60mA (Lumen Maintenance)

No.	$\Phi(lm)$ 0hr(Initial)	Lumen Maintenance (%)								
		1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
51	32.28	99.81	99.41	99.23	98.95	98.76	98.70	98.33	98.02	97.71
52	32.98	99.94	99.76	99.42	99.27	99.06	98.79	98.51	98.24	98.00
53	32.08	99.69	99.59	99.28	98.91	98.72	98.66	98.44	98.00	97.69
54	32.70	99.82	99.63	99.51	99.27	99.08	98.75	98.44	98.10	97.77
55	32.28	99.91	99.81	99.41	99.10	98.79	98.48	98.33	97.99	97.80
56	33.25	99.85	99.61	99.40	99.16	98.92	98.50	98.11	97.89	97.59
57	32.77	99.76	99.54	99.05	98.72	98.38	98.14	97.92	97.62	97.31
58	32.51	100.12	99.82	99.38	99.08	98.86	98.52	98.19	97.88	97.51
59	33.02	99.88	99.73	99.39	99.00	98.85	98.73	98.30	97.97	97.70
60	32.83	99.79	99.70	99.45	99.27	98.81	98.51	98.23	97.96	97.59
61	32.10	99.60	99.38	99.19	98.85	98.54	98.07	97.63	97.10	96.76
62	32.00	99.91	99.69	99.25	98.97	98.50	98.31	97.88	97.53	97.16
63	32.61	100.06	99.79	99.42	99.05	98.71	98.47	98.25	97.98	97.73
64	32.12	99.88	99.66	99.38	99.19	98.91	98.82	98.51	98.19	97.82
65	32.41	99.60	99.38	99.20	98.92	98.52	98.06	97.66	97.38	97.07
66	32.67	99.82	99.57	99.30	99.05	98.71	98.44	98.10	97.67	97.34
67	32.75	99.66	99.42	99.05	98.69	98.63	98.32	97.95	97.65	97.22
68	32.18	99.78	99.66	99.29	99.01	98.69	98.51	98.14	97.82	97.45
69	33.03	99.76	99.61	99.36	99.03	98.82	98.49	98.15	97.76	97.43
70	32.10	99.81	99.69	99.31	99.16	98.97	98.57	98.26	97.91	97.51
71	32.42	99.72	99.57	99.38	99.01	98.58	98.46	98.12	97.75	97.44
72	31.92	99.81	99.66	99.40	99.19	99.09	98.78	98.46	98.15	97.96
73	31.98	99.94	99.47	99.19	98.91	98.59	98.37	97.94	97.69	97.40
74	31.87	99.65	99.47	99.15	98.96	98.74	98.34	98.05	97.77	97.43
75	32.89	99.73	99.39	99.21	98.97	98.75	98.51	98.21	97.81	97.42
Ave.	32.47	99.81	99.60	99.30	99.03	98.76	98.49	98.16	97.83	97.51
Med.	32.42	99.81	99.61	99.31	99.01	98.75	98.50	98.19	97.88	97.51
st dev	0.4035	0.1285	0.1372	0.1220	0.1546	0.1858	0.2113	0.2398	0.2584	0.2842
Min.	31.87	99.60	99.38	99.05	98.69	98.38	98.06	97.63	97.10	96.76
Max.	33.25	100.12	99.82	99.51	99.27	99.09	98.82	98.51	98.24	98.00

TM-21 Projection:

Test Duration: 9000 hours

Failures Observed: 0

α : 3.117E-06

β : 1.003

Reported L₇₀: >54000 hours


Reported L₉₀: 35000hours

3.8 Data Set 3, 105°C, 60mA (Forward Voltage)

No.	Forward Voltage (V)									
	0hr(Initial)	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
51	2.773	2.772	2.768	2.771	2.766	2.770	2.767	2.776	2.772	2.770
52	2.808	2.810	2.800	2.803	2.800	2.801	2.801	2.811	2.807	2.805
53	2.774	2.773	2.794	2.770	2.769	2.771	2.769	2.775	2.919	2.771
54	2.786	2.785	2.782	2.782	2.783	2.782	2.782	2.790	2.785	2.784
55	2.797	2.797	2.793	2.794	2.791	2.794	2.792	2.801	2.795	2.795
56	2.813	2.811	2.812	2.809	2.807	2.807	2.805	2.815	2.811	2.811
57	2.792	2.792	2.793	2.789	2.791	2.797	2.788	2.795	2.791	2.789
58	2.808	2.807	2.801	2.802	2.800	2.804	2.799	2.812	2.806	2.806
59	2.797	2.795	2.794	2.793	2.789	2.793	2.790	2.800	2.795	2.795
60	2.791	2.790	2.794	2.789	2.786	2.788	2.787	2.794	2.791	2.789
61	2.774	2.772	2.768	2.770	2.766	2.768	2.772	2.776	2.773	2.770
62	2.784	2.784	2.780	2.781	2.776	2.778	2.776	2.785	2.782	2.782
63	2.791	2.792	2.787	2.788	2.783	2.788	2.772	2.794	2.790	2.789
64	2.775	2.774	2.770	2.771	2.767	2.770	2.772	2.777	2.772	2.772
65	2.788	2.788	2.788	2.786	2.781	2.783	2.785	2.793	2.789	2.791
66	2.805	2.810	2.804	2.801	2.798	2.801	2.818	2.809	2.803	2.805
67	2.788	2.787	2.789	2.786	2.782	2.788	2.789	2.791	2.792	2.788
68	2.779	2.779	2.777	2.777	2.773	2.777	2.778	2.782	2.778	2.778
69	2.801	2.801	2.797	2.800	2.794	2.797	2.798	2.804	2.800	2.800
70	2.778	2.778	2.775	2.778	2.772	2.776	2.778	2.782	2.778	2.781
71	2.783	2.783	2.787	2.782	2.778	2.779	2.784	2.785	2.783	2.783
72	2.771	2.770	2.771	2.770	2.765	2.767	2.772	2.778	2.770	2.769
73	2.770	2.770	2.774	2.768	2.764	2.766	2.793	2.773	2.853	2.768
74	2.770	2.787	2.793	2.768	2.785	2.765	2.773	2.775	2.768	2.771
75	2.798	2.800	2.795	2.795	2.791	2.794	2.795	2.802	2.797	2.797
Ave.	2.788	2.788	2.787	2.785	2.782	2.784	2.785	2.791	2.787	2.786
Med.	2.788	2.787	2.789	2.786	2.783	2.783	2.785	2.791	2.789	2.788
st dev	0.0131	0.0131	0.0120	0.0125	0.0125	0.0131	0.0128	0.0131	0.0126	0.0132
Min.	2.770	2.770	2.768	2.768	2.764	2.765	2.767	2.773	2.768	2.768
Max.	2.813	2.811	2.812	2.809	2.807	2.807	2.818	2.815	2.811	2.811


3.9 Data Set 3, 105°C, 60mA (Chromaticity Shift)

No.	u'	v'	CCT(K)	Chromaticity Shift ($\Delta u'v'$)								
	0hr(Initial)			1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs
51	0.2628	0.5246	2705	0.0007	0.0008	0.0010	0.0015	0.0017	0.0017	0.0022	0.0025	0.0028
52	0.2632	0.5260	2690	0.0006	0.0008	0.0010	0.0015	0.0018	0.0018	0.0021	0.0025	0.0028
53	0.2638	0.5258	2680	0.0008	0.0008	0.0010	0.0015	0.0017	0.0017	0.0023	0.0025	0.0029
54	0.2630	0.5258	2695	0.0006	0.0006	0.0009	0.0014	0.0015	0.0016	0.0019	0.0023	0.0025
55	0.2649	0.5251	2659	0.0006	0.0008	0.0010	0.0015	0.0016	0.0019	0.0022	0.0025	0.0028
56	0.2608	0.5270	2738	0.0006	0.0008	0.0010	0.0015	0.0018	0.0020	0.0022	0.0025	0.0028
57	0.2639	0.5280	2669	0.0006	0.0006	0.0009	0.0013	0.0016	0.0018	0.0021	0.0023	0.0028
58	0.2630	0.5256	2697	0.0008	0.0008	0.0010	0.0016	0.0017	0.0021	0.0023	0.0025	0.0028
59	0.2610	0.5248	2742	0.0007	0.0007	0.0009	0.0014	0.0016	0.0018	0.0021	0.0024	0.0028
60	0.2627	0.5292	2690	0.0007	0.0006	0.0009	0.0014	0.0015	0.0018	0.0021	0.0023	0.0026
61	0.2619	0.5238	2727	0.0006	0.0008	0.0010	0.0016	0.0016	0.0019	0.0023	0.0026	0.0029
62	0.2639	0.5248	2682	0.0008	0.0008	0.0010	0.0015	0.0016	0.0020	0.0025	0.0029	0.0033
63	0.2616	0.5267	2720	0.0006	0.0006	0.0009	0.0014	0.0016	0.0019	0.0021	0.0023	0.0027
64	0.2636	0.5257	2685	0.0008	0.0010	0.0011	0.0016	0.0017	0.0017	0.0022	0.0025	0.0028
65	0.2627	0.5244	2707	0.0007	0.0009	0.0010	0.0016	0.0018	0.0018	0.0023	0.0026	0.0029
66	0.2634	0.5255	2688	0.0007	0.0009	0.0009	0.0014	0.0016	0.0015	0.0021	0.0023	0.0026
67	0.2633	0.5268	2685	0.0008	0.0009	0.0009	0.0015	0.0016	0.0017	0.0021	0.0024	0.0028
68	0.2623	0.5240	2717	0.0007	0.0008	0.0010	0.0015	0.0016	0.0019	0.0022	0.0024	0.0028
69	0.2632	0.5276	2686	0.0008	0.0009	0.0010	0.0015	0.0017	0.0020	0.0023	0.0025	0.0028
70	0.2629	0.5261	2697	0.0007	0.0010	0.0010	0.0015	0.0016	0.0017	0.0023	0.0025	0.0028
71	0.2625	0.5255	2707	0.0006	0.0007	0.0008	0.0012	0.0015	0.0016	0.0021	0.0023	0.0027
72	0.2632	0.5242	2699	0.0007	0.0008	0.0010	0.0015	0.0016	0.0018	0.0022	0.0025	0.0028
73	0.2647	0.5268	2658	0.0008	0.0016	0.0017	0.0014	0.0015	0.0015	0.0021	0.0024	0.0027
74	0.2640	0.5266	2672	0.0006	0.0009	0.0009	0.0013	0.0015	0.0014	0.0021	0.0023	0.0026
75	0.2630	0.5260	2696	0.0006	0.0007	0.0009	0.0014	0.0015	0.0016	0.0021	0.0023	0.0027
Ave.	0.2630	0.5259	2696	0.0007	0.0008	0.0010	0.0014	0.0016	0.0018	0.0022	0.0025	0.0028
Med.	0.2630	0.5258	2695	0.0007	0.0008	0.0010	0.0015	0.0016	0.0018	0.0022	0.0025	0.0028
st dev	0.0010	0.0013	21.6389	0.0001	0.0002	0.0002	0.0001	0.0001	0.0002	0.0001	0.0001	0.0001
Min.	0.2608	0.5238	2658	0.0006	0.0006	0.0008	0.0012	0.0015	0.0014	0.0019	0.0023	0.0025
Max.	0.2649	0.5292	2742	0.0008	0.0016	0.0017	0.0016	0.0018	0.0021	0.0025	0.0029	0.0033




4 - EUT Photo

4.1 Mechanical Dimensions



All dimensions are in millimeter

4.2 EUT Photo



*****END OF REPORT*****