



Elite Cloud


Our LED Cloud Panels create an environment on the ceiling that feels as if you where walking outdoors. These cloud/sky panels have a realistic spread of clouds. Each panel has a separate light distribution. Our LED sky panels are ideal for conference rooms, churches, day cares, nursing homes, hospitals, funeral homes, workout rooms and gymnasiums. They are easy to install and can fit in any 2X4' drop ceiling. An optional surface mount kit is also available.

- High efficacy, up to 130 Lm/W
- 0-10V Dimming capabilities
- Glare free lighting with remarkable light uniformity
- Super slim design with durable construction
- Optional hanging or surface mounting accessories available
- Built-in standard earthquake clips
- 5 year warranty
- Universal 120-277Vac (50-60Hz)

Elite

SKU #	Model #s	Watts	Input Voltage	ССТ	Length	Lumens	Certifications
152541	152541-A1, 152541-A2, 152541-A3, 152541-B1, 152541-B2, 152541-B3	49W	120-277Vac	6000K	2X4'	Varies	UL
	A1		A2			A3	
	B1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	B2			B3	×

Specifications



Due to continuous product improvement, information in this document is subject to change.




Surface

Pre-Installation

Mounting Options

Recessed



Mounting Kit Description


Mounting Kit Description 4-Cable Suspension Kit Mounting Kit Description 2x4 Surface

(requires Mounting Kit) (requires Mounting Kit)



Pendant/Suspension

Tools Required



Hardware Included



AA - Wire nuts x5

Before You Begin

- 1. Turn off the electricity at the circuit breaker or fuse box.
- 2. Choose your installation option:
 - Installation Option 1 Flush Mount
 - Installation Option 2 Surface Mount (Sold Separately)
 - Installation Option 3 Pendant/Suspension Mount (Sold Separately)

Beyond LED Technology | 1939 Parker Ct, Stone Mountain, GA, 30087

Due to continuous product improvement, information in this document is subject to change.


Installation Options

FLUSH MOUNT INSTALLATION

WARNING: Before you begin, turn the power off at the circuit breaker or fuse box to avoid electric shock.


Removing the ceiling panel

a. Remove the plasterboard panel from the ceiling.




2 Connecting the wires

- a. Lift the fixture to the ceiling.
- b. Follow the steps in the **Making the Electrical Connections** section of this manual.



3 Completing the installation

- a. Slide the fixture into place in the ceiling.
- b. Restore power to the fixture.




(866) 786-1117 • WWW.BeyondLEDTechnology.com Due to continuous product improvement, information in this document is subject to change.



Mounting & Accessory Kits

RECESSED INSTALLATION







1. Pull up the earth quake hook until it is perpendicular to the panel backing.(See picture 1)

- 2. Bend the hook arm until it is perpendicular to the hook body. (See picture 2)
- 3. Hook the panel to the T-Bar until it is full supported.(See picture 3)




Earthquake hook



Mounting & Accessory Kits


T-BAR MOUNTING




SURFACE MOUNTING KIT (OPTIONAL)

Available for 2x4 versions only

Accessory Parts List	Quantity	Size	Material
Screw A (KS 1X10)	8	0.04 inches diameter, 0.40 inches length	Zinc Coated Iron
Screw B (KA 4X25)	6	0.16 inches diameter, 0.98 inches length	Zinc Coated Iron
Expansion Bolt	6	0.24 inches diameter, 1.18 inches length	PVC
Frame 4		24.17 inches length, 2.44 inches height	Aluminum





(866) 786-1117 • www.BeyondLEDTechnology.com

Due to continuous product improvement, information in this document is subject to change.



Mounting Kits

Optional Accessories

Hanging Wire Suspension Mounting Kit SKU# 151729: 2X4 Surface Mounting Kit



LED FLAT PANELS

Elite LED Flat Panel Lights Cloud Design


Making the Electrical Connections



WARNING: Before you begin, turn the power off at the circuit breaker or fuse box to avoid electric shock.


Open the junction box

a. Unscrew and remove the junction box cover (1) from the fixture.



2 Connect the supply wires

- a. Connect the green ground wire from the fixture to the supply ground wire.
- b. Connect the white wire from the fixture to the supply white wire (neutral wire).
- c. Connect the black wire from the fixture to the supply black wire (live wire).
- d. Secure the three connections using three wire nuts (AA).
- e. Wrap the three wire connections with electrical tape for a more secure connection.








Making the Electrical Connections (continued)


3 Connect the dimming wires

- a. Connect the purple wire from the fixture to the purple (DIM+) supply wire.
- b. Connect the gray wire from the fixture to the gray (DIM-) supply wire.
- c. Secure the two connections using two wire nuts (AA).
- d. Wrap the two wire connections with electrical tape for a more secure connection.



4 Reinstall the junction box cover

- a. Position the wires back inside the junction box.
- b. Reinstall the junction box cover (1).



Safety Information

IMPORTANT: THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE NATIONAL ELECTRICAL CODE AND LOCAL BUILDING CODES BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.

SAVE THESE INSTRUCTIONS.

WARNING: Before installation or servicing, turn the power OFF at the circuit breaker or fuse. Place tape over the circuit breaker switch and verify power is OFF at the light fixture.



WARNING: Ground the fixture to avoid potential electric shock.

WARNING: Wear gloves when handling the fixture as edges are sharp.

CAUTION: Connect the fixture to a 120/277 Volt, 60 Hz power source. Any other connection voids the warranty.

NOTICE: FCC Regulations state that any unauthorized changes or modifications to this equipment not expressly approved by the manufacturer could void the user's authorization to operate this equipment.

IMPORTANT: The device is tested and found to comply with Part 15 of the FCC Rules. Operation is subject to two conditions: (1) This device may not cause harmful interference and, (2) this device must accept any interference received, including any interference that may cause undesired operation.

> This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment.


The equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.





Packing



Beyond LED Technology | 1939 Parker Ct, Stone Mountain, GA, 30087 Due to continuous product improvement, information in this document is subject to change.