Safety Data Sheet

SECTION 1: Product and co	Impany identification
Product name	: Graffiti-X Wipes
Use of the substance/mixture	: Premoistened wipe
Product code	: 1447
Company	: Metropolitan Compounds
	3343 N University Drive
	Hollywood, FL 33024 - USA T 855-474-6781
Emergency number	: Chemtrec: 1-800-424-9300
SECTION 2: Hazards identif	fication
2.1. Classification of the substar	ice or mixture
GHS-US classification	
Eye Dam. 1 H318	
2.2. Label elements	
GHS US labelling	
Hazard pictograms (GHS US)	
	GHS05
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: Causes serious eye damage.
Precautionary statements (GHS US	 Wear eye protection, protective clothing, protective gloves. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
	Immediately call a poison center or doctor.
2.3. Other hazards	
No additional information available	

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
Ethyl Lactate (Surfactant)	(CAS-No.) 97-64-3	10 – 30	Flam. Liq. 3, H226 Eye Dam. 1, H318 STOT SE 3, H335
Dimethyl Succinate (Emollient)	(CAS-No.) 106-65-0	5 – 10	Eye Irrit. 2A, H319
Undeceth-5 (Surfactant)	(CAS-No.) 34398-01-1	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid meas	ures			
4.1. Description of first aid mea	sures			
First-aid measures general First-aid measures after inhalation First-aid measures after skin conta	: If you feel unwell	, seek medical advice (show th , seek medical advice. plenty of soap and water.	ne label where possible).	
Issue date: 2/24/2022	Revision date: 12/04/2019	Version: 1.14	Z_US GHS SDS 21	Page 1 of 6

Graffiti-X Wipes Safety Data Sheet

First-aid measures after eye contact First-aid measures after ingestion	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse mouth with water. Do not induce vomiting.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	None under normal use.
Symptoms/effects after skin contact	 Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Gastrointestinal complaints.
Chronic symptoms	: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measure	es
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Carbon dioxide. Dry chemical powder.Do not use a heavy water stream.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard Reactivity	Combustible liquid. Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Isolate from fire, if possible, without unnecessary risk.	
6.1.1. For non-emergency personnel Protective equipment Emergency procedures	 Protective goggles. Gloves. Protective clothing. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Ventilate spillage area. 	
6.1.2. For emergency responders Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Stop leak if safe to do so. Stop release. Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Provent of	patry to sowers and public waters	

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up	
For containment Methods for cleaning up	 Contain released product, collect/pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and store	age	
7.1. Precautions for safe handling		
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking.	
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		

Technical measures	: Comply with appl	icable regulations.		
Issue date: 2/24/2022	Revision date: 12/04/2019	Version: 1.14	Z_US GHS SDS 21	Page 2 of 6

Safety Data Sheet

Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Sources of ignition. Heat sources.
Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: (strong) acids. (strong) bases. oxidizing agents.
Storage area	: Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.
Special rules on packaging	: meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl Lactate (97-64-3)

Not applicable

Dimethyl Succinate (106-65-0)

Not applicable

Undeceth-5 (34398-01-1)

Not applicable

Methanol (67-56-1)		
ACGIH	ACGIH OEL TWA [ppm]	200 ppm
ACGIH	ACGIH OEL STEL [ppm]	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
OSHA	OSHA PEL TWA [1]	260 mg/m ³
OSHA	OSHA PEL TWA [2]	200 ppm

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Premoistened wipe
Odour	: Mildly aromatic.
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 163 °F Closed cup - Tested using the liquid component of the towelette
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 1.03 g/ml Tested using the liquid component of the towelette
Solubility	: Liquid component is soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 20 % Tested using the liquid component of the towelette

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Ethyl Lactate (97-64-3)]	
LD50 oral rat	8200 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)	
ATE CLP (oral)	8200 mg/kg bodyweight	
	ozec myny bedyweigin	
Dimethyl Succinate (106-65-0)		
LD50 oral rat	6892 mg/kg (Rat; Experimental value)	
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE CLP (oral)	6892 mg/kg bodyweight	
Undeceth-5 (34398-01-1)		
LD50 oral rat	> 1400 mg/kg	
Methanol (67-56-1)	40000	
LD50 dermal rabbit	12800 mg/kg	
ATE CLP (oral)	100 mg/kg bodyweight	
ATE CLP (dermal)	300 mg/kg bodyweight	
ATE CLP (vapours)	128.2 mg/l/4h	
ATE CLP (dust,mist)	0.5 mg/l/4h	
Skin corrosion/irritation	: Not classified	
	: Causes serious eve damage.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
	: Not classified	
Carcinogenicity	. NOU Classified	
Reproductive toxicity	: Not classified.	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after inhalation	: None under normal use.	
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
Symptoms/effects after ingestion	: Gastrointestinal complaints.	
Chronic symptoms	: No data available.	
Likely routes of exposure	: Dermal	

Graffiti-X Wipes Safety Data Sheet

Dimethyl Succinate (106-65-0) L50- Fish [2] 50 – 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) EC50 - Crustacea [2] > 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) Threshold limit - Algae [1] > 100 mg/l (EC50; OECD 202: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1) < 10 mg/l LC50 - Crustacea [1] < 10 mg/l EC50 - Grustacea [1] < 10 mg/l Persistence and degradability Readily biodegradable in water.	2.1. Toxicity	
Ethyl Laciate (97-64-3) 100 – 1000 mg/l (96 h, Pisces) Dimethyl Succinate (106-65-0) 50 – 100 mg/l (C50; OECD 203: Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) C50 - Crustacea [2] 50 – 100 mg/l (C50; OECD 203: Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) Threshold limit - Algae [1] > 100 mg/l (EC50; OECD 202: DeCD 203: Fish, Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1) > 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1) < 10 mg/l LC50 - Fish [1] < 10 mg/l EC50 - Crustacea [1] < 10 mg/l Erbyl Lactate (97-64-3) Persistence and degradability <	Ecology - general	: Not classified due to lack of data.
LCS0 - Fish [1] 100 – 1000 mg/l (96 h, Pisces) Dimethyl Succinate (106-65-0) 50 – 100 mg/l (LCS0; OECD 203: Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) EC50 - Crustacea [2] > 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) Threshold limit - Algae [1] > 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1) LC50 - Fish [1] LC50 - Fish [1] < 10 mg/l		
LC50 - Fish [2] 50 – 100 mg/l (LC50; OECD 203; Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) EC50 - Crustacea [2] > 100 mg/l (EC50; OECD 202; Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) Threshold limit - Algae [1] > 100 mg/l (EC50; OECD 202; Daphnia sp. Acute Immobilisation Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1)	LC50 - Fish [1]	100 – 1000 mg/l (96 h, Pisces)
system; Fresh water; Experimental value) EC50 - Crustacea [2] > 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system;, Fresh water; Experimental value) Threshold limit - Algae [1] > 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system;, Fresh water; Experimental value) Undeceth-5 (34398-01-1)	Dimethyl Succinate (106-65-0)	
Static system; Fresh water; Experimental value) Threshold limit - Algae [1] > 100 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1) LC50 - Fish [1] < 10 mg/l	LC50 - Fish [2]	system; Fresh water; Experimental value)
subcapităta; Static system; Fresh water; Experimental value) Undeceth-5 (34398-01-1) LC50 - Fish [1] < 10 mg/l	EC50 - Crustacea [2]	
LC50 - Fish [1] < 10 mg/l	Threshold limit - Algae [1]	
LC50 - Fish [1] < 10 mg/l	Undeceth-5 (34398-01-1)	
EC50 - Crustacea [1] < 10 mg/l	LC50 - Fish [1]	< 10 mg/l
2.2. Persistence and degradability Graffiti Wipes Persistence and degradability Not established. Ethyl Lactate (97-64-3) Ethyl Lactate (97-64-3) Persistence and degradability Readily biodegradable in water. ThOD 1.35 g O ₂ /g substance Dimethyl Succinate (106-65-0) Persistence and degradability Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential Ethyl Lactate (97-64-3) Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) Bersistence and degradability 0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	EC50 - Crustacea [1]	
Graffiti Wipes Persistence and degradability Not established. Ethyl Lactate (97-64-3) Persistence and degradability Readily biodegradable in water. ThOD 1.35 g O _z /g substance Dimethyl Succinate (106-65-0) Persistence and degradability Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential Ethyl Lactate (97-64-3) Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	ErC50 algae	< 10 mg/l
Persistence and degradability Readily biodegradable in water. ThOD 1.35 g O ₂ /g substance Dimethyl Succinate (106-65-0) Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] Strip Succinate (106-65-0) 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		Not established.
Persistence and degradability Readily biodegradable in water. ThOD 1.35 g O ₂ /g substance Dimethyl Succinate (106-65-0) Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] Strip Succinate (106-65-0) 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
ThOD 1.35 g O ₂ /g substance Dimethyl Succinate (106-65-0) Persistence and degradability Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential Ethyl Lactate (97-64-3) Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
Dimethyl Succinate (106-65-0) Persistence and degradability Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential Ethyl Lactate (97-64-3) Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
Persistence and degradability Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. 2.3. Bioaccumulative potential	ThOD	1.35 g O ₂ /g substance
2.3. Bioaccumulative potential Ethyl Lactate (97-64-3) Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Dimethyl Succinate (106-65-0)	
Ethyl Lactate (97-64-3) Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] SECF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Persistence and degradability	Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil.
Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated) Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0)	2.3. Bioaccumulative potential	
Bioaccumulative potential Not bioaccumulative. Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Ethyl Lactate (97-64-3)	
Dimethyl Succinate (106-65-0) BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Partition coefficient n-octanol/water (Log Pow)	-0.18 (Calculated)
BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces) Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Dimethyl Succinate (106-65-0)	
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
ECTION 13: Disposal considerations	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
	SECTION 13: Disposal considerations	
	3.1. Waste treatment methods	Do not fluch winon
Waste treatment methods		

Waste treatment methods	: Do not flush wipes.
Product/Packaging disposal	: Dispose in a safe manner in accordance with local/national regulations.
recommendations	

SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT : Not regulated for transport		
Additional information		
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		

Safety Data Sheet

SECTION 15: Regulatory information

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Undeceth-5	(34398-01-1)	SARA Section 311/312 Hazard ClassesImmediate (acute)
		health hazard

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information			
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.		
NFPA health hazard NFPA fire hazard	 1 - Materials that, under emergency conditions, can cause significant irritation. 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur. 		
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.		



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.