

# Stick Proof Release Agent

## Safety Data Sheet

### SECTION 1: Product and company identification

Product name : Stick Proof  
Use of the substance/mixture : Release Agent  
Product code : 0701  
Company : Metropolitan Compounds  
3343 N University Drive.  
Hollywood, FL 33024  
1-855-474-6781  
Emergency number : Chemtrec: (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Met. Corr. 1 H290  
Skin Irrit. 2 H315  
Eye Dam. 1 H318  
Carc. 2 H351

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

May be corrosive to metals  
Causes skin irritation  
Causes serious eye damage  
Suspected of causing cancer

Precautionary statements (GHS-US) :

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep only in original container.  
Wash thoroughly after handling  
Wear eye protection, protective clothing, protective gloves.  
If on skin: Wash with plenty of soap and water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If exposed or concerned: Get medical advice/attention.  
Immediately call a doctor, a POISON CENTER  
Specific treatment (see supplemental first aid instruction on this label)  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
Absorb spillage to prevent material-damage.  
Store locked up.  
Store in corrosive resistant container with a resistant inner liner.  
Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixtures

| Name                                   | Product identifier  | %   | GHS-US classification  |
|--|---------------------|-----|--|
| tetrasodium ethylenediaminetetracetate | (CAS-No.) 64-02-8   | 1-5 | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318                          |
| potassium hydroxide                    | (CAS-No.) 1310-58-3 | 1-5 | Met. Corr. 1, H290<br>Acute Tox. 3 (Oral), H301<br>Skin Corr. 1A, H314 |

# Safety Data Sheet

| Name                        | Product identifier  | %      | GHS-US classification   |
|-----------------------------|---------------------|--------|---|
| trisodium nitrilotriacetate | (CAS-No.) 5064-31-3 | 0.05-1 | Acute Tox. 4 (Oral), H302<br>Eye Irrit. 2A, H319<br>Carc. 2, H351 |

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Wash with water and soap.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes serious eye damage. Causes skin irritation. Suspected of causing cancer.
- Symptoms/effects after inhalation : None under normal use.
- Symptoms/effects after skin contact : Causes skin irritation.
- Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
- Symptoms/effects after ingestion : Gastrointestinal complaints. Cramps. Nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Upon combustion: CO and CO<sub>2</sub> are formed.

### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

# Safety Data Sheet

## 7.2. Conditions for safe storage, including any incompatibilities

|                            |   |
|----------------------------|---|
| Technical measures         | : Comply with applicable regulations.   |
| Storage conditions         | : Keep container closed when not in use. Store in original container.             |
| Incompatible products      | : Strong acids. Strong oxidizers.   |
| Storage area               | : Keep only in the original container. Store in a dry area. Store in a cool area. |
| Special rules on packaging | : meet the legal requirements.  |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| potassium hydroxide (1310-58-3)                  |                                    |                      |
|--|------------------------------------|----------------------|
| ACGIH  | ACGIH Ceiling (mg/m <sup>3</sup> ) | 2 mg/m <sup>3</sup>  |
| ACGIH  | Remark (ACGIH)                     | URT, eye, & skin irr |
| tetrasodium ethylenediaminetetracetate (64-02-8) |                                    |                      |
| Not applicable                                   |                                    |                      |
| trisodium nitrilotriacetate (5064-31-3)          |                                    |                      |
| Not applicable                                   |                                    |                      |

### 8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                         |
|---|-------------------------|
| Physical state                              | : Liquid                |
| Appearance                                  | : clear. Yellow liquid. |
| Odor  | : slight soy odor       |
| Odor threshold                              | : No data available     |
| pH  | : 10 - 12.5             |
| Melting point                               | : No data available     |
| Freezing point                              | : No data available     |
| Boiling point                               | : No data available     |
| Flash point                                 | : > 200 °F Closed Cup   |
| Relative evaporation rate (butyl acetate=1) | : No data available     |
| Flammability (solid, gas)                   | : No data available     |
| Explosion limits                            | : No data available     |
| Explosive properties                        | : No data available     |
| Oxidizing properties                        | : No data available     |
| Vapor pressure                              | : No data available     |
| Relative density                            | : No data available     |
| Relative vapor density at 20 °C             | : No data available     |
| Specific gravity / density                  | : 1.03 g/ml             |
| Solubility                                  | : Soluble in water.     |
| Log Pow                                     | : No data available     |
| Log Kow                                     | : No data available     |
| Auto-ignition temperature                   | : No data available     |
| Decomposition temperature                   | : No data available     |
| Viscosity                                   | : No data available     |
| Viscosity, kinematic                        | : No data available     |
| Viscosity, dynamic                          | : No data available     |
| VOC content                                 | : < 0.5 %               |

# Safety Data Sheet

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Upon combustion: CO and CO<sub>2</sub> are formed.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

May be corrosive to metals. Strong acids. Oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| <b>potassium hydroxide (1310-58-3)</b> |                       |
|--|-----------------------|
| LD50 oral rat                          | 273 mg/kg (Rat)       |
| ATE CLP (oral)                         | 273 mg/kg body weight |

| <b>tetrasodium ethylenediaminetetracetate (64-02-8)</b> |                       |
|---|-----------------------|
| LD50 oral rat   | > 2000 mg/kg (Rat)    |
| ATE CLP (oral)  | 500 mg/kg body weight |

| <b>trisodium nitrilotriacetate (5064-31-3)</b> |                                 |
|--|---------------------------------|
| LD50 oral rat                                  | 1740 mg/kg rat, male and female |
| LD50 dermal rabbit                             | > 2000 mg/kg                    |
| ATE CLP (oral)                                 | 1740 mg/kg body weight          |

Skin corrosion/irritation : Causes skin irritation.  
pH: 10 - 12.5

Serious eye damage/irritation : Causes serious eye damage.  
pH: 10 - 12.5

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

| <b>trisodium nitrilotriacetate (5064-31-3)</b> |                                      |
|--|--------------------------------------|
| IARC group                                     | 2B - Possibly carcinogenic to humans |

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Gastrointestinal complaints. Cramps. Nausea.

Likely routes of exposure : Skin and eye contact

## SECTION 12: Ecological information

### 12.1. Toxicity

| <b>potassium hydroxide (1310-58-3)</b> |                                  |
|--|----------------------------------|
| LC50 fish 1                            | 80 mg/l (96 h, Gambusia affinis) |

| <b>tetrasodium ethylenediaminetetracetate (64-02-8)</b> |  |
|---|--|
| LC50 fish 1   | 121 mg/l (96 h, Lepomis macrochirus, Literature study) |
| EC50 Daphnia 1  | 625 mg/l (24 h, Daphnia magna, Literature study)       |

| <b>trisodium nitrilotriacetate (5064-31-3)</b> |  |
|--|--|
|--|--|

## Safety Data Sheet

|   |   |
|---|---|
| trisodium nitrilotriacetate (5064-31-3) |   |
| LC50 fish 1                             | 114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test   |
| EC50 Daphnia 1                          | > 100 mg/l Daphnia magna (Water flea); Test Type: static test   |
| ErC50 (algae)                           | 91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test; Method: OECD Test Guideline 201 |

### 12.2. Persistence and degradability

|                                 |                                   |
|---------------------------------|-----------------------------------|
| potassium hydroxide (1310-58-3) |                                   |
| Persistence and degradability   | Biodegradability: not applicable. |
| Biochemical oxygen demand (BOD) | Not applicable                    |
| Chemical oxygen demand (COD)    | Not applicable                    |
| ThOD                            | Not applicable                    |
| BOD (% of ThOD)                 | Not applicable                    |

|  |   |
|--|---|
| tetrasodium ethylenediaminetetracetate (64-02-8) |   |
| Persistence and degradability                    | Not readily biodegradable in water.       |
| Biochemical oxygen demand (BOD)                  | < 0.002 g O <sub>2</sub> /g substance     |
| Chemical oxygen demand (COD)                     | 0.54 - 0.58 g O <sub>2</sub> /g substance |

### 12.3. Bioaccumulative potential

|  |                      |
|--|----------------------|
| potassium hydroxide (1310-58-3)                  |                      |
| Bioaccumulative potential                        | Not bioaccumulative. |
| tetrasodium ethylenediaminetetracetate (64-02-8) |                      |
| Log Pow  | -2.6                 |
| Bioaccumulative potential                        | Not bioaccumulative. |

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

### Additional information

Other information : No supplementary information available.

### ADR

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

|   |         |
|---|---------|
| potassium hydroxide (1310-58-3)   |         |
| Not subject to reporting requirements of the United States SARA Section 313 |         |
| CERCLA RQ   | 1000 lb |



### WARNING

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer, and methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# Safety Data Sheet

## SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

|      |   |
|------|---|
| H290 | May be corrosive to metals              |
| H301 | Toxic if swallowed                      |
| H302 | Harmful if swallowed                    |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage               |
| H319 | Causes serious eye irritation           |
| H351 | Suspected of causing cancer             |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*