


Description

- Manufactured from strong 30mm aluminium tube
- Reinforced tubes (Ø 18 mm in 2,4 i 3 m and Ø 30 mm in 6 m backwalls)
- Quick and simple to assemble
- Transport bag included
-

Graphic

- Textil graphic
- We recommend to finish graphic with a zipper
- Visible graphic area: FORM-CUR-24 : 2380 (h) x 1633 (d) mm

FORM-CUR-30 : 2380 (h) x 2417 (d) mm



Konstruktion



Bungee cord




Push-in button


Backwalls

Formulate Horizontal Curve

V2



2.4 i 3m



6 m






Hardware

Code	Description	Hardware dimensions mm h x w x d	Weight	Box dimensions mm h x w x d	Box weight
FORM-CUR-24	Formulate Horizontal Curve 2400 mm	2380 x 2350 x 400	3,3 kg	215 x 925 x 270	5,1 kg
FORM-CUR-30	Formulate Horizontal Curve 3000 mm	2380 x 2950 x 400	3,6 kg	215 x 925 x 270	5,4 kg
FORM-CUR-60	Formulate Horizontal Curve 6000 mm	2380 x 5950 x 900	7.0 kg	265 x 940 x 360	9.1 kg

Backwalls

Formulate Horizontal Curve


wall mounting 2,4 i 3 m




Backwalls

Formulate Horizontal Curve

5




6




Montaż grafiki


1 Put the graphics from the top. If necessary, wear gloves so that the graphics are not dirty.



2



3 Zip it up




Backwalls


Formulate Horizontal Curve

wall mounting 6 m


1



2



3




Backwalls


Formulate Horizontal Curve

Montaż grafiki

1



2



3

