SAFFTV DATA SHFFT (SDS)

	SAFETY DATA						
Section 1. Identification							
Product identifier LORIS 2% CHG WIPE / LORIS 2% CHG BODY CLEANSER							
Other means of identification None							
Recommended use and restrictions on use Antiseptic (containing 90-95 % of water)							
Initial supplier i	dentifier Lernapharm (Loris) Inc., 2323 Halpern, St- Telephone: 514-331-4634	Laurent (Montreal) Québec, Canada H4	S 1S3				
Emergency telep		C 24 hour number 613-996-6666					
	Section 2. Hazard	identification					
Classification of	hazardous product (name of the category or subcatego	ry of the hazard class)					
Flammable liquid		* /					
Skin irritation (Category 3)							
Eye irritation (Category 2A)							
	gan toxicity ó single exposure (Category 3), Central nervo						
Information eler	nents (symbols, signal words, hazard statements and p	recautionary statements of the catego	ry/subcategory)				
H316 Causes mil H319 Causes seri H336 May cause P210 Keep aw dust/fume/gas/mi P280 Wear glow contaminated clo Call a doctor if y present and easy dioxide, chemica closed. Keep coor regulations.	ous eye irritation. drowsiness or dizziness. ay from heat, hot surfaces, sparks, open flames a st/vapours/spray. P264 Wash hands/nails/face thoroughly es/protective clothing/eye protection/face protection. P30 thing. Rinse skin with water. P304 + P340 IF INHALED you feel unwell. P305 + P351 + P338 IF IN EYES, Rins to do. Continue rinsing. P337 + P313 If eye irritation pe l powder agent and appropriate foam to extinguish. P403 d. P405 Store locked up. P501 Dispose of contents/conta	r after handling. P271 Use only outdoo 03 + P361 + P353 IF ON SKIN (or h Remove person to fresh air and keep of e cautiously with water for several min rsists: Get medical attention. P370 + P + P233 + P235 Store in a well-ventilated	ors or in a well-ventilated area. hair): Take off immediately all comfortable for breathing. P312 utes. Remove contact lenses, if 378 In case of fire: Use carbon ed place. Keep container tightly				
Other hazards k							
			Section 3. Composition/information on ingredients				
	(common name/synonyms)	CAS number or other					
Isopropanol		CAS number or other	Concentration (%)				
	· · · · · · · · · · · · · · · · · · ·	67-63-0	1-5 %				
Chlorhexidine di	gluconate	67-63-0 18472-51-0	``´				
Chlorhexidine di	gluconate Section 4. First-	67-63-0 18472-51-0 aid measures	1-5 % 2 %				
Chlorhexidine dig	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y	1-5 % 2 % you feel unwell.				
Chlorhexidine di	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give	1-5 % 2 % /ou feel unwell. anything by mouth if victim is				
Chlorhexidine dig	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with	1-5 % 2 % /ou feel unwell. anything by mouth if victim is water. Have victim drink two				
Chlorhexidine di; Inhalation Ingestion	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi	67-63-0 18472-51-0 aid measures afortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion.				
Chlorhexidine di Inhalation Ingestion Skin contact	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam	67-63-0 18472-51-0 aid measures afortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes).				
Chlorhexidine di; Inhalation Ingestion	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several	67-63-0 18472-51-0 aid measures afortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes).				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a	67-63-0 18472-51-0 aid measures afortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention.	1-5 % 2 % you feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed)	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. marmful if swallowed and enters airways	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep con IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all cau	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. harmful if swallowed and enters airways les, call a doctor. Do not forget this doct	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca Section 5. Fire-fig	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. narmful if swallowed and enters airways les, call a doctor. Do not forget this doct hting measures	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca: Section 5. Fire-fig of the hazardous product (hazardous combustion pro-	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. narmful if swallowed and enters airways les, call a doctor. Do not forget this doct hting measures	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca: Section 5. Fire-fig of the hazardous product (hazardous combustion pro- d other irritant/toxic gases and fumes.	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. narmful if swallowed and enters airways les, call a doctor. Do not forget this doct hting measures	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca: Section 5. Fire-fig of the hazardous product (hazardous combustion pro- d other irritant/toxic gases and fumes. suitable extinguishing media	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. harmful if swallowed and enters airways les, call a doctor. Do not forget this doct nting measures lucts)	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us	Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca Section 5. Fire-fig 6 of the hazardous product (hazardous combustion product (hazardous combus	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y Γ INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. harmful if swallowed and enters airways les, call a doctor. Do not forget this doct nting measures lucts)	1-5 % 2 % zou feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. s.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protective	gluconate Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca: Section 5. Fire-fig of the hazardous product (hazardous combustion pro- d other irritant/toxic gases and fumes. suitable extinguishing media	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y F INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with m lean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. narmful if swallowed and enters airways es, call a doctor. Do not forget this doct nting measures lucts) foam to extinguish.	1-5 % 2 % you feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. 3. ument.				
Chlorhexidine di Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm	Section 4. First- IF INHALED: Remove person to fresh air and keep com IF SWALLOWED: Immediately call a doctor. DO NO rapidly losing consciousness, or is unconscious or cor glasses of water. If vomiting occurs naturally, have victi IF ON SKIN (or hair): Take off immediately all contam IF IN EYES, Rinse cautiously with water for several Continue rinsing. If eye irritation persists: Get medical a symptoms and effects (acute or delayed) May be mediate medical attention/special treatment In all ca Section 5. Fire-fig Section 5. Fire-fig of the hazardous product (hazardous combustion product (hazardous combusti))	67-63-0 18472-51-0 aid measures fortable for breathing. Call a doctor if y F INDUCE VOMITING. NEVER give vulsing. Rinse mouth thoroughly with mean forward to reduce risk of aspirat nated clothing. Rinse skin with water (5 minutes (15-20). Remove contact len ttention. narmful if swallowed and enters airways es, call a doctor. Do not forget this doct nting measures lucts) foam to extinguish. ater fire area without proper protection. ce. Shield personnel to protect from vent	1-5 % 2 % you feel unwell. anything by mouth if victim is water. Have victim drink two ion. 5-10 minutes). ses, if present and easy to do. 3. ument. Firefighters should wear proper ting, rupturing or bursting cans.				

Section 6. Accidental release measures				
Personal precautions, protective equipment and emergency procedures				
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up				
should wear the appropriate protective equipment (See Section 8).				
Methods and materials for containment and cleaning up				
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then				
place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.				
Notify the appropriate authorities as required.				
Section 7. Handlin	g and storage			
Precautions for safe handling				
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bound container and receiving equipment. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharges. Use only outdoors or in a well-ventilated area. Wear gloves/protective clothing/eye protection/face protection.				
Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene				
measures are being followed. People working with this chemical should				
	ppropriately. Ensure proper ventilation. Avoid breathing			
dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothi				
concentrations of dusts, vapours or mists. Keep away from incompatible m	aterials (Section 10). Keep containers closed when not in use. Empty			
containers are always dangerous. Refer also to Section 8.				
Conditions for safe storage, including any incompatibilities				
Store in a well-ventilated place. Keep container tightly closed. Keep cool. S				
Inspect all incoming containers to make sure they are properly labelled a				
obstruction and accessible only to trained personnel. Inspect periodically for				
Section 8. Exposure contro				
Control parameters (biological limit values or exposure limit values and				
Exposure limits: CAS 67-63-0 ó ACGIH ó TLV-TWA 200 ppm & TLV-STI	EL 400 ppm & PEL-1 WA 400 ppm. CAS 18472-51-0 none.			
Appropriate engineering controls				
Use under well-ventilated conditions. Local exhaust ventilation system i				
exposure limits. Make emergency eyewash stations, safety/quick-drench sho	owers, and washing facilities available in work area.			
Individual protection measures/personal protective equipment	inite lies NIOSU engrand enginters if the engrand			
Respiratory protection is required if the concentrations are higher than the limits are unknown. Chemically protective gloves (impervious), and other p				
be worn during all handling operations. Wear protective chemical splash go				
thoroughly after handling. Do not eat, drink or smoke when using this prod				
and wash contaminated work clothing before re-use.	act. I factice good personal hygicite after using this material. Remove			
Section 9. Physical and c	chemical properties			
Appearance, physical state/colour Light red liquid	Vapour pressure Not available			
Odour Alcohol	Vapour pressure Heavier than air			
Odour threshold Not available	Relative density 1.01			
pH Not available	Solubility Soluble			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point 51°C	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity Not available			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability				
Reactivity				
Does not react under the recommended storage and handling conditions prescr	ibed.			
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
Accumulation of flammable/explosive vapours.				
Conditions to avoid (static discharge, shock or vibration)				
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take action to prevent static discharges.				
Incompatible materials				
Oxidizing materials; acids; etc.				
Hazardous decomposition products				
None known				

Section 11. Toxicological information				
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)				
May be harmful if swallowed and enters airways. Causes mild skin irritation. Causes serious eve irritation. May cause drowsiness or dizziness.				
Symptoms related to the physical, chemical and toxicological characteristics				
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness,				
drowsiness, nausea and headaches.				
Delayed and immediate effects (chronic effects from short-term and long-term exposure)				
Skin Sensitization ó No data available; Respiratory Sensitization ó No data available; Germ Cell Mutagenicity ó No data available;				
Carcinogenicity ó No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity ó No data available; Specific Target Organ				
Toxicity ô Single Exposure ó Central nervous system; Specific Target Organ Toxicity ô Repeated Exposure ó No data available; Aspiration				
Hazard ó Unlikely, but possible; Health Hazards Not Otherwise Classified ó No data available.	phuton			
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)				
CAS 67-63-0 LD ₅₀ Oral - Rat - 4720 mg/kg; LC ₅₀ Inhalation - Rat - 4 h ó 17000 ppm; LD ₅₀ Dermal - Rabbit - 12890 mg/kg				
CAS 18472-51-0 none				
ATE not available in this document.				
Section 12. Ecological information				
Ecotoxicity (aquatic and terrestrial information)				
CAS 67-63-0 Toxicity to fish LC ₅₀ ó Pimephales promelas (fathead minnow) 9640 mg/l - 96 h; Toxicity to daphnia and other aquatic investigation of the second seco				
LC50 - Daphnia magna (Water flea) 5102 mg/l - 24 h; Immobilization EC50 - Daphnia magna (Water flea) - 6851 mg/l - 24 h Toxicity	to algae			
EC50 - Desmodesmus subspicatus (green algae) - > 2000 mg/l - 72 h EC50 - Algae - > 1000 mg/l - 24 h;				
CAS 18472-51-0 no data available.				
Persistence and degradability No data available				
Bioaccumulative potential No bioaccumulation is to be expected.				
Mobility in soil No data available				
Other adverse effects No data available				
Section 13. Disposal considerations				
Information on safe handling for disposal/methods of disposal/contaminated packaging				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
UN1987; ALCOHOL, N.O.S. (Isopropanol); CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)				
UN1987; ALCOHOL, N.O.S. (Isopropanol); CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
UN1987; ALCOHOL, N.O.S. (Isopropanol); CLASS 3; PG III				
Special precautions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.				
Environmental hazards (IMDG or other) None				
Bulk transport (usually more than 450 L in capacity) Possible				
Section 15. Regulatory information				
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been class	sified in			
accordance with the hazard criteria of the Hazardous Products Regulations (HPR).				
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/environmental outside regulations specifics				
None				
	I			

Section 16. Other information			
Date of the latest revision of the safety data sheet June 19, 2015 version 1			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any		
liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility			
of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that			
these are the only h	these are the only hazards that exist.		