

# Self Retractable - SRL-10S

Self- Retracting lifeline



A111171122

## Features:

Housing Material: High-Strengthened ABS  
Cable 6mm Steel  
Working length: 10M  
Max Arresting Distance: 54 inches  
Max Arresting Force: 6Kn  
Capacity (CE): 100kgs  
Looking after condition: 5kgs  
Static strength: 15kN with 3 mins  
Stainless Swivel Top  
Internal shock absorber system  
Sewn-in Fall indicator  
Aluminum rotatable hook

## Standards:

EN360-2002

## Packing:

2 Pieces/Carton

## Carton Dimension:

52 X 32 X 33 CM

## Gross Weight:

13.7 kgs

## Net Weight:

11.4 kgs

## Volume:

CBM/Carton 0.054912

## Origin:

China

# Self Retractable - SRL-10S

Self-Retracting lifeline



## Module B EU Type-Examination Certificate Annex

For the requirements of PPE Regulation 2016/425

Certificate No.: CE-PC-220622-141-01-9A

### Applicable standards and specification

EN 360:2002 Personal protective equipment against falls from a height - Retractable type fall arresters

Model reference	Product description
SRL-10S	Retractable type fall arrester includes two times internal shock absorber system Self-retractable lifeline with 10m wire rope A stainless swivel top Single aluminium swivel hook Test report No.: 2.22.08.04

Certificate Revision	Revision date	Revision details
A	2022-09-01	Initial issue

This schedule has no validity without the accompanying certificate.

This schedule and the accompanying certificate remain the property of CCQS and maybe withdrawn or revised at any time if CCQS considers that the equipment is no longer in conformity with the requirements of the applicable standard(s) and the Regulation.



### CCQS Certification Services Limited

Block 1 Blanchardstown Corporate Park, Ballycoolin Road, Blanchardstown, Dublin15, D15 AKK1, Ireland

Tel: +00 353 1 588 6920 Website: [www.ccqs.co.uk](http://www.ccqs.co.uk) E-mail: [verify@ccqs.ie](mailto:verify@ccqs.ie)

If in any doubt about the integrity of this certificate, please contact CCQS by email to verify.



Page 2 of 2  
(Fm 220-017, Rev.3,  
19.04.22)



## Module B EU Type-Examination Certificate

For the requirements of PPE Regulation 2016/425

Certificate No.: CE-PC-220622-141-01-9A

<b>Certificate holder:</b>	<b>Jinhua Jech Tools Co., Ltd.</b> No.1448 Tongxi Road, Linjiang Industrial Park, Wucheng District, Jinhua City, Zhejiang, P.R.China
<b>Product:</b>	<b>Retractable type fall arresters</b> Detailed product description listed in the Annex
<b>Model(s):</b>	SRL-10S
<b>Standard(s):</b>	EN 360:2002 Personal protective equipment against falls from a height - Retractable type fall arresters
<b>Issue date:</b>	2022-09-01
<b>Revision date:</b>	2022-09-01
<b>Expiry date:</b>	2027-08-31

The product(s) on this certificate and the Technical File have been assessed and found to be in conformance with the applicable Essential Health and Safety Requirements in Annex II of the PPE regulation 2016/425.

Any changes to the design, manufacturing location or manufacture of the PPE product certified here must be advised to CCQS Certification Services Limited for review.

CE marking shall not be applied until the requirements of all the PPE Regulation 2016/425 and relevant EN Harmonised standards and/or Technical specifications have been met.

If the certified product is Category III then this certificate is only valid if used in conjunction with Conformity Assessment against Module C2 or Module D.

This certificate remains the property of CCQS and maybe withdrawn at any time if it is considered that the equipment is no longer in conformity with the requirements of the PPE Regulation 2016/425.



Approved by Ireland  
Government  
as a Notified Body  
for CE Marking No.2834



### CCQS Certification Services Limited

Block 1 Blanchardstown Corporate Park, Ballycoolin Road, Blanchardstown, Dublin15,  
D15 AKK1, Ireland

Tel: +00 353 1 588 6920 Website: [www.ccqs.co.uk](http://www.ccqs.co.uk) E-mail: [verify@ccqs.ie](mailto:verify@ccqs.ie)  
If in any doubt about the integrity of this certificate, please contact CCQS by email to verify.

Page 1 of 2  
(Fm 220-017, Rev.3,  
19.04.22)