



ENTRANCE PULL HANDLES

PRODUCT CATALOGUE

More than quality - an experience

Entrance Pull Handles > Details & Information


- 2 Details & Information
- 3 Polo Graphite Nickel
- 5 Polo Matt Black
- 7 Polo
- 8 Sutton & Bedford
- 9 Round Profile - Satin Brass
- 11 Round Profile
- 13 Square Profile
- 15 Torch & Wyatt
- 16 Bow & Arco
- 17 Toorak & Streamline
- 19 Omega
- 20 Nitro+ & Nitro Graphite Nickel
- 21 Nitro Matt Black
- 23 Nitro
- 25 Round Profile Offset
- 26 Glyde
- 27 V23
- 28 Push/Pull Plates
- 29 Accessories
- 30 Verve Elite Flush Pulls & Square Edge/Flush Pull
- 31 Verve

First impressions count. That's why more architects and designers are specifying Zanda Pull Handles in some of Australia's finest buildings. Appearance, durability, versatility, ease and flexibility of installation are just some of the qualities that have transformed our Pull Handles into an industry mainstay.


Our unique range comprises of 79 different pull handles, with sizes ranging from 300mm right up to 1800mm in length.

What's more, all of Zanda's Pull Handles are constructed from 316 Marine Grade Stainless Steel making them ideally suited to corrosive applications or high humidity situations.


Fixing Options:



Back to Back (BB)
Suitable for Timber,
Aluminium & Glass Doors



Face Fix (FF)
Suitable for Timber Doors



Rear Fix (RF)
Suitable for Timber,
Aluminium Doors

Rear Fixing Bolts:

Finish: Stainless Steel



M8: 7312
M6: 7340



M8: 7304
M6: 7305

For Timber & Aluminium Doors - 60mm Length

For Glass Doors - 30mm Length

How to order:

(Code)(Fixing)(Finish)

For example:
Polo 600mm, Back to Back, Stainless Steel

7100

BB

SS

Finish: SS, P/SS, ACR

Code

Fixing:


BB (Back to Back)

FF (Face Fix)

RF (Rear Fix)

GRF (Glass Rear Fix)

Dimensions:



CRS: Screw/Bolt Centres,

O/A: Overall Length

W: Width (maximum),

P: Projection (Maximum)

Entrance Pull Handles > 316 Stainless Steel

Polo Graphite Nickel

7098

7100

7101

7102

Marine Grade 316 SS

NEW



Code	CRS	O/A	W	P
7098.GN*	270mm	300mm	30x15mm	50mm
7100.GN*	560mm	600mm	40x20mm	60mm
7101.GN*	860mm	900mm	40x20mm	60mm
7102.GN*	1760mm	1800mm	40x20mm	60mm

Finishes: GN

*Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

4



ZANDA
ARCHITECTURAL HARDWARE



Add style and flair to
your entry point.

Entrance Pull Handles > 316 Stainless Steel

Polo Matt Black

7098

7099

7100

7101

7102

Marine Grade 316 SS



Code	CRS	O/A	W	P
7098.BLK*	270mm	300mm	30x15mm	50mm
7099.BLK*	410mm	450mm	40x20mm	60mm
7100.BLK*	560mm	600mm	40x20mm	60mm
7101.BLK*	860mm	900mm	40x20mm	60mm
7102.BLK*	1760mm	1800mm	40x20mm	60mm

Radiused corners for improved ergonomics

Finishes: BLK

*Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

6



ZANDA
ARCHITECTURAL HARDWARE



Entrance Pull Handles > 316 Stainless Steel

Polo

7098

7099

7100

7101

7102

Marine Grade 316 SS



7100 & 7101
also available in PSS

Radiused corners for improved ergonomics

Code	CRS	O/A	W	P
7098*	270mm	300mm	30x15mm	50mm
7099*	410mm	450mm	40x20mm	60mm
7100*	560mm	600mm	40x20mm	60mm
7101*	860mm	900mm	40x20mm	60mm
7102*	1760mm	1800mm	40x20mm	60mm

Finishes: SS, BLK, GN, PSS, PC


*Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Stainless Steel

Sutton

NEW



Adjustable Centres


Code	CRS	O/A	W	P
13510.SS*	Adjustable (200-850mm)	900mm	30mm	75mm

Finishes: SS

*Compliant with AS1428


Bedford

NEW



Code	CRS	O/A	P
7380.SS	100mm	200mm	62mm

Finishes: SS, PC



Success in the untiring
pursuit of perfection.

Entrance Pull Handles > 316 Stainless Steel

Round Profile - Satin Brass

Marine Grade 316 SS



Electroplated Finish

Code	CRS	O/A	W	P
7026.SB*	400mm	600mm	32mm	76mm
7092.SB*	700mm	900mm	32mm	76mm

Finishes: SB *Compliant with AS1428





Powdercoating Option

Your Entrance Handles can be any colour you want

You'll get the following benefits with Powdercoat finished Pull Handles:

- Corrosion resistance, improve the longevity of your hardware
- Make a point of difference to your home
- Coordinate with your Aluminium Joinery

Just add 40% to our stainless steel pricing, and we'll powdercoat our Pull Handles to any standard Dulux colour.

Contact us for a full list of available colours.



Entrance Pull Handles > 316 Stainless Steel

Round Profile

7063 7025 7026 7092 7093 7094

Marine Grade 316 SS

7026 also available in Graphite Nickel

Code	CRS	O/A	W	P
7063	200mm	300mm	19mm	50mm
7025*	250mm	450mm	32mm	76mm
7026*	400mm	600mm	32mm	76mm
7092*	700mm	900mm	32mm	76mm
7093*	1000mm	1200mm	32mm	76mm
7094*	1600mm	1800mm	32mm	76mm


Finishes: SS, GN, SB, PC *Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

12



ZANDA
ARCHITECTURAL SYSTEMS



Entrance Pull Handles > 316 Stainless Steel

Square Profile

7066

7054

7055

7095

7096

7097

Marine Grade 316 SS



Code	CRS	O/A	W	P
7066	200mm	300mm	20x20mm	50mm
7054*	276mm	450mm	25x25mm	68mm
7055*	426mm	600mm	25x25mm	68mm
7095*	726mm	900mm	25x25mm	68mm
7096*	1026mm	1200mm	25x25mm	68mm
7097*	1626mm	1800mm	25x25mm	68mm

Finishes: SS, PC

*Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.



Entrance Pull Handles > 316 Stainless Steel

Torch

Wyatt

7103SS

7103P/SS

7104SS

7104P/SS

7104BLK

Marine Grade 316 SS



Radiused corners for improved ergonomics

Code	CRS	O/A	W	P	Finish
7103SS*	160mm	350mm	32mm	75mm	Stainless Steel
7103P/SS*	160mm	350mm	32mm	75mm	Two-toned (PSS/SS)
7104SS*	250mm	530mm	38mm	80mm	Stainless Steel
7104P/SS*	250mm	530mm	38mm	80mm	Two-toned (PSS/SS)
7104BLK*	250mm	530mm	38mm	80mm	Matt Black

*Compliant with AS1428

NEW

Knurled Finish



Radiused corners for improved ergonomics

Code	CRS	O/A	W	P
7385*	450mm	470mm	20mm	58mm

Finishes: SS, BLK

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Stainless Steel

Bow

7069

7070

Marine Grade 316 SS



Radiused corners for improved ergonomics

Code	CRS	O/A	W	P
7070.SS	200mm	340mm	19mm	65mm
7069.SS	400mm	610mm	25mm	95mm

Finishes: SS, PC



Arco

Marine Grade 316 SS



Code	CRS	O/A	W	P
13501.P/SS*	300mm	600mm	32mm	72mm

Finishes: P/SS (Two-toned), PC ***Compliant with AS1428**

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Perfection is found where form
and quality meet together.

Entrance Pull Handles > 316 Stainless Steel

Toorak

Streamline

NEW

Marine Grade 316 SS



Radiused corner for improved ergonomics

Code	CRS	O/A	W	P
13505*	600mm	625mm	25x25mm	60mm

Finishes: SS, BLK, PC ***Compliant with AS1428**



Marine Grade 316 SS



Code	CRS	O/A	W	P
7240*	570mm	600mm	30x15mm	58mm

Finishes: SS, PC ***Compliant with AS1428**


Sold as back to back pairs but also available as singles with face fix or rear through door fixing.



Entrance Pull Handles > 316 Stainless Steel - Offset

Omega

Marine Grade 316 SS



7300

7301

7302

7303

Code	CRS	O/A	W	P	Offset
7300	400mm	600mm	32mm	80mm	102mm
7301	700mm	900mm	32mm	80mm	102mm
7302	1000mm	1200mm	32mm	80mm	102mm
7303	1600mm	1800mm	32mm	80mm	102mm

Finishes: SS, PC

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Stainless Steel - Offset

Nitro+

NEW

Marine Grade 316 SS



Code	CRS	O/A	W	P	Offset
7135*	600mm	625mm	25x25mm	60mm	110mm


Finishes: SS, BLK, PC

*Compliant with AS1428

Nitro Graphite Nickel

NEW

Marine Grade 316 SS



Code	CRS	O/A	W	P	Offset
7128.GN	280mm	300mm	20x20mm	50mm	30mm
7130.GN*	600mm	625mm	25x25mm	60mm	35mm

*Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Stainless Steel - Offset

Nitro Matt Black

NEW

Marine Grade 316 SS

7128



7129



7130



7131



Code	CRS	O/A	W	P	Offset
7128.BLK	280mm	300mm	20x20mm	50mm	50mm
7129.BLK*	425mm	450mm	25x25mm	60mm	60mm
7130.BLK*	600mm	625mm	25x25mm	60mm	60mm
7131.BLK*	875mm	900mm	25x25mm	60mm	60mm

*Compliant with AS1428



Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

22

ZANDA
ARCHITECTURAL HARDWARE

Entrance Pull Handles > 316 Stainless Steel - Offset

Nitro

7128

7129

7130

7131

7132

Marine Grade 316 SS

NEW 1500mm



Radiused corners for improved ergonomics

Code	CRS	O/A	W	P	Offset
7128	280mm	300mm	20x20mm	50mm	50mm
7129*	425mm	450mm	25x25mm	60mm	60mm
7130*	600mm	625mm	25x25mm	60mm	60mm
7131*	875mm	900mm	25x25mm	60mm	60mm
7132*	1475mm	1500mm	25x25mm	60mm	60mm

NEW

Finishes: SS, PC

*Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

24

ZANDA



Entrance Pull Handles > 316 Stainless Steel - Offset

Round Profile Offset

7027

7028

7143

7144

Marine Grade 316 SS



Code	CRS	O/A	W	P	Offset
7027*	250mm	450mm	32mm	75mm	67mm
7028*	400mm	600mm	32mm	75mm	67mm
7143*	1000mm	1200mm	32mm	75mm	67mm
7144*	1600mm	1800mm	32mm	75mm	67mm


Finishes: SS, PC

*Compliant with AS1428



Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Stainless Steel - Offset

Glyde



Marine Grade 316 SS

Code	CRS	O/A	W	P
7183*	575mm	600mm	25mm	60mm

Finishes: SS, PC *Compliant with AS1428

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Stainless Steel - Offset


V23

7306

7307

7308

Marine Grade 316 SS



Code	CRS	O/A	W	P	Offset
7306	450mm	482mm	32mm	85mm	100mm
7307	600mm	632mm	32mm	85mm	100mm
7308	900mm	932mm	32mm	85mm	100mm

Finishes: SS, PC

Sold as back to back pairs but also available as singles with face fix and rear through door fixing available (see page 8 for details).

Entrance Pull Handles > Push/Pull Plates

Pull Handle On Plate

9365

Solid Brass Pull Handle on Plate
464 x 76mm



Finishes: BN, SB, PC

Solid Brass Push/Pull Plates

9366

Solid Brass Push Plate
464 x 76mm



Finishes: BN, SB, PC

NEW

Push Plate

7166

300 x 65mm
Plate



7166.E

Engraved with PUSH
300 x 65mm
Plate

Finish: SS, PC

Pull Plate

7165

300 x 65mm Plate
16 x 250mm D Pull



Finish: SS, PC





Find more of our
extensive range
via our website

Entrance Pull Handles > Accessories

Commonly used products with the Zanda Pull Handle Range

Rutland Floor Springs

TS7000 Range



Power size	Max Weight	Max Width
EN2	70kg	850mm
EN3	105kg	950mm
EN4	150kg	1200mm

TS7306 Ultra Heavy Duty



Power size	Max Weight	Max Width
EN3-6	300kg	1400mm

FEATURES:

- 10 Year Guarantee
- Adjustable Closing Speed
- Adjustable Latch Speed
- Back Check
- Opening Angle: 130°
- Available as double or single action



Marine Grade 316 SS

Rutland TS.9205 Architectural Door Closer



316 Stainless Steel
(SSS)



Matt Black
(BLK)



Polished Nickel
(PNP)



Silver
(SE)



Satin Brass
(SB)



Graphite Nickel
(GN)



FEATURES:

- 35 Year Guarantee
- Power Size EN2-5 (Adjustable by spring)
- Adjustable Closing & Latch Speed
- Opening Angle: 180°
- Adjustable Back Check
- Adjustable Delayed Action
- Max Door Width: 1250mm (EN5)
- Max Door Weight: 110kg (EN5)
- Available as scissor or slide arm

Heavy Duty Roller Bolt

1195

- 63 x 61mm case size
- Adjustable roller strength
- 15 year warranty



Finishes: SS, BLK, GN, SB

Magnetic Door Stop

10500

- 50mm Diameter base
- 75mm projection



Finishes: BN, SC, GN, BLK

Heavy Duty Magnetic Door Stop/Retainer

10503

- Automatic height adjustment to different distances from the door to the floor
- 16mm Ø



Finishes: SS/BLK

Entrance Pull Handles > Flush Pull Handles

Verve Elite Flush Pulls

5309

5311

5312



Code	O/A	W	Depth
5309.SS	520mm	55mm	17mm
5311.SS	800mm	55mm	17mm
5312.SS	1000mm	55mm	17mm

Finishes: SS, PC

Square Edge/Flush Pull



- Fits into the edge of a sliding door
- Works as a flush pull and edge pull for sliding doors



Code	O/A	
5350.SS	100x100mm	Suits 35mm thick doors
5351.SS	100x100mm	Suits 40mm thick doors

Finishes: SS, PC



Entrance Pull Handles > Flush Pull Handles


Verve - Stainless Steel

Marine Grade 316 SS



Radiused Corners for improved ergonomics

Code	O/A	W	Depth
5303.SS	150mm	37mm	12mm
5304.SS	200mm	37mm	12mm
5305.SS	250mm	37mm	12mm
5306.SS	300mm	37mm	12mm



Verve - Matt Black

Marine Grade 316 SS




Radiused Corners for improved ergonomics

Code	O/A	W	Depth
5303.BLK	150mm	37mm	12mm
5304.BLK	200mm	37mm	12mm
5305.BLK	250mm	37mm	12mm
5306.BLK	300mm	37mm	12mm

Verve - Satin Brass

Marine Grade 316 SS

COMING SOON



Radiused Corners for improved ergonomics

Electroplated Finish

Code	O/A	W	Depth
5304.SB	200mm	37mm	12mm
5306.SB	300mm	37mm	12mm

Verve - Graphite Nickel

Marine Grade 316 SS



Radiused Corners for improved ergonomics

Electroplated Finish

Code	O/A	W	Depth
5304.GN	200mm	37mm	12mm
5306.GN	300mm	37mm	12mm





Telephone 1300 926 321
Facsimile 1300 926 322
Email sales@zanda.com.au
www.zanda.com.au

© 2021 Zanda Architectural Hardware
Zanda Architectural (Zanda) disclaims all liability for any statements or information that is erroneous or incomplete contained in any brochure, datasheet or in any other communication relating to any product Zanda sells, supplies, manufactures or otherwise deals with. Although Zanda endeavors to provide useful information, the buyer is responsible for independently satisfying itself as to the information provided. Zanda does not guarantee that any goods will be fit for purpose or suitable for any particular application or use. It is the buyer's responsibility to independently determine the suitability of any products and to test and verify the same. In all cases the supply of goods is based on Zanda's Terms and Conditions of Sale.

V21.02.0621

AVAILABLE FROM: