

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

- Trade name: **Rislone® Valve Seal Oil Consumption Repair**
- Product code: 44223

### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture: Sealant

### · 1.3 Details of the supplier of the Safety Data Sheet

#### · Manufacturer/Supplier:

Rislone  
P.O. Box 187  
Holly, MI 48442 USA  
Phone: (810) 603-1321

#### · Distributor:



### · 1.4 Emergency telephone number:

ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States.  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States.  
The product is classified and labelled according to the CLP regulation.

- Hazard pictograms Not Regulated

- Signal word Not Regulated

#### · Hazard-determining components of labelling:

Thiophene, tetrahydro-3-(decyloxy-, 1,1-dioxide  
Phenol, dodecyl-, branched

#### · Hazard statements

Not applicable within the USA; only applicable for the EU.  
H412 Harmful to aquatic life with long lasting effects.

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 1)

- **Precautionary statements**

Precautionary statements only required for the EU and general GHS; not required for the United States GHS (OSHA).

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



\* - Indicates a long term health hazard from repeated or prolonged exposures.

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Components:**

CAS: 18760-44-6	Thiophene,tetrahydro-3-(decyloxy-, 1,1-dioxide	<5%
EINECS: 242-556-9	⚠ Aquatic Chronic 2, H411	

- **Additional information:**

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

For the wording of the listed Hazard Statements refer to section 16.

- **Notable Trace Components (≤ 0,1% w/w)**

CAS: 121158-58-5	Phenol, dodecyl-, branched
EC number: 310-154-3	⚠ Repr. 2, H361 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 2)

- **After skin contact:**  
Clean with water and soap.  
If skin irritation is experienced, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Slight irritant effect on eyes.  
Gastric or intestinal disorders when ingested.  
Nausea in case of ingestion.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Foam  
Carbon dioxide  
Gaseous extinguishing agents  
Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:** Water
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective equipment. Keep unprotected persons away.  
Particular danger of slipping on leaked/spilled product.  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- **6.2 Environmental precautions**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.  
Prevent from spreading (e.g. by damming-in or oil barriers).
- **6.3 Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Remove from the water surface (e.g. skim or suck off).

(Cont'd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 3)

Send for recovery or disposal in suitable receptacles.  
Dispose of the material collected according to regulations.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Use only in well ventilated areas.  
Avoid splashes or spray in enclosed areas.

- **Information about fire - and explosion protection:** No special measures required.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.  
Store away from oxidising agents.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.  
Keep container tightly sealed.

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs:** No further relevant information available.

- **PNECs:** No further relevant information available.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

(Cont'd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision:02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 4)

For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

· **Body protection:**

Not required under normal conditions of use.

Protection may be required for spills.

· **Limitation and supervision of exposure into the environment:** No special requirements.

· **Risk management measures:** No special requirements.

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **Appearance**

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Amber coloured
· <b>Odour:</b>	Fruit-like
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** 223 °C (433 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Auto/Self-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Oxidising properties:** Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20 °C (68 °F):** 0,88 g/cm<sup>3</sup> (7,344 lbs/gal)

(Cont'd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 5)

- |   |  |
|---|--|
| <b>· Relative density:</b>                        | Not determined.                            |
| <b>· Vapour density:</b>                          | Not determined.                            |
| <b>· Evaporation rate:</b>                        | Not determined.                            |
| <b>· Solubility in / Miscibility with water:</b>  | Not miscible or difficult to mix.          |
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>· Viscosity</b>                                |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic at 40 °C (104 °F):</b>               | 155,0 mm <sup>2</sup> /s                   |
| <b>· 9.2 Other information</b>                    | No further relevant information available. |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
To avoid thermal decomposition do not overheat.
- **10.3 Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong acids and oxidising agents.
- **10.4 Conditions to avoid** Excessive heat.
- **10.5 Incompatible materials** Oxidizing agents
- **10.6 Hazardous decomposition products**  
Carbon monoxide and carbon dioxide  
Hydrocarbons

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.
- **Serious eye damage/irritation:** Slight irritant effect on eyes.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

<b>· IARC (International Agency for Research on Cancer):</b>
--

None of the ingredients are listed.
-------------------------------------

<b>· NTP (National Toxicology Program):</b>
---

None of the ingredients are listed.
-------------------------------------

(Cont'd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 6)

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable routes of exposure:**

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

- **Repeated dose toxicity:** No further relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Harmful to aquatic life with long lasting effects.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:**  
Harmful to fish  
Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- **Additional ecological information:**
- **General notes:** Avoid release to the environment.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Contact waste processors for recycling information.  
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |  |                 |
|--|-----------------|
| · <b>14.1 UN-Number</b>  |                 |
| · DOT, ADR, IMDG, IATA   | Not Regulated   |
| · <b>14.2 UN proper shipping name</b>  |                 |
| · DOT, ADR, IMDG, IATA   | Not Regulated   |
| · <b>14.3 Transport hazard class(es)</b>   |                 |
| · DOT, ADR, IMDG, IATA   |                 |
| · Class  | Not Regulated   |
| · <b>14.4 Packing group</b>  |                 |
| · DOT, ADR, IMDG, IATA   | Not Regulated   |
| · <b>14.5 Environmental hazards:</b>   |                 |
| · Marine pollutant:  | No              |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- United States (USA)
- SARA

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

64742-58-1 | Lubricating oils, petroleum, hydrotreated spent

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

(Cont'd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 8)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **Canada**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0,1%)**

None of the ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients are listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

(Cont'd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 03.02.2016

Revision: 02.24.2020

**Trade name: Rislone® Valve Seal Oil Consumption Repair**

(Cont'd. from page 9)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

**Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com