
Assembly Instructions



Conference Table

Model No. **HOGA J0415**


Contact Us We're here to help you.



Your satisfaction is our top priority. If you encounter any issues with this product, such as missing or damaged parts, we're here to help. Please retain the original packaging and take photos of the packaging and the product, then contact us as soon as possible.


Warm Tips

- 1. Carefully read these instructions and keep them for future reference.
- 2. Check the parts list and confirm everything's there before starting assembly.
- 3. When assembling, put all parts on a soft, smooth surface like a carpet to avoid scratches.
- 4. Don't fully tighten screws until all parts are confirmed in place to avoid misalignment.




We recommend using hand tools for assembly.


If an electric screwdriver is used, reduce power and torque to avoid damage to the product.



AVOID SCRATCHES


In order to avoid scratching, this furniture should be assembled on a soft surface, such as a rug.





Make sure all parts are included. Most board parts are labeled or stamped on the raw edge. Contact us for a free replacement if you encounter any damaged or missing parts.

Parts List




Hardware List


Α	В	С	D	E	F
Ø6x45mm	Ø15x12mm	Ø6x45mm	Ø5x65mm	Ø8x60mm	Ø6x55mm
28 pcs	68 pcs	8 pcs	10 pcs	10 pcs	12 pcs
		_	_		_
G	Н		J	K	L
M6x50mm	M6x30mm	M6x25mm	M6x10mm	Ø16x1mm	4x30mm
20 pcs	8 pcs	6 pcs	24 pcs	8 pcs	32 pcs
M	N	0			
Ø12x5mm	80mm	Ø21MM			
20 pcs	1 pc	8 pcs			


Installation of Cams and Pins


Step 1-2: Align the plastic part with the mounting hole and press it in. If you can't press it in, loosen the screw counter clockwise or completely remove the screw from the plastic part and try again. Step 3-4: After pressing the plastic part into place, use a screwdriver to tighten the screw clockwise.





Screw the pin into the hole. Set the cams correctly by aligning the head of the cams with the lock pins. Lock the cam by turning the cam head with a screwdriver until it is tightened. Please do not use an electric screwdriver to assemble the unit.































































Thank you for your support!

