Safety Data Sheet

1 - PRODUCT IDENTIFICATION

PRODUCT NAME: AMMO Hydrate Pro Paint Moisturizer

PRODUCT TYPE: Paint Moisturizer PRODUCT NUMBER: A3655XXX CONTROL NUMBER: A3655XXX

COMPANY: AMMO AUTO CARE, INC.

7 Brush Hill Road 8171 New Fairfield, CT 06812

USA

1-646-423-7580 www.AMMONYC.com larry@AMMONYC.com

EMERGENCY PHONE:...... USA 1.800.535.5053

INTL 1.352.323.3500

(24 hour emergency number)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Skin Irritation (2) Eye Irritation (2A)

SYMBOLS:....



SIGNAL WORD:..... WARNING!

HAZARD STATEMENT:..... Causes skin irritation. Causes serious eye irritation

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

RESPONSE:..... IF ON SKIN: Wash with plenty of water and soap. Specific

treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get

medical advice/attention.

STORAGE: N/A DISPOSAL: N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

C.A.S. NUMBER

Water
Hydrotreated Light Distillates
Polydimethylsiloxane

7732-18-5 64742-47-8 63148-62-9

4 - FIRST-AID MEASURES

BREATHING (INHALATION):... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Flush eyes with a large quantity of fresh water for at least 15

minutes. If irritation persists, consult a physician.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:.....>200 degrees F.

EXTINGUISHING MEDIA:....... Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol

resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

SPECIAL HAZARDS ARISING FROM THE CHEMICAL:.....Thermal decomposition may release

the following hazardous substances: Carbon oxides, silicone oxides, nitrogen oxides, sulfur oxides and gaseous hydrogen

chloride.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a

NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an

unmarked container! Keep away from children! Spilled material is

slippery.

INGREDIENT C.A.S. NUMBER PEL

Water 7732-18-5 No limits established Hydrotreated Light Distillates 64742-47-8 500 ppm PEL Polydimethylsiloxane 63148-62-9 No limits established

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Blue, opaque liquid. Pleasant fragrance

 ODOR THRESHOLD:
 N/A

 pH:
 6.0-8.0

 MELTING POINT:
 N/A

 FREEZING POINT:
 N/A

BOILING POINT:..... 210 degrees F.

BOILING POINT RANGE:...... N/A

FLASHPOINT:.....>200 degrees F.

VAPOR DENSITY (AIR=1):...... Greater than 1.

SPECIFIC GRAVITY:..... 0.99

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:.....N/A

DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Water thin

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions. **HAZARDOUS DECOMP.:** This product not known to polymerize. **INCOMPATIBILITY:** Do not mix with other chemicals.

11 - TOXICOLOGICAL INFORMATION

12 - ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

TOXICITY:....

Individual components of this mixture are toxic to aquatic life.

Product as Supplied			
Algae	EC50	>100 mg/L (Estimated)	
Crustacea (Daphnia)	EC50	>100 mg/L (Estimated)	
Fish	LC50	>100 mg/L (Estimated)	

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

^{*}Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

14 - TRANSPORTATION INFORMATION

DOT CODE

PROPER SHIPPING NAME:..... Not regulated

HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

IMDG CODE

PROPER SHIPPING NAME :... Not regulated

HAZARD CLASS :...... UN NUMBER :..... PACKAGING GROUP :.....

IATA CODE

PROPER SHIPPING NAME :... Not regulated

HAZARD CLASS :...... UN NUMBER :..... PACKAGING GROUP :......

15 - REGULATIONS

NEW JERSEY RIGHT TO KNOW:				
INGREDIENT	C.A.S. NUMBER	PEL		
Water	7732-18-5	No limits established		
Hydrotreated Light Distillates	64742-47-8	500 ppm PEL		
Polydimethylsiloxane	63148-62-9	No limits established		
PENNSYLVANIA RIGHT TO KNOW:				
INOREDIENT	O A C AUMPED	DEI		
INGREDIENT	C.A.S. NUMBER	PEL		
Water	7732-18-5	No limits established		
Hydrotreated Light Distillates	64742-47-8	500 ppm PEL		
Polydimethylsiloxane	63148-62-9	No limits established		
MASSACHUSETTS RIGHT TO KNOW:				
INGREDIENT	C.A.S. NUMBER	PEL		
Water	7732-18-5	No limits established		
Hydrotreated Light Distillates	64742-47-8	500 ppm PEL		


Polydimethylsiloxane


63148-62-9

No limits established

CALIFORNIA PROPOSITION 65:.....

NARNING: This product can expose you to chemicals including Diethanolamine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.





Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

ADDITIONAL:...... The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE:..... 01/11/2022