AMMO NYC REFLEX PRO FINISHING WAX

Identification of the substance/mixture and of the company/undertaking 1.

Product identifier 1.1.

Material/trade name: AMMO NYC Reflex Pro Finishing Wax

Product number(s): G1SPW103

1.2. Relevant identified uses of the substances or mixture and uses advised against

> Relevant identified uses: Car Wax

Details of the supplier of the safety data sheet 1.3.

AMMO AUTO CARE, INC. Company: 7 Brush Hill Road 8171 Address:

New Fairfield, CT 06812 USA

1-646-423-7580 Telephone number: E-mail address: larry@ammonyc.com

1.4. Emergency telephone number

1.800.535.5053INTL: 1.352.323.3500

2. Hazards identification

2.1. Classification of the substance or mixture

> **Contains:** Hydrocarbons, C11-C13, isoalkanes, cyclics, < 2% aromatics, 65-85%

919-857-5 EC No .:

Regulation (EC) No. 1272/2008 classification: Physical and chemical hazards: Not classified as hazardous

Human health hazards: Not classified as hazardous Environmental hazards: Not classified as hazardous

Directive 67/548 EEC or 1999/45 EC classification:

The full text for hazard statements and R phrases are provided in section 16.

2.2. Label elements (in accordance with Regulation (EC) No. 1272//2008)

Pictogram(s):

Signal word: N/A Hazard statement(s): N/A

Precautionary statement(s): P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves

Dispose of contents/container in accordance with P501

local regulations

Supplemental precautionary statement(s): P403 + P233Store in a well-ventilated place and keep container tightly closed

cracking

Supplemental label information (EU): EUH066 Repeated exposure may cause skin dryness or

2.3. Other hazards

None specified.

3. Composition/information on ingredients

3.1. A blend of natural and hydrocarbon waxes, hydrocarbon isoalkanes C11-C13, dyes, and silicones.

> This mixture is a solid paste due to the liquid having been absorbed by the blend of waxes. In its solid paste state, as supplied, this mixture does not meet the criteria for classification in accordance with Regulation (EC) No. 1272/2008 (2.7.2), Directive 1999/45 EC or the UN criteria (Model Regulation, Chapter 2.4) for a flammable solid.

Hydrocarbons, C11-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Product: AMMO NYC Reflex Pro Finishing Wax

Issue No.:

Date: January 2022 Page 1 of 5

AMMO NYC REFLEX PRO FINISHING WAX

EC No.	Related CAS No.	Related CAS No. Substance Name	Classification (EC 1272/2008)	Classification (67/548/EEC)	Concentration
920-901-0		Hydrocarbon Isoalkane C11-C13	Asp. Tox. 1 – H304		65-85%

Since this material is a solid at 40°C and therefore not a liquid the hazards associated with hydrocarbon isoalkanes are NOT applicable to this product.

The full text for hazard statements and R phrases are provided in section 16

4. First aid measures

4.1. Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Seek medical advice if symptoms persist.

Skin contact: Wash with soap and water. In case of skin irritation, consult a physician.

Eye contact: Flush with large amounts of water, keeping eyelids open. If irritation continues, seek

medical attention.

Ingestion: Seek immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed, may cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatment: First aid and treatment of symptoms.

5. Firefighting measures

5.1. Extinguishing media

Use mist sprays, carbon dioxide or dry chemicals.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion or high temperatures can produce acrid fumes.

5.3. Advice for firefighters

Do not breathe in fumes and wear respiratory protection equipment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing to prevent any contamination of skin, eyes and personal clothing. Avoid inhalation and ensure sufficient ventilation.

6.2. Environmental procedures

Contain spill safely, if possible. Prevent from entering drains, watercourses and sewers.

6.3. Methods and material for containment and cleaning up

Contain spill with inert material such as sand, earth or vermiculite. Collect and dispose of safely.

6.4. Reference to other sections

Refer to section 8 for further details on personal precautions, protective equipment and emergency procedures. Refer to section 13 for further disposal details.

7. Handling and storage

7.1. Precautions for safe handling

Protective measures: Handle in accordance with good industrial hygiene and safety. Avoid inhalation, use

in well-ventilated areas and wear personal protective clothing.

Product: AMMO NYC Reflex Pro Finishing Wax

Issue No.:

Date: January 2022 Page: 2 of 5

AMMO NYC REFLEX PRO FINISHING WAX

Measures to prevent fires: Keep away from sources of ignition.

Measures to prevent the environment: Protect shafts and sewers from entry of the product.

Advice on general occupational hygiene: Work in well-ventilated zones or use proper respiratory protection. Avoid contact

with skin, eyes and clothes.

7.2. Conditions for safety storage, including any incompatibilities

Keep in original containers, tightly sealed and in a well-ventilated area. Store away from heat and direct sunlight.

7.3. Specific end use(s)

Recommendations: Observe instructions of use.

8. Exposure controls/personal protection

8.1. Control parameters

Advisory OEL (CEFIC – HSPA): Contains no substances with occupational exposure limit values

8.2. Exposure controls

Personal protection:

Respiratory protection: Avoid, as far as is reasonably practical, inhalation of vapour, mists or fumes

generated during use and use in a well-ventilated area. If possible, use a mechanical ventilator. If technical exhaust or ventilation measures are not possible or

insufficient, wear respiratory protection.

Skin protection: Wear suitable gloves and suitable protective work clothing. After contact with skin,

wash immediately.

Eye protection: Wear suitable safety glasses.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Solid paste
Odour: Slight.
Softening point (°C): N/A
Boiling point/range (°C): 145 - 200
Congealing point (°C): N/A

Flash point (ASTM D 93) (°C):

Autoignition point (°C):

Density at 20°C (g/cm³):

Solubility in water (% by weight):

Not determined
>230
Approx. 0.8
Insoluble

Note: These are typical values and are not intended as a specification.

9.2. Other information

The high absorptive capacity of the blend of waxes means that this mixture exists as a solid paste, despite its high liquid content. As such, in this state as supplied, the mixture does not meet the criteria for classification in accordance with Regulation (EC) No. 1272/2008 (2.7.2), Directive 1999/45 EC or the UN criteria (Transport of Dangerous Goods, Model Regulation, Chapter 2.4) for a flammable solid.

10. Stability and reactivity

10.1. Reactivity

No specific test data related to reactivity available for this product.

10.2. Chemical stability

Chemically stable under normal temperatures, recommended conditions of storage and use.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Prevent overheating.

10.5. Incompatible materials

Avoid contact with strong acids and oxidising agents.

10.6. Hazardous decomposition products

Thermal decomposition can produce carbon monoxide, organic acids, aldehydes, alcohols, irritating vapours and smoke.

Product: AMMO NYC Reflex Pro Finishing Wax

Issue No.: 1

Date: January 2022 Page: 3 of 5

AMMO NYC REFLEX PRO FINISHING WAX

11. Toxicological information

11.1. Information on toxicological effects

No data available. Acute toxicity: No data available. Skin corrosion/irritation: Serious eye damage/irritation: No data available. Respiratory or skin sensitisation: No data available. Germ cell mutation: No data available. Carcinogenicity: No data available Reproductive toxicity: No data available. STOT-single exposure: No data available. STOT-repeated exposure: No data available.

11.2. Other potential health effects

Inhalation:May cause drowsiness or dizziness.Ingestion:May be harmful if swallowed.Eye Irritation:May cause eye irritation.

Skin irritation: May cause skin dryness and cracking through repeated exposure.

12. Ecological information

12.1. Toxicity

Non-toxic in normal conditions of use.

12.2. Persistence and degradability

Not expected to release persistent compounds.

12.3. Bioaccumulative potential

Not expected to bioaccumulate.

12.4. Mobility in soil

Immobile.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Follow instructions and incinerate or dispose of product and contaminated packaging in accordance with local authority regulations.

14. Transport information

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

IMDG:Not classified as hazardous.ADR/RID:Not classified as hazardous.IATA:Not classified as hazardous.

14.6. Special precautions for user

Prevent overheating.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Product: AMMO NYC Reflex Pro Finishing Wax

Issue No.:

Date: January 2022 Page: 4 of 5

AMMO NYC REFLEX PRO FINISHING WAX

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006

(REACH)

Other regulations: Health & Safety at Work etc. Act 1974

Control of Substances Hazardous to Health Regulations 2002 (as amended) Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 Classification, Labelling and Packaging of Substances and Mixtures Regulations

2008 (as amended)

EH40/2005 Workplace Exposure Limits (as amended)

Environmental Protection Act 1990

Hazardous Waste Regulations 2005 (as amended)

15.2. Chemical safety assessment

No data available.

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

None of the ingredients are listed

16. Other information

SDS Revision

This data sheet meets the requirements of Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008.

Regulation (EC) No. 1272/2008 Classification

This mixture has been classified using methods as described in Article 9(4) of Regulation (EC) No 1272/2008.

Full text of hazard statements

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Full text of R phrases

R65 Harmful: may cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness or dizziness.

Further information

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.

Product: AMMO NYC Reflex Pro Finishing Wax

Issue No.: 1

Date: January 2022 Page: 5 of 5