acc. to 29 CFR 1910.1200 App D



AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

SECTION 1: Identification

1.1 Product identifier

Trade name AMMO FROTHe HOSELESS LIFT

Alternative number(s) AMM473-01, PURD15-02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Vehicle waterless wash
Concentrate

1.3 Details of the supplier of the safety data sheet

AMMO AUTO CARE INC. 7 Brush Hill Road 8171 New Fairfield, CT 06812 USA

1-646-423-7580 www.AMMONYC.com larry@AMMONYC.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H315 Causes skin irritation.H318 Causes serious eye damage.

United States: en Page: 1 / 17





AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17

Replaces version of: 2018-06-28 (GHS 2)

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash it before reuse.

1 302 Take on contaminated clothing and wash it before reuse.

- Hazardous ingredients for labelling proprietary surfactant blend, D-Glucopyranose, oligomers, decyl octyl glycosides, lauryl glucoside

2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
proprietary surfactant blend	CAS No not available	5-<10	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318
cocamidopropylhydroxysultaine	CAS No 68139-30-0	1-<5	Eye Irrit. 2A / H319
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS No 68515-73-1	1-<5	Eye Dam. 1 / H318
lauryl glucoside	CAS No 110615-47-9	1-<5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318
sodium [dodecanoyl(methyl)amino]acetate	CAS No 137-16-6	<1	Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Dam. 1 / H318

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret. This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

United States: en Page: 2 / 17



acc. to 29 CFR 1910.1200 App D

AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

United States: en Page: 3 / 17

acc. to 29 CFR 1910.1200 App D



AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters


Occupational exposure limit values (Workplace Exposure Limits)

This information is not available. This mixture does not contain any substances which either present a health or environmental hazard according to Directive 67/548/EEC or have an occupational exposure limit assigned.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	DNEL	420 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	DNEL	595,000 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
lauryl glucoside	110615-47- 9	DNEL	595,000 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects

United States: en Page: 4 / 17





AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
lauryl glucoside	110615-47- 9	DNEL	420 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	DNEL	5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	DNEL	5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	560 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	1.516 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	111.1 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.27 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.152 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.176 ^{mg} / _I	aquatic organisms	freshwater	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.018 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	560 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	1.516 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.152 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.654 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	0.176 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)

United States: en Page: 5 / 17



acc. to 29 CFR 1910.1200 App D

AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
lauryl glucoside	110615-47- 9	PNEC	0.018 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	5,000 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	1.516 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	0.065 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	111.1 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	0.654 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
lauryl glucoside	110615-47- 9	PNEC	0.0295 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	0.0297 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	10 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	0.034 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	0.0034 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	0.012 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	0.297 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	PNEC	0.003 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

United States: en Page: 6 / 17

DRIVE+PROTECT

acc. to 29 CFR 1910.1200 App D

AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	colorless to pale amber
Odor	citrus - fruity

Other safety parameters

pH (value)	6 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not relevant
Vapor pressure	31.69 hPa at 25 °C
Density	0.96 ^g / _{cm³} at 25 °C 8 ^{lb} / _{gal} at 25 °C
Vapor density	this information is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

United States: en Page: 7 / 17



acc. to 29 CFR 1910.1200 App D

AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Incompatible materials 10.5

Oxidizers

10.6 **Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
proprietary surfactant blend	not available	oral	500 ^{mg} / _{kg}
sodium [dodecanoyl(methyl)amino]acetate	137-16-6	inhalation: vapor	0.5 ^{mg} / _l /4h

United States: en Page: 8 / 17

acc. to 29 CFR 1910.1200 App D



AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
proprietary surfactant blend	not available	EC50	3,200 ^{mg} / _l	daphnia magna	24 h
proprietary surfactant blend	not available	EC50	>100 ^{mg} / _I	daphnia magna	48 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 ^{mg} / _l	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 ^{mg} / _l	daphnia	48 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 ^{mg} / _l	fish	96 h
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	LC50	100.8 ^{mg} / _I	fish	96 h
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h

United States: en Page: 9 / 17





AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	ErC50	27.22 ^{mg} / _l	algae	72 h
lauryl glucoside	110615-47-9	LC50	2.95 ^{mg} / _l	fish	96 h
lauryl glucoside	110615-47-9	EC50	7 ^{mg} / _l	aquatic invertebrates	48 h
lauryl glucoside	110615-47-9	ErC50	12.5 ^{mg} / _l	algae	72 h
sodium [dodecanoyl(methyl)ami no]acetate	137-16-6	EC50	107 ^{mg} / _l	fish	96 h
sodium [dodecanoyl(methyl)ami no]acetate	137-16-6	LC50	29.7 ^{mg} / _l	aquatic invertebrates	48 h
sodium [dodecanoyl(methyl)ami no]acetate	137-16-6	ErC50	79 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	LC50	3.2 ^{mg} / _l	fish	28 d
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	EC50	>560 ^{mg} / _I	microorganisms	6 h
lauryl glucoside	110615-47-9	LC50	3.2 ^{mg} / _l	fish	28 d
sodium [dodecanoyl(methyl)ami no]acetate	137-16-6	EC50	>1,000 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

United States: en Page: 10 / 17

acc. to 29 CFR 1910.1200 App D



AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
------	-----------	--------------------------------------

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

United States: en Page: 11 / 17

acc. to 29 CFR 1910.1200 App D



AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	carrier fluid / dis- solver	
proprietary surfactant blend	not available	surfactant	
cocamidopropylhydroxysultaine	68139-30-0	surfactant	
lauryl glucoside	110615-47-9	surfactant	
D-Glucopyranose, oligomers, decyl octyl glyc- osides	68515-73-1	surfactant	
sodium chloride	7647-14-5	viscosity modifier	
sodium [dodecanoyl(methyl)amino]acetate	137-16-6	surfactant	
2-methylpentane-2,4-diol	107-41-5	humectant	
Terpenes & Terpenoids, grapefruit oil	68917-32-8	fragrance	
Grapefruit oil	8016-20-4	fragrance	
Ethyl methylphenylglycidate	77-83-8	fragrance	
beta-lonone	14901-07-6	fragrance	

⁻ Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

United States: en Page: 12 / 17



acc. to 29 CFR 1910.1200 App D

AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 3.544 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.1873 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
CA	DSL	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg.
REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 13 / 17





AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.1		Alternative number(s): AMM473-01, PURD15-02	yes
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: proprietary surfactant blend, reaction mass of: 5- chloro-2-methyl-4-isothiazolin-3-one and 2-methyl- 2H -isothiazol-3-one (3:1), decyl glucoside	Hazardous ingredients for labelling: proprietary surfactant blend, D-Glucopyranose, oligomers, decyl octyl glycosides, lauryl glucoside	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1	Control parameters: This information is not available.	Control parameters	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): This information is not available. This mixture does not contain any substances which either present a health or environmental hazard according to Directive 67/548/EEC or have an occupational exposure limit assigned.	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Explosive limits: not determined	Explosive limits: not relevant	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Respiratory or skin sensitization: May cause an allergic skin reaction.	Respiratory or skin sensitization: Shall not be classified as a respiratory or skin sensitizer.	yes
12.1	Toxicity: Harmful to aquatic life.	Toxicity: Harmful to aquatic life with long lasting effects.	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes

United States: en Page: 14 / 17





AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
12.1		Aquatic toxicity (chronic) of components of the mix- ture: change in the listing (table)	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name: not assigned	yes
14.3	Transport hazard class(es): none	Transport hazard class(es): not assigned	yes
14.4	Packing group: not relevant	Packing group: not assigned	yes
15.1		Toxic Substance Control Act (TSCA): all ingredients are listed	yes
15.1		Right to Know Hazardous Substance List	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK)	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Toxic or Hazardous Substance List (MA-TURA): none of the ingredients are listed	yes
15.1		VOC content: Regulated Volatile Organic Compounds (VOC-EPA): 3.544 % Regulated Volatile Organic Compounds (VOC-CalARB): 0.1873 %	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abby	Descriptions of word abbreviations
Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

United States: en Page: 15 / 17





AMMO FROTHE HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

United States: en Page: 16 / 17





AMMO FROTHe HOSELESS LIFT

Version number: GHS 3.0 Revision: 2019-12-17 Replaces version of: 2018-06-28 (GHS 2)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17