

# **Safety Data Sheet**

Issue Date: 01-Jan-2011 Revision Date: 06-Jun-2022 Version 2

## 1. IDENTIFICATION

**Product identifier** 

Product Name Lead Stop Professional Lead Encapsulant

Other means of identification

**SDS #** DCI-061

Recommended use of the chemical and restrictions on use

Recommended Use Lead paint encapsulating compound.

Details of the supplier of the safety data sheet

Supplier Address Dumond, Inc. 253 S. Bailey Road Downingtown, PA 19335

Emergency telephone number

Company Phone Number Emergency Telephone 1-609-655-7700

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

#### 2. HAZARDS IDENTIFICATION

Appearance White viscous liquid Physical state Liquid Odor Latex paint

Classification

Skin sensitization Category 1

# Signal Word Warning

## **Hazard statements**

May cause an allergic skin reaction



# **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

#### **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

·

Revision Date: 06-Jun-2022

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Very toxic to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Coating.

Chemical name	CAS No	Weight-%
Titanium dioxide	13463-67-7	5-10
Texanol ester alcohol	25265-77-4	1-3
3(2H)-Isothiazolone, 2-octyl-	26530-20-1	<1
Sodium Nitrite	7632-00-0	<1
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-	55965-84-9	<1
3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
Ammonium Hydroxide	7664-41-7	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General Advice** If exposed or concerned: Get medical advice/attention.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if necessary.

**Skin Contact** Wash off immediately with soap and plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

necessary.

**Ingestion** Rinse mouth. Get medical attention if necessary.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** May cause an allergic skin reaction. Direct contact with eyes may cause temporary

irritation. Substance may cause slight skin irritation. Prolonged breathing of vapors may

cause nausea, headache, weakness and/or dizziness.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician**Treat symptomatically. Persons with pre-existing kidney or liver disease may be at an

increased risk from exposure to this material. Prolonged overexposure may result in kidney or liver damage. Prolonged overexposure to silica may result in a progressive disabling lung disease, silicosis, and increase the risk of lung cancer. Under normal use, no exposure to

silica is expected.

## 5. FIRE-FIGHTING MEASURES

\_\_\_\_\_

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Material may splatter at temperatures greater than 212 F.

Hazardous combustion products Carbon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional Ecological Information.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Collect using an inert absorbent material

and place in appropriate containers for disposal.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Keep containers closed when not in use. Avoid contact with skin, eyes or clothing. Wash

face, hands and any exposed skin thoroughly after handling. Emptied container retains product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Contaminated work clothing must not be allowed out of the workplace.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Store locked up.

**Incompatible Materials** Strong oxidizing agents. Bases. Acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

·

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	_	(vacated) TWA: 10 mg/m³ total	TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
		dust	TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine,
			including engineered nanoscale
Ammonium Hydroxide	STEL: 35 ppm	TWA: 50 ppm	IDLH: 300 ppm
7664-41-7	TWA: 25 ppm	TWA: 35 mg/m <sup>3</sup>	TWA: 25 ppm
		(vacated) STEL: 35 ppm	TWA: 18 mg/m <sup>3</sup>
		(vacated) STEL: 27 mg/m <sup>3</sup>	STEL: 35 ppm
			STEL: 27 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Provide natural

or mechanical ventilation to control exposure levels below airborne exposure limits.

Revision Date: 06-Jun-2022

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Risk of contact: Wear approved safety goggles.

**Skin and Body Protection** Wear neoprene gloves for prolonged contact.

Respiratory Protection None needed under normal use conditions. If the TLV is exceeded, use a NIOSH approved

organic vapor respirator with a dust/mist pre-filter.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceWhite viscous liquidOdorLatex paintColorWhiteOdor ThresholdNot determined

Property Values Remarks • Method

Not determined

pH Not determined

Melting point / freezing point

Boiling point / boiling range > 100 °C / >212 °F

Flash point Not applicable

Evaporation Rate Not determined

Flammability (Solid, Gas) Flammability Limit in Air

Upper flammability or explosive Not applicable

limits

Lower flammability or explosive Not applicable

limits

Vapor Pressure Not determined Vapor Density Not determined

1.24 **Relative Density Water Solubility** Dispersible Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not applicable **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

Oxidizing Properties Not determined

## Other information

# 10. STABILITY AND REACTIVITY

## Reactivity

Not reactive under normal conditions.

# **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

## **Conditions to Avoid**

Keep out of reach of children.

## **Incompatible materials**

Strong oxidizing agents. Bases. Acids.

## **Hazardous decomposition products**

Carbon dioxide (CO2). Carbon monoxide. Acrylic polymers.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not ingest.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
1,2 Propanediol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg ( Rabbit )	-
Texanol ester alcohol 25265-77-4	= 3200 mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat) 6 h
Polyalkylene Glycol 9003-13-8	= 5840 mg/kg (Rat)	= 13340 mg/kg ( Rabbit )	-
Polyalkylene Glycol Monobutyl Ether 9038-95-3	= 5 g/kg(Rat)	= 14100 μL/kg(Rabbit)	= 147 mg/m³ (Rat) 4 h
3(2H)-Isothiazolone, 2-octyl- 26530-20-1	= 550 mg/kg ( Rat )	= 690 mg/kg ( Rabbit )	-
Alcohols, C9-11 ethoxylated 68439-46-3	= 1400 mg/kg(Rat)	-	-
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h

Ammonium Hydroxide 7664-41-7	= 350 mg/kg (Rat)	-	= 2000 ppm (Rat) 4 h
Reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) 55965-84-9	= 53 mg/kg(Rat)	= 87.12 mg/kg ( Rabbit )	-
Bitrex 3734-33-6	= 584 mg/kg(Rat)	> 2000 mg/kg (Rat)	-

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Direct contact with eyes may cause temporary irritation. May cause slight skin irritation.

Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness.

Revision Date: 06-Jun-2022

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

Carcinogenicity Titanium dioxide is a possible carcinogen when it appears as a respirable dust. Nitrate or

nitrite ingested under conditions that result in endogenous nitrosation are considered IARC

group 2A carcinogens.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		X
Sodium Nitrite 7632-00-0		Group 2A		X

#### Legend

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 13,271.7142 mg/kg

 Dermal LD50
 48,624.00 mg/kg

 ATEmix (inhalation-dust/mist)
 34.60 mg/L

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
1,2 Propanediol	19000: 96 h Pseudokirchneriella	41 - 47: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
57-55-6	subcapitata mg/L EC50	mL/L LC50 static	EC50 Static
	-	51400: 96 h Pimephales promelas	
		mg/L LC50 static	
		51600: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	
		710: 96 h Pimephales promelas	
		mg/L LC50	
Texanol ester alcohol	18.4: 72 h Pseudokirchneriella	30: 96 h Pimephales promelas mg/L	
25265-77-4	subcapitata mg/L EC50	LC50	
Sodium Nitrite		0.092 - 0.13: 96 h Oncorhynchus	
7632-00-0		mykiss mg/L LC50 flow-through	
		0.4 - 0.6: 96 h Oncorhynchus	
		mykiss mg/L LC50 semi-static	
		0.65 - 1: 96 h Oncorhynchus mykiss	

	mg/L LC50 static	
	0.19: 96 h Oncorhynchus mykiss	
	mg/L LC50 flow-through	
	2.3: 96 h Pimephales promelas	
	mg/L LC50 flow-through	
	20: 96 h Pimephales promelas mg/L	
	LC50 static	
Ammonium Hydroxide	0.26 - 4.6: 96 h Lepomis	25.4: 48 h Daphnia magna mg/L
7664-41-7	macrochirus mg/L LC50	LC50
	0.73 - 2.35: 96 h Pimephales	
	promelas mg/L LC50	
	0.44: 96 h Cyprinus carpio mg/L	
	LC50	
	1.17: 96 h Lepomis macrochirus	
	mg/L LC50 flow-through	
	1.19: 96 h Poecilia reticulata mg/L	
	LC50 static	
	5.9: 96 h Pimephales promelas	
	mg/L LC50 static	
	1.5: 96 h Poecilia reticulata mg/L	
	LC50	

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

There is no data for this product.

## **Mobility**

Chemical name	Partition coefficient
Texanol ester alcohol 25265-77-4	3.47
Sodium Nitrite 7632-00-0	-3.7

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Sodium Nitrite	Toxic
7632-00-0	Ignitable
	Reactive

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

\_\_\_\_\_

Revision Date: 06-Jun-2022

exemptions and special circumstances.

**DOT** Not regulated

<u>IATA</u> Not regulated

**IMDG** 

Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Nepheline Syenite			Χ			Х			
Titanium dioxide	Х	ACTIVE	Х	Х	Χ	Х	Х	Х	Х
1,2 Propanediol	X	ACTIVE	X	X	Χ	X	X	X	X
Texanol ester alcohol	Х	ACTIVE	X	X		X	Х	X	X
Cellulose, 2-hydroxyethyl methyl ether	Х	ACTIVE	Х		Х	Х	Х	Х	Х
Polyalkylene Glycol Monobutyl Ether	Х	ACTIVE	Х		Х	Х	Х	Х	Х
Polyalkylene Glycol	Х	ACTIVE	X	X		X	Х	Х	Х
3(2H)-Isothiazolone, 2-octyl-	Х	ACTIVE	Х	Х	Χ	Х	Х	Х	Х
Alcohols, C9-11 ethoxylated	Х	ACTIVE	Χ		Χ	X	Х	X	Х
Sodium Nitrite	Х	ACTIVE	Х	Х	Χ	Х	Х	Х	Х
Ammonium Hydroxide	Х	ACTIVE	X	X	Χ	X	X	X	X
Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)			Х		Х	Х	Х	Х	
Bitrex	Χ	ACTIVE	X	X	Χ	X	X	X	X

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Environmental recoponed compendation and Elability rec (CERCER) (10 of 12 of 2						
Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)			
Sodium Nitrite	100 lb		RQ 100 lb final RQ			
7632-00-0			RQ 45.4 kg final RQ			
Ammonium Hydroxide	100 lb	100 lb	RQ 100 lb final RQ			
7664-41-7			RQ 45.4 kg final RQ			

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Nitrite	100 lb			Χ
Ammonium Hydroxide	100 lb			Х

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide 13463-67-7	X	X	Х
1,2 Propanediol 57-55-6	Х		Х
Sodium Nitrite 7632-00-0	X	X	Х
Ammonium Hydroxide 7664-41-7	Х	Х	Х

## **16. OTHER INFORMATION**

NFPAHealth Hazards<br/>Not determinedFlammability<br/>Not determinedInstability<br/>Not determinedSpecial Hazards<br/>Not determinedHMISHealth HazardsFlammabilityPhysical hazardsPersonal Protection<br/>Not determined2\*0Not determined

Chronic Hazard Star Legend \*= Chronic Health Hazard

Issue Date:01-Jan-2011Revision Date:06-Jun-2022Revision Note:Reformulation

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**