

1. IDENTIFICATION

Product identifier

Product Name Smart Strip® Marine Paint Remover

Other means of identification

SDS # DCI-039

Recommended use of the chemical and restrictions on use

Recommended Use For the removal of various paints from numerous substrates.

Details of the supplier of the safety data sheet

Supplier Address

Dumond Chemicals
83 General Warren Blvd
Suite 190
Malvern, PA 19355

Emergency telephone number

Company Phone Number 1-609-655-7700
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance: Off-white viscous liquid

Physical state: Liquid

Odor: Aromatic

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical name	CAS No	Weight-%
Benzyl alcohol	100-51-6	30-40
Proprietary 1	Proprietary	5-15
Proprietary 2	Proprietary	1-10
Proprietary 3	Proprietary	<1
Proprietary 4	Proprietary	<1
Proprietary 5	Proprietary	<1
Proprietary 6	Proprietary	<1
Proprietary 7	Proprietary	<1
Calcined Kaolin	92704-41-1	<1
Proprietary 8	Proprietary	<0.1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if necessary.
Skin Contact	Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and shoes. Call a poison center or doctor/physician if you feel unwell or if skin irritation persists.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.
Ingestion	Rinse mouth. If conscious give 2 glasses of water to dilute. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms	May be harmful if swallowed. May be harmful in contact with skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical or CO₂.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Sealed containers may rupture when heated. At elevated temperatures, vapors may form explosive mixtures with air in confined areas. Decomposition may be hazardous. Cool containers exposed to flames with water until well after the fire is out.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Wear appropriate protective clothing and equipment to prevent contact.
-----------------------------	--

Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information. Do not allow into any sewer, on the ground or into any body of water.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Scoop up and collect with an inert absorbent and place into closable containers for disposal. Wash spill area with plenty of water. Spills and releases may have to be reported

to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Remove Personal Protective Equipment immediately after handling this product. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Protect container from physical damage. Follow all SDS/label precautions even after container is emptied, because it may retain product residues. Do not breathe vapors or spray mist.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep in a dry, cool and well-ventilated place.

Incompatible Materials

Bases. Strong oxidizers and reducing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

No exposure limits noted for ingredient(s).

Appropriate engineering controls

Engineering Controls

For operations where contact can occur, a safety shower and an eye wash facility should be available. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical safety goggles/faceshield. Do not wear contact lenses. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Butyl rubber or other impervious gloves are required. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

None needed under normal use conditions with adequate ventilation. If the occupational exposure limits are exceeded, a NIOSH approved respirator with acid gas cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Color

Liquid
Off-white paste Viscous liquid
White

Odor
Odor Threshold

Faint aromatic odor
Not determined

Property
pH

Values
No data available

Remarks • Method

Melting point / freezing point	-15°C / -5°F	
Initial boiling point and boiling range	96°C / 205°F	
Flash point	No data available	
Evaporation Rate	<1	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor Pressure	Not determined	
Vapor Density	3-4	(Air=1)
Relative Density	Not determined	
Water Solubility	Moderately soluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	No data available	
Hyphen	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

Other information

Bulk density 10.54 lbs / gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Bases. Strong oxidizers and reducing agents. Strong acids.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NO_x).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin. May be harmful in contact with skin. Prolonged contact may cause redness and irritation.
Inhalation	Avoid inhalation.

Ingestion

May be harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m ³ (Rat) 4 h
Proprietary 1	= 15900 mg/kg (Rat)	-	-
Proprietary 3	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 11 mg/L (Rat) 4 h
Proprietary 5	> 5 g/kg (Rat)	> 5 g/kg (Rabbit)	-
Proprietary 6	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Proprietary 7	= 1400 mg/kg (Rat)	-	-
Calcined Kaolin 92704-41-1	> 2000 mg/kg (Rat)	-	> 2.07 mg/L (Rat) 4 h
Proprietary 8	= 3 g/kg (Rat)	> 10000 mg/kg (Rabbit)	> 42 mg/L (Rat) 1 h

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	2,798.50 mg/kg
Dermal LD50	5,040.40 mg/kg
ATEmix (inhalation-dust/mist)	>9 mg/l

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Not determined.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Benzyl alcohol 100-51-6		LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	EC50: =23mg/L (48h, water flea)
Dimethyl Glutarate 1119-40-0		LC50: 19.6 - 26.2mg/L (96h, Pimephales promelas)	EC50: 122.1 - 163.5mg/L (48h, Daphnia magna)
Dimethyl Succinate 106-65-0		LC50: 50 - 100mg/L (96h, Brachydanio rerio)	
Calcined Kaolin 92704-41-1	EC50: >100mg/L (72h, Desmodesmus subspicatus)	LC50: >100mg/L (96h, Oncorhynchus mykiss)	EC50: >1mg/L (48h, Daphnia magna)
Sodium Chloride 7647-14-5		LC50: 5560 - 6080mg/L (96h, Lepomis macrochirus) LC50: =12946mg/L (96h, Lepomis macrochirus) LC50: 6020 - 7070mg/L (96h, Pimephales promelas) LC50: =7050mg/L (96h, Pimephales promelas) LC50: 6420 - 6700mg/L (96h,	EC50: =1000mg/L (48h, Daphnia magna) EC50: 340.7 - 469.2mg/L (48h, Daphnia magna)

		Pimephales promelas LC50: 4747 - 7824mg/L (96h, Oncorhynchus mykiss)	
--	--	--	--

Persistence/Degradability

Not determined.

Bioaccumulation

No information available.

Mobility

Chemical name	Partition coefficient
Benzyl alcohol 100-51-6	1.05
Proprietary 3	0.49
Proprietary 5	0.33
Proprietary 6	1.4

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

All ingredients are listed or exempt from listing on Chemical Substance Inventory

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains the following substance(s) regulated under applicable state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X

16. OTHER INFORMATION

NFPA

Health hazards

Flammability

Instability

Special hazards

-

-

-

-

HMIS

Health hazards

Flammability

Physical hazards

Personal Protection

-

-

-

Not determined

Issue Date:

01-Nov-2018

Revision Date:

12-Jun-2023

Revision Note:

Regulatory update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet